BS EN 60317-70:2017

BSI Standards Publication

Specifications for particular types of winding wires

Part 70: Polyester glass-fibre wound fused, unvarnished or resin or varnish impregnated, bare or enamelled round copper wire, temperature index 155 (IEC 60317-70:2017)

Documents
Document Sharing Hub

Full document details: BS EN 60317-70:2017

National foreword

This British Standard is the UK implementation of EN 60317-70:2017. It is identical to IEC 60317-70:2017.

The UK participation in its preparation was entrusted to Technical Committee L/-/99, Miscellaneous Standards - Electrical.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 90550 6

ICS 29.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2017.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS EN 60317-70:2017

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN 60317-70

August 2017

ICS 29.060.10

English Version

Specifications for particular types of winding wires - Part 70: Polyester glass-fibre wound fused, unvarnished or resin or varnish impregnated, bare or enamelled round copper wire, temperature index 155 (IEC 60317-70:2017)

Spécifications pour types particuliers de fils de bobinage - Partie 70: Fil de section circulaire en cuivre nu ou émaillé, guipé de fibres de verre polyester fondues, non vernies et ou imprégnées de vernis ou de résine, d'indice de température 155 (IEC 60317-70:2017)

Technische Lieferbedingungen für bestimmte Typen von Wickeldrähten - Teil 70: Mit unbeschichteten Polyesterglasfasern umwickelt und verschmolzen oder mit Harz oder Lack imprägnierter blanker oder lackisolierter Runddraht aus Kupfer der Klasse 155 (IEC 60317-70:2017)

This European Standard was approved by CENELEC on 2017-06-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN 60317-70:2017 E

AVA Documents Document Sharing Hub

Full document details: BS EN 60317-70:2017

European foreword

The text of document 55/1602/FDIS, future edition 1 of IEC 60317-70, prepared by IEC/TC 55 "Winding wires" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60317-70:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-03-08
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-06-08

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60317-70:2017 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60264	NOTE	Harmonized in EN 60264 series.
IEC 60317	NOTE	Harmonized in EN 60317 series.
IEC 60851	NOTE	Harmonized in EN 60851 series.

Documents
Document Sharing Hub

Full document details: BS EN 60317-70:2017

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 60317-0-10	2017	Specifications for particular types of winding wires - Part 0-10: General requirements - Polyester glass-fibre wound fused, unvarnished, or resin or varnish impregnated, bare or enamelled round copper wire	EN 60317-0-10	2017

Documents
Document Sharing Hub
Full document details: BS EN 60317-70:2017

This page deliberately left blank

Documents
Document Sharing Hub

Full document details: BS EN 60317-70:2017