

Methods of measurement for equipment used in digital microwave radio transmission systems —

Part 2: Measurements on terrestrial radio-relay systems —

Section 2.9 Service channels

The European Standard EN 60835-2-9:1995 has the status of a
British Standard

ICS 33.060.30

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by Technical Committee EPL/12, Radio communication, to Subcommittee EPL/12/5, Radio communication systems, upon which the following bodies were represented:

- British Broadcasting Corporation
- British Radio and Electronic Equipment Manufacturers' Association
- British Telecommunications plc
- ERA Technology Ltd.
- Institution of Electrical Engineers
- Radio, Electrical and Television Retailers' Association
- Radiocommunications Agency

This British Standard, having been prepared under the direction of the Electrotechnical Sector Board, was published under the authority of the Standards Board and comes into effect on 15 January 1997

© BSI 11-1998

The following BSI references relate to the work on this standard:
Committee reference EPL/12/5
Draft for comment 91/29838 DC

ISBN 0 580 26392 4

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Text of EN 60835-2-9	3
List of references	Inside back cover

National foreword

This British Standard has been prepared by Subcommittee EPL/12/5 and is the English language version of EN 60835-2-9:1995 *Methods of measurement for equipment used in digital microwave radio transmission systems Part 2: Measurements on terrestrial radio-relay systems Section 9: Service channels*, published by the European Committee for Electrotechnical Standardization (CENELEC). It is identical with IEC 835-2-9:1995, published by the International Electrotechnical Commission (IEC).

BS EN 60835 is published in three Parts. The other Parts are:

- *Part 1: Measurements common to terrestrial radio-relay systems and satellite earth stations.*
- *Part 3: Measurements on satellite earth stations.*

Some of the many Sections of the three Parts have appeared under the number BS 7573, of the same generic title.

This Section of BS EN 60835 deals with measurements pertaining to the service channels used in digital microwave radio-relay systems.

Cross-references

Publication referred to	Corresponding British Standard
	BS EN 60835 <i>Methods of measurement for equipment used in digital microwave radio transmission systems</i>
	BS EN 60835-1 <i>Measurements common to terrestrial radio-relay systems and satellite earth stations</i>
EN 60835-1-2:1993 (IEC 835-1-2:1992)	BS EN 60835-1-2:1995 <i>Basic characteristics</i>
EN 60835-1-3:1995 (IEC 835-1-3:1992)	BS EN 60835-1-3:1997 ¹⁾ <i>Transmission characteristics</i>
EN 60835-1-4:1995 (IEC 835-1-4:1992)	BS EN 60835-1-4:1997 ¹⁾ <i>Transmission performance</i>
EN 60835-2-4:1995 (IEC 835-2-4:1993)	BS EN 60835-2 <i>Measurements on terrestrial radio-relay systems</i>
	BS EN 60835-2-4:1997 ¹⁾ <i>Transmitter/receiver including modulator/demodulator</i>

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN title page, pages 2 to 14, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

¹⁾ In preparation

ICS 33.060.30

Descriptors: Telecommunications, radiocommunications, communication equipment, digital technics, radio-relay systems, microwave frequencies, transmission channels, measurements

English version

Methods of measurement for equipment used in digital
microwave radio transmission systems
Part 2: Measurements on terrestrial radio-relay systems
Section 9: Service channels

(IEC 835-2-9:1995)

Méthodes de mesure applicables au matériel
utilisé pour les systèmes de transmission
numérique en hyperfréquence
Partie 2: Mesures applicables aux faisceaux
hertziens terrestres
Section 9: Voies de service
(CEI 835-2-9:1995)

Meßverfahren für Geräte in digitalen
Mikrowellen Funkübertragungssystemen
Teil 2: Messungen an terrestrischen
Richtfunksystemen
Hauptabschnitt 9: Dienstkanäle
(IEC 835-2-9:1995)

This European Standard was approved by CENELEC on 1995-11-28. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B-1050 Brussels

© 1995 Copyright reserved to CENELEC members

Foreword

The text of document 12E/246/DIS, future edition 1 of IEC 835-2-9, prepared by SC 12E, Radio-relay and fixed satellite communication systems, of IEC TC 12, Radiocommunications, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 60835-2-9 on 1995-11-28.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1996-09-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 1996-09-01

Annexes designated “normative” are part of the body of the standard. Annexes designated “informative” are given for information only. In this standard, annex ZA is normative and annex A is informative. Annex ZA has been added by CENELEC.

Contents

	Page
1 General	3
1.1 Scope	3
1.2 Normative references	3
2 Analogue interface of service channels transmitted by analogue techniques	3
2.1 Return loss	3
2.2 Input deviation sensitivity	3
2.3 Output deviation sensitivity	4
2.4 Transmit-receive section parameters	4
3 Analogue interface of service channels transmitted by digital techniques	5
3.1 Return loss	5
3.2 Amplitude-frequency characteristic	5
3.3 PCM coder overload point	5
3.4 Idle channel noise	6
3.5 Total distortion including quantizing distortion	6
4 Digital interface of service channels transmitted by digital techniques	6
4.1 Return loss, terminal balance ratio	6
4.2 Acceptability of the signal at the input of the transmit code converter	6
4.3 Level and shape of the signal at the output of the receive code converter	7
4.4 Effect of jitter	7
Annex A (informative) Bibliography	13
Annex ZA (normative) Normative references to international publications with their corresponding European publications	14
Figure 1 — Method of service channel transmission over a digital radio-relay system	8
Figure 2 — Measurement of peak-to-peak deviation in case of sinusoidal modulation using a spectrum analyzer	9
Figure 3 — Back-to-back connection of transmit-side and receive-side multiplex equipment	10
Figure 4 — Test arrangement for measuring the signal-to-total distortion ratio	11
Figure 5 — Test arrangement for measuring the acceptability of the signal at the input of the transmit code converter	11
Figure 6 — Test arrangement for measuring the level of the signal at the output of the receive code converter	12