

Process measurement and control devices — General methods and procedures for evaluating performance —

Part 3: Tests for the effects of influence quantities

The European Standard EN 61298-3:1998 has the status of a
British Standard

ICS 25.040.40; 35.240.50

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard is the English language version of EN 61298-3:1998. It is identical with IEC 61298-3:1998.

The UK participation in its preparation was entrusted by Technical Committee GEL/65, Measurement and control, to Subcommittee GEL/65/2, Elements of systems, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

From 1 January 1997, all IEC publications have the number 60000 added to the old number. For instance, IEC 27-1 has been renumbered as IEC 60027-1. For a period of time during the change over from one numbering system to the other, publications may contain identifiers from both systems.

Cross-references

Attention is drawn to the fact that CEN and CENELEC standards normally include an annex which lists normative references to international publications with their corresponding European publications. The British Standards which implement these international or European publications may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN title page, pages 2 to 20, an inside back cover and a back cover. This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Electrotechnical Sector Board, was published under the authority of the Standards Board and comes into effect on 15 June 1998

© BSI 05-1999

ISBN 0 580 29903 1

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	2
Text of EN 61298-3	5

ICS 35.240.50

Descriptors: Process measurement and control device, evaluating performances, influence quantity, test

English version

Process measurement and control devices
General methods and procedures for evaluating
performance
Part 3: Tests for the effects of influence quantities

(IEC 61298-3:1998)

Dispositifs de mesure et de commande de
processus
Méthodes et procédures générales d'évaluation
des performances
Partie 3: Essais pour la détermination des effets
des grandeurs d'influence
(CEI 61298-3:1998)

Prozeß-, -steuer- und -regelgeräte
Allgemeine Methoden und Verfahren für die
Bewertung des Betriebsverhaltens
Teil 3: Prüfungen für die Wirkungen von
Einflußgrößen
(IEC 61298-3:1998)

This European Standard was approved by CENELEC on 1998-04-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B-1050 Brussels

© 1998 CENELEC — All rights of exploitation in any form and by any means reserved worldwide for CENELEC members.

Foreword

The text of document 65B/320/FDIS, future edition 1 of IEC 61298-3, prepared by SC 65B, Devices, of IEC TC 65, Industrial-process measurement end control, was submitted to the IEC-CENELEC parallel vote and was approved by CENELEC as EN 61298-3 on 1998-04-01.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 1999-01-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2001-01-01

Annexes designated “normative” are part of the body of the standard.

In this standard, Annex ZA is normative.

Annex ZA has been added by CENELEC.

Endorsement notice

The text of the International Standard IEC 61298-3:1998 was approved by CENELEC as a European Standard without any modification.

Contents

	Page	Page	Page
Foreword	2	14	Harmonic distortion effects
Introduction	5	15	Magnetic field effects
1 Scope	5	16	Radiated electromagnetic interference
2 Normative references	5	16.1	General considerations
3 Definitions	5	16.2	Procedure
4 General considerations	6	17	Electrostatic discharge
4.1 Criteria	6	17.1	General considerations
4.2 General procedures	6	17.2	Procedure
5 Ambient temperature effects	7	18	Effect of open-circuited and short-circuited input
5.1 Criteria	7	19	Effect of open-circuited and short-circuited output
5.2 Test procedure	7	20	Effects of process medium conditions
6 Ambient relative humidity effects	7	20.1	Temperature of process fluid
7 Vibration	8	20.2	Flow of process fluid through the device
7.1 General considerations	8	20.3	Static line pressure effect
7.2 Initial resonance search	8	21	Atmospheric pressure effects
7.3 Endurance conditioning by sweeping	8	22	Flow of purge gas through the device
7.4 Final resonance search	8	23	Accelerated operational life test
7.5 Final measurements	9	24	Operational long-term drift test
8 Shock, drop and topple	9		Annex ZA (normative) Normative references to international publications with their corresponding European publications
9 Mounting position	9		Inside back cover
10 Over-range	9	10	Figure 1 — Arrangement for supply voltage depression or interruption tests
11 Output load effects	9	10	Figure 2 — Arrangement for common mode interference tests
11.1 Electrical output	9	10	Figure 3 — Arrangement for series mode interference test
11.2 Pneumatic output	9	11	Figure 4 — Arrangement for harmonic distortion effects test
12 Power supply effects	10	11	Figure 5 — Examples of application of the test field
12.1 Supply voltage and frequency variations	10	11	Figure 6 — Test set-up of the effects of static pressure
12.2 Transient supply voltage effects	10	11	Figure 7 — Time schedule of input changes and changes of ambient temperature
12.3 Supply voltage depression	10	12	Table 1 — Ambient temperature test ranges
12.4 Short-term supply voltage interruptions	11	13	Table 2 — Vibration test levels
12.5 Fast transient/burst immunity requirements	11	14	
12.6 Surge immunity requirements	11		
12.7 Reverse supply voltage protection (d.c. devices)	11		
12.8 Supply pressure variations	11		
12.9 Supply pressure interruptions	11		
13 Electrical interference	12		
13.1 Common mode interference	12		
13.2 Normal mode interference (series mode)	13		
13.3 Earthing	14		

