

Household and similar electrical appliances — Safety

Part 2-90: Particular requirements for commercial microwave ovens

National foreword

This British Standard is the UK implementation of EN IEC 60335-2-90:2021+A1:2021. It is derived from IEC 60335-2-90:2015 incorporating amendment 1:2019. It supersedes BS EN 60335-2-90:2006+A1:2010, which will be withdrawn on 27 September 2024.

The CENELEC common modifications have been implemented at the appropriate places in the text. The start and finish of each common modification is indicated in the text by tags **[C]** **[C]**.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to IEC text carry the number of the IEC amendment. For example, text altered by IEC amendment 1 is indicated by **[A₁]** **[A₁]**.

Where a common modification to an IEC amendment has been introduced, the tags carry the number of the amendment. For example, the common modifications introduced by CENELEC to IEC amendment 1 are indicated by **[C₁]** **[C₁]**.

The UK participation in its preparation was entrusted to Technical Committee CPL/61/7, Safety of electrical appliances - Heated appliance group.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 21753 7

ICS 97.040.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2022.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2022	Correction to National foreword

English Version

**Household and similar appliances - Safety - Part 2-90: Particular
requirements for commercial microwave ovens
(IEC 60335-2-90:2015)**

Appareils électrodomestiques et analogues - Sécurité -
Partie 2-90: Règles particulières pour les fours à micro-
ondes à usage commercial
(IEC 60335-2-90:2015)

Sicherheit elektrischer Geräte für den Hausgebrauch und
ähnliche Zwecke - Teil 2-90: Besondere Anforderungen für
gewerbliche Mikrowellenkochgeräte
(IEC 60335-2-90:2015)

This European Standard was approved by CENELEC on 2015-10-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document EN IEC 60335-2-90:2021 consists of the text of IEC 60335-2-90:2015 prepared by IEC/TC 61 "Safety of household and similar electrical appliances".

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-02-20
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-08-20

This document supersedes EN 60335-2-90:2006 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This standard is not linked to any European legislation.

This standard shall be read in conjunction with EN 60335-1:2012+A11:2014+ A13:2017+A1:2019+ A14:2019+A2:2019

Endorsement notice

The text of the International Standard IEC 60335-2-90:2015 was approved by CENELEC as a European Standard without any modification.

European foreword to amendment A1

This document EN IEC 60335-2-90:2021/A1:2021 consists of the text of IEC 60335-2-90:2015/A1:2019 prepared by IEC/TC 61 "Safety of household and similar electrical appliances".

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-09-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024-09-27

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

This standard is read in conjunction with IEC 60335-1:2010+A1:2013+A2:2016.

Endorsement notice

The text of the International Standard IEC 60335-2-90:2015/A1:2019 was approved by CENELEC as a European Standard without any modifications.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
 3 Terms and definitions	9 
4 General requirement.....	12
5 General conditions for the tests	12
6 Classification.....	13
7 Marking and instructions.....	13
8 Protection against access to live parts.....	15
9 Starting of motor-operated appliances	15
10 Power input and current.....	15
11 Heating.....	15
12 Void.....	16
13 Leakage current and electric strength at operating temperature.....	16
14 Transient overvoltages	16
15 Moisture resistance	16
16 Leakage current and electric strength.....	16
17 Overload protection of transformers and associated circuits	17
18 Endurance.....	17
19 Abnormal operation	18
20 Stability and mechanical hazards.....	20
21 Mechanical strength	20
22 Construction	22
23 Internal wiring.....	27
24 Components	27
25 Supply connection and external flexible cords	28
26 Terminals for external conductors.....	28
27 Provision for earthing	28
28 Screws and connections	29
29 Clearances, creepage distances and solid insulation	29
30 Resistance to heat and fire.....	29
31 Resistance to rusting	29
32 Radiation, toxicity and similar hazards.....	29
Annex A (informative) Routine tests	31
Annex AA (normative) Combination microwave ovens.....	33
Annex BB (normative) Requirements for commercial microwave ovens without a cavity door and with conveyor-type means.....	35
Annex CC (informative) Overview of the requirements for covers, means of access and similar	48
Annex DD (informative) Rationales for the microwave barrier and associated leakage tests	49

Annex EE (normative) Microwave ovens intended to be used on board ships.....	55
Bibliography.....	58
Figure 101 – Test rod for interlock concealment.....	30
Figure BB.1 – Splash apparatus.....	45
Figure BB.2 – Arrangement for measurement of microwave leakage from access openings.....	46
Figure BB.3 – Examples of definitions of Clause 3 and Clause BB.3	47
Table 101 – Number of potatoes	19
Table BB.101 – Specifications for microwave barriers.....	42

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-90: Particular requirements for commercial microwave ovens

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

This part of International Standard IEC 60335 has been prepared by subcommittee 61B: Safety of microwave appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances.

This fourth edition constitutes a technical revision.

The principal changes with respect to the previous edition are as follows (minor and editorial changes are not listed):

- a statement in 7.12 is required for appliances intended to be used on commercial road vehicles;
- a statement in 7.12 is required concerning cleaning of the appliance with a water jet;
- the replacement of 22.103, 22.104 and 22.105 allows interlock systems with at least one concealed door interlock as well as alternative interlock systems without concealed door interlock;
- requirements are added for appliances for installation in commercial road vehicles;
- an annex is added dealing with routine tests.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This Part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for commercial microwave ovens.

When a particular subclause of Part 1 is not mentioned in part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** type in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The following differences exist in the countries indicated below.

- 5.3: Microwave leakage is not to exceed 10 W/m² during the initial test (Japan, USA and Canada).
- 6.1: Microwave ovens may be class OI if the rated voltage does not exceed more than 150 V (Japan).
- 7.12: Some warnings have to be marked on the appliance and be visible to the user (Canada).
- Clause 18: The test is carried out on two appliances (USA).

- 19.11.2: The input voltage variation is not applied (USA).
- 19.13: Microwave leakage is only measured at the end of each test (USA).
- 21.102: The applied force is 222 N (USA).
- 21.105: Microwave leakage is not to exceed 50 W/m² (Japan and USA).
- 22.111: Microwave leakage is only measured at the end of the test (USA).
- 22.112: Microwave leakage is not to exceed 50 W/m² (Japan and USA).
- 22.116: All access to the cavity has to be prevented (USA).
- 27.2: A terminal for an external equipotential conductor is not required (Japan).

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal and generic standards covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards. For example, in the case of temperature requirements for surfaces on many appliances, generic standards, such as ISO 13732-1 for hot surfaces, are not applicable in addition to Part 1 or part 2 standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-90: Particular requirements for commercial microwave ovens

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with:

- the safety of **microwave ovens** with a cavity door intended for commercial use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral and 480 V for other appliances;
- the safety of **combination microwave ovens** with a cavity door, the requirements for which are contained in Annex AA;
- the safety of **microwave ovens** without a cavity door and with **transportation means** that are intended for commercial use only, for the heating of food and beverages, the requirements for which are contained in Annex BB.

Microwave ovens covered by Annex BB have **transportation means** for moving the **load** through the **microwave oven**. Requirements for tunnel microwave ovens and several types of microwave vending machines are covered.

This standard also deals with **microwave ovens** intended to be used on board ships, for which Annex EE is applicable.

NOTE 101 In Annex BB, a microwave oven without a cavity door and with **transportation means** is described as a **microwave oven**. All clauses of this standard apply to these appliances unless otherwise specified in Annex BB.

This international standard also takes into account **ordinary persons** having access to the **removing area** of the vending machine.

NOTE 102 The appliance may be built into a vending machine, in which case IEC 60335-2-75 may also be applicable.

NOTE 103 Appliances that use non-electrical energy are within the scope of this standard.

In general, this standard does not take into account

- the use of appliances by young children or infirm persons without supervision;
- playing with the appliance by young children.

This international standard does not take into account the use of a **microwave oven** without a cavity door and with **transportation means** by **ordinary persons** except in the vicinity of **entrance and exit ports**.

NOTE 104 The rationales for particular microwave exposure conditions and measures related to microwave energy being confined by an open structure are in Annex BB.

NOTE 105 Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on trains, on board ships or board aircraft, additional requirements may be necessary;
- for appliances intended to be used in tropical countries, special requirements may be necessary;
- in many countries, the national health authorities, the national authorities responsible for the protection of labour and similar authorities specify additional requirements;
- in many countries, national authorities specify additional requirements to BB.22.119.1.

A1

A1

NOTE 106 This standard does not apply to

- household **microwave ovens** including **combination microwave ovens** (IEC 60335-2-25);
- industrial microwave heating equipment (IEC 60519-6);
- appliances for medical purposes (IEC 60601);
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-6, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-27, *Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock*

IEC 60068-2-52, *Environmental testing – Part 2-52: Tests – Test Kb: Salt mist, cyclic (sodium chloride solution)*

 IEC 60335-2-36, *Household and similar electrical appliances – Safety – Part 2-36: Particular requirements for commercial electric cooking ranges, ovens, hobs and hob elements*

IEC 60335-2-42, *Household and similar electrical appliances – Safety – Part 2-42: Particular requirements for commercial electric forced convection ovens, steam cookers and steam-convection ovens*

IEC 60335-2-49, *Household and similar electrical appliances – Safety – Part 2-49: Particular requirements for commercial electric hot cupboards*

IEC 60335-2-75, *Household and similar electrical appliances – Safety – Part 2-75: Particular requirements for commercial dispensing appliances and vending machines*



IEC 60436:2004, *Electric dishwashers for household use – Methods for measuring the performance*

IEC 60436:2004/AMD 1:2009

IEC 60436:2004/AMD 2:2012

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1.7 *Addition:*

Note 101 to entry: The **rated frequency** is the input frequency.

3.1.9 *Replacement:*

normal operation

operation of the appliance under the following conditions:

The appliance is operated with $1\,000\text{ g} \pm 50\text{ g}$ of potable water at an initial temperature of $20\text{ °C} \pm 2\text{ °C}$ in a cylindrical borosilicate glass vessel having a maximum thickness of 3 mm and an outside diameter of approximately 190 mm. The vessel is placed on the centre of the **shelf**. If the **rated microwave power output** exceeds 2 200 W, two such vessels are used and placed contiguously in the **cavity**.

3.101**microwave oven**

appliance using electromagnetic energy in one or several of the ISM frequency bands¹ between 300 MHz and 30 GHz, for heating food and beverages in a **cavity**

3.102**rated microwave power output**

microwave power output assigned to the appliance by the manufacturer

3.103**cavity**

space enclosed by the inner walls and the door in which the **load** is placed

3.104**shelf**

horizontal support in the **cavity** on which the **load** is placed

3.105**door interlock**

device or system that prevents the operation of the magnetron unless the oven door is closed

3.106**monitored door interlock**

door interlock system that incorporates a supervision device

3.107**temperature-sensing probe**

device that is inserted into the food to measure its temperature and is a part of an oven control

3.108**instructed person**

person who is sufficiently instructed and monitored to know how to avoid any danger caused by the operation of **microwave ovens**

3.109**skilled person**

person with suitable professional education, knowledge and experience to discern and to avoid any danger caused by the operation of **microwave ovens**

3.110**ordinary person**

person who is neither a **skilled person** nor an **instructed person**

3.111**transportation means**

means to transport the **load** through the **microwave oven**

Note 1 to entry: An example of a **transportation means** is a belt, an arm or an inclined plane.

3.112**load**

food and beverages that can be heated up in a **microwave oven**

¹ ISM frequency bands are the electromagnetic frequencies established by the ITU and reproduced in CISPR 11.

3.113**microwave enclosure**

structure that is intended to confine microwave energy to a defined region



Note 1 to entry: Barriers mounted outside the **microwave enclosure** are not considered a part of the **microwave enclosure**.

Note 2 to entry: A **microwave enclosure** may consist of a **cavity**, quarter wave chokes (acting by impedance transformation), mode chokes (acting by field pattern mismatching) and microwave energy absorbers.

**3.114****microwave barrier**

physical barrier, which is microwave transparent, limiting access to the **microwave enclosure**, mounted outside the **microwave enclosure** and can only be removed with the aid of tools

Note 1 to entry: A **microwave barrier** may be mounted between the **microwave enclosure** and the external cover of the appliance.

Note 2 to entry: Devices such as an array of metal chains or hinged metal plates at **entrance and exit ports** intended to reduce microwave leakage are not considered **microwave barriers**.

Note 3 to entry: Construction requirements are given in BB.22.119.

3.115**entrance and exit ports**

openings in the **microwave enclosure** through which **loads** move

3.116**loading area**

area on which the **load** is placed

3.117**means of monitored microwave interlock**

means of microwave interlock that incorporates a supervision device

3.118**protective blocking structure**

movable mechanical structure located in the **removing area** limiting access to the **microwave enclosure**

3.119**removing area**

area from which the **load** is removed

3.120**viewing opening**

opening in the **cavity** through which the warm up process can be visually monitored

3.121**fixed means of connection**

all parts of the **microwave enclosure** that are permanently open with the exception of **entrance and exit ports** and **viewing openings**

Note 1 to entry: **Fixed means of connection** may be used for venting and water flushing.

3.122**detachable means of access**

all parts of the **microwave enclosure** that can be opened or removed without the aid of tools to get access to the inside for maintenance, with the exception of **entrance and exit ports** and **viewing openings**

Note 1 to entry: Examples of **detachable means of access** are tunnels that are opened by drop down or sliding action and cavity lamp covers.

3.123

means of microwave interlock

mechanical or electrical safety devices or systems that operate when certain conditions are not fulfilled (e.g. an interlock system that prevents the operation of the microwave generator when a means of access is open)

3.124

maintenance cover

structural feature of any part of the equipment that can be opened or removed by the use of a tool to provide access for routine maintenance, service, replacement of expendable parts, etc. in microwave containing areas

3.125

cleaning cover

part of the **microwave enclosure** that can be opened or removed, only with the aid of a tool, for frequent cleaning purposes, during operation

3.126

reference surface

surface in the vicinity of entrance and exits ports defined depending on the reading of microwave leakage of Clause BB.32

Note 1 to entry: If the leakage reading is less or equal to 50 W/m^2 , the **reference surface** is the surface of the geometric opening of the **microwave enclosure** without **microwave barrier**.

Note 2 to entry: If the leakage reading exceeds 50 W/m^2 , the **reference surface** is an artificial surface located 50 mm away from the locations where the sensor of the instrument measures leakage readings of 50 W/m^2 straight inwards towards the appliance.

Note 3 to entry: For further explanation, refer to Clause BB.32.

3.127

combination microwave oven

microwave oven in which heat is also provided in the **cavity** by simultaneous or consecutive operation of resistive heating elements

Note 1 to entry: The resistive heating elements are used to provide radiant heat, convection heat or steam.

3.128

hot functional surface

surface that is intentionally heated by an internal heat source and that has to be hot to carry out the intended function of the appliance

4 General requirement

This clause of Part 1 is applicable.

5 General conditions for the tests

This clause of Part 1 is applicable except as follows.

5.2 Addition:

NOTE 101 An additional sample may be required for the test of 19.104. Six samples of the interlocks are required for the test of 24.1.4.

5.3 Modification:

Instead of carrying out the tests in the order of clauses, the following sequence of clauses and subclauses applies: 32, 22.113, 22.108, 22.116, 7 to 17, 20, 21 (except 21.101 to 21.105), 18, 19 (except 19.104), 22 (except 22.108, 22.113 and 22.116), 23 to 31, 21.101 to 21.105 and 19.104.

5.101 *Microwave ovens are tested as motor-operated appliances.*

5.102 **Class III temperature-sensing probes** are only subjected to the tests of 22.112.

6 Classification

This clause of Part 1 is applicable except as follows.

6.1 Modification:

Microwave ovens shall be **class I**.

7 Marking and instructions

This clause of Part 1 is applicable except as follows.

7.1 Addition:

Appliances shall be marked with the nominal frequency in megahertz of the ISM band in which they operate.

If the removal of any cover results in microwave leakage exceeding the value specified in Clause 32, the cover shall be marked with the substance of the following:

WARNING: Microwave energy – Do not remove this cover

If an appliance incorporates a socket-outlet protected by means of fuses other than D-type fuses, it shall be marked with the rated current of the relevant fuse. When a miniature fuse-link is provided, this marking shall indicate that the fuse-link is to have a high breaking capacity.

If appliances have external enclosures, other than working surfaces, that cannot meet the limit in Table 3 specified for external enclosures of **motor-operated appliances**, they shall be marked with symbol IEC 60417-5041(2002-10) or with the substance of the following:

CAUTION: Hot surface.

7.6 Addition:



[symbol IEC 60417-5021 (2002-10)] equipotentiality



[symbol IEC 60417-5041 (2002-10)] caution, hot surface

7.12 Addition:

The instructions shall include the substance of the following:

- WARNING: If the door or door seals are damaged, the oven must not be operated until it has been repaired by a competent person;
- WARNING: It is hazardous for anyone other than a competent person to carry out any service or repair operation that involves the removal of any cover which gives protection against exposure to microwave energy;
- WARNING: Liquids or other foods must not be heated in sealed containers since they are liable to explode;
- WARNING: Microwave heating of beverages can result in delayed eruptive boiling, therefore care must be taken when handling the container;
- WARNING: The contents of feeding bottles and baby food jars must be stirred or shaken and the temperature checked before consumption, in order to avoid burns;
- the minimum height of free space necessary above the top surface of the oven;
- only use utensils that are suitable for use in **microwave ovens**;
- when heating food in plastic or paper containers, keep an eye on the oven due to the possibility of ignition;
- if smoke is observed, switch off or unplug the appliance and keep the door closed in order to stifle any flames;
- eggs in their shell and whole hard-boiled eggs should not be heated in **microwave ovens** since they may explode even after microwave heating has ended;
- details for cleaning door seals, cavities and adjacent parts;
- the oven should be cleaned regularly and any food deposits removed;
- failure to maintain the oven in a clean condition could lead to deterioration of the surface that could adversely affect the life of the appliance and possibly result in a hazardous situation;
- only use the temperature probe recommended for this oven (for appliances having a facility to use a **temperature-sensing probe**);
- the appliance should not be cleaned with a water jet (for appliances intended to stand on the floor and which are not at least IPX5);
- statement on usage on commercial road vehicles (for appliances intended to be used on commercial road vehicles);
- the appliance must not be cleaned with a steam cleaner (for appliances which are not at least IPX5).

NOTE 101 If the oven is incorporated in a vending machine, these warnings and instructions may not be relevant and therefore not required.

7.14 Addition:

The warning specified in 7.1 shall be in lettering at least 3 mm high.

The warning specified in 7.101 shall be in lettering at least 5 mm high.

The height of the triangle used with symbol IEC 60417-5041 (2002-10) shall be at least 12 mm.

7.15 Addition: