



BSI Standards Publication

Connectors for electrical and electronic equipment – Product requirements

Part 3-119: Rectangular connectors – Detail specification for shielded and unshielded, free and fixed 10-way connectors with push-pull coupling for industrial environments for data transmission with frequencies up to 100 MHz (IEC 61076-3-119:2017)

National foreword

This British Standard is the UK implementation of EN IEC 61076-3-119:2018. It is identical to IEC 61076-3-119:2017.

The UK participation in its preparation was entrusted to Technical Committee EPL/48, Electromechanical components and mechanical structures for electronic equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 93922 8

ICS 31.220.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

Connectors for electrical and electronic equipment - Product requirements - Part 3-119: Rectangular connectors - Detail specification for shielded and unshielded, free and fixed 10-way connectors with push-pull coupling for industrial environments for data transmission with frequencies up to 100 MHz
(IEC 61076-3-119:2017)

Connecteurs pour équipements électriques et électroniques
- Exigences de produit - Partie 3-119: Connecteurs rectangulaires - Spécification particulière pour les fiches et les embases écrantées et non écrantées à 10 voies avec couplage de type pousser-tirer dans des environnements industriels pour la transmission de données à des fréquences jusqu'à 100 MHz
(IEC 61076-3-119:2017)

Steckverbinder für elektronische Einrichtungen -
Produktanforderungen - Teil 3-119: Rechteckige Steckverbinder - Bauartspezifikation für geschirmte und ungeschirmte, freie und feste Steckverbinder, 10-polig, mit Push-pull-Verriegelung für industrielle Umgebungen für Datenübertragungen mit Frequenzen bis zu 100 MHz
(IEC 61076-3-119:2017)

This European Standard was approved by CENELEC on 2018-01-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 48B/2602/FDIS, future edition 1 of IEC 61076-3-119, prepared by IEC/SC 48B: “Electrical connectors”, of IEC/TC 48: “Electrical connectors and mechanical structures for electrical and electronic equipment”, was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 61076-3-119:2018.

The following dates are fixed:

- latest date by which the document has to be (dop) 2018-10-12
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2021-01-12
standards conflicting with the
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61076-3-119:2017 was approved by CENELEC as a European Standard without any modification.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-581	2008	International Electrotechnical Vocabulary - Part 581: Electromechanical components for electronic equipment	-	-
IEC 60068-1	-	Environmental testing -- Part 1: General and guidance	EN 60068-1	-
IEC 60068-2-20	2008	Environmental testing -- Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60352-2	-	Solderless connections -- Part 2: Crimped connections - General requirements, test methods and practical guidance	EN 60352-2	-
IEC 60352-5	-	Solderless connections -- Part 5: Press-in connections - General requirements, test methods and practical guidance	EN 60352-5	-
IEC 60512-1-1	-	Connectors for electronic equipment - Tests and measurements -- Part 1-1: General examination - Test 1a: Visual examination	EN 60512-1-1	-
IEC 60512-1-2	-	Connectors for electronic equipment - Tests and measurements -- Part 1-2: General examination - Test 1b: Examination of dimension and mass	EN 60512-1-2	-
IEC 60512-2-1	-	Connectors for electronic equipment - Tests and measurements -- Part 2-1: Electrical continuity and contact resistance tests - Test 2a: Contact resistance - Millivolt level method	EN 60512-2-1	-
IEC 60512-3-1	-	Connectors for electronic equipment - Tests and measurements -- Part 3-1: Insulation tests - Test 3a: Insulation resistance	EN 60512-3-1	-
IEC 60512-4-1	-	Connectors for electronic equipment - Tests and measurements -- Part 4-1: Voltage stress tests - Test 4a: Voltage proof	EN 60512-4-1	-
IEC 60512-5-1	-	Connectors for electronic equipment - Tests and measurements -- Part 5-1: Current-carrying capacity tests - Test 5a: Temperature rise	EN 60512-5-1	-

IEC 60512-6-3	-	Connectors for electronic equipment - Tests and measurements -- Part 6-3: Dynamic stress tests - Test 6c: Shock	EN 60512-6-3	-
IEC 60512-6-4	-	Connectors for electronic equipment - Tests and measurements -- Part 6-4: Dynamic stress tests - Test 6d: Vibration (sinusoidal)	EN 60512-6-4	-
IEC 60512-9-1	-	Connectors for electronic equipment - Tests and measurements -- Part 9-1: Endurance tests - Test 9a: Mechanical operation	EN 60512-9-1	-
IEC 60512-11-1	-	Electromechanical components for electronic equipment - Basic testing procedures and measuring methods -- Part 11: Climatic tests -- Section 1: Test 11a - Climatic sequence	EN 60512-11-1	-
IEC 60512-11-3	-	Connectors for electronic equipment - Tests and measurements -- Part 11-3: Climatic tests - Test 11c: Damp heat, steady state	EN 60512-11-3	-
IEC 60512-11-4	-	Connectors for electronic equipment - Tests and measurements -- Part 11-4: Climatic tests - Test 11d: Rapid change of temperature	EN 60512-11-4	-
IEC 60512-11-7	-	Connectors for electronic equipment - Tests and measurements -- Part 11- 7: Climatic tests - Test 11g: Flowing mixed gas corrosion test	EN 60512-11-7	-
IEC 60512-11-9	-	Connectors for electronic equipment - Tests and measurements -- Part 11-9: Climatic tests - Test 11i: Dry heat	EN 60512-11-9	-
IEC 60512-11-10	-	Connectors for electronic equipment - Tests and measurements -- Part 11-10: Climatic tests - Test 11j: Cold	EN 60512-11-10	-
IEC 60512-11-12	-	Connectors for electronic equipment - Tests and measurements -- Part 11-12: Climatic tests - Test 11m: Damp heat, cyclic	EN 60512-11-12	-
IEC 60512-13-2	-	Connectors for electronic equipment - Tests and measurements -- Part 13-2: Mechanical operating tests - Test 13b: Insertion and withdrawal forces	EN 60512-13-2	-
IEC 60512-13-5	-	Connectors for electronic equipment - Tests and measurements -- Part 13-5: Mechanical operating tests - Test 13e: Polarizing and keying method	EN 60512-13-5	-
IEC 60512-15-1	-	Connectors for electronic equipment - Tests and measurements -- Part 15-1: Connector tests (mechanical) - Test 15a: Contact retention in insert	EN 60512-15-1	-
IEC 60512-15-6	-	Connectors for electronic equipment - Tests and measurements -- Part 15-6: Connector tests (mechanical) - Test 15f: Effectiveness of connector coupling devices	EN 60512-15-6	-
IEC 60512-15-7	-	Connectors for electronic equipment - Tests and measurements -- Part 15-7: Connector tests (mechanical) - Test 15g: Robustness of protective cover attachment	EN 60512-15-7	-

IEC 60512-16-5	-	Connectors for electronic equipment - Tests and measurements -- Part 16-5: Mechanical tests on contacts and terminations - Test 16e: Gauge retention force (resilient contacts)	EN 60512-16-5	-
IEC 60512-26-100	-	Connectors for electronic equipment - Tests and measurements -- Part 26-100: Measurement setup, test and reference arrangements and measurements for connectors according to IEC 60603-7 - Tests 26a to 26g	EN 60512-26-100	-
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60999-1	1999	Connecting devices - Electrical copper conductors - Safety requirements for screw-type and screwless-type clamping units -- Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm ² up to 35 mm ² (included)	EN 60999-1	2000
IEC 61076-1	2006	Connectors for electronic equipment - Product requirements -- Part 1: Generic specification	EN 61076-1	2006
IEC 61984	2008	Connectors - Safety requirements and tests	EN 61984	2009
IEC 62197-1	2006	Connectors for electronic equipment - Quality assessment requirements -- Part 1: Generic specification	EN 62197-1	2006
IEC 62430	2009	Environmentally conscious design for electrical and electronic products	EN 62430	2009
IEC Guide 109	-	Environmental aspects - Inclusion in electrotechnical product standards	-	-
ISO 128	series	Technical drawings_ - General principles of presentation_ - Part_1: Introduction and index	-	-
ISO 1101	2017	Geometrical product specifications (GPS) - Geometrical tolerancing - Tolerances of form, orientation, location and run-out	EN ISO 1101	2017
ISO 1302	2002	Geometrical Product Specifications (GPS) - Indication of surface texture in technical product documentation	EN ISO 1302	2002
ISO 11469	2016	Plastics - Generic identification and marking of plastics products	EN ISO 11469	2016

This page deliberately left blank

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	11
4 Technical information	12
4.1 Ratings and characteristics	12
4.1.1 Rated current.....	12
4.1.2 Rated voltage	12
4.1.3 Insulation resistance.....	12
4.1.4 Voltage proof.....	12
4.2 Performance levels	12
4.3 Compatibility levels.....	12
4.4 Climatic categories	12
4.5 Clearance and creepage distances	12
4.6 Marking.....	13
5 Dimensional information	13
5.1 General.....	13
5.2 Isometric view and common features	13
5.3 Engagement (mating) information – Contact levels and sequencing	13
5.4 Fixed connectors	14
5.4.1 Dimensions.....	14
5.4.2 Terminations.....	15
5.5 Free connectors.....	15
5.5.1 Dimensions.....	15
5.5.2 Terminations.....	17
5.5.3 Accessories	17
5.6 Mounting information for connectors – Mounting on panels	17
5.7 Gauges – Sizing gauges and retention force gauges.....	18
6 Characteristics	19
6.1 General.....	19
6.2 Pin assignment and other definitions.....	19
6.3 Classification into climatic categories.....	19
6.4 Electrical characteristics	19
6.4.1 Creepage and clearance distances	19
6.4.2 Voltage proof.....	19
6.4.3 Current-carrying capacity.....	19
6.4.4 Contact resistance	19
6.4.5 Shield to shield resistance	19
6.4.6 Insulation resistance.....	20
6.5 Transmission characteristics	20
6.5.1 General	20
6.5.2 Insertion loss	20
6.5.3 Return loss	20
6.5.4 NEXT.....	20
6.5.5 FEXT	21

6.5.6	Transverse conversion loss	21
6.5.7	Transverse conversion transfer loss	21
6.5.8	Transfer Impedance	21
6.6	Mechanical characteristics	21
6.6.1	Mechanical operation	21
6.6.2	Effectiveness of connector coupling devices	21
6.6.3	Insertion and withdrawal forces	21
6.6.4	Contact retention in insert	22
6.6.5	Polarizing and coding method	22
6.7	Other characteristics	22
6.7.1	Vibration (sine)	22
6.7.2	Shock	22
6.7.3	Degree of protection provided by enclosures (IP-code)	22
6.7.4	Screen and shielding properties	22
6.8	Environmental aspects	22
6.8.1	Marking of insulation material (plastics)	22
6.8.2	Design/use of material	22
7	Test schedule	22
7.1	General	22
7.1.1	Introductory remarks	22
7.1.2	Climatic category	23
7.1.3	Clearance and creepage distances	23
7.1.4	Arrangement for contact and shield resistance measurement	23
7.1.5	Arrangement for dynamic stress tests	23
7.1.6	Arrangement for testing static load; axial	24
7.1.7	Wiring of specimens	24
7.2	Test schedules	24
7.2.1	Basic (minimum) test schedule	24
7.2.2	Full test schedule	24
7.3	Test procedures and measuring methods	34
7.4	Pre-conditioning	34
7.5	Wiring and mounting of specimens	34
7.5.1	Wiring	34
7.5.2	Mounting	34
	Figure 1 – Fixed (male) and free (female) connector	13
	Figure 2 – Fixed connector	14
	Figure 3 – Free connector	16
	Figure 4 – Panel cut-out	18
	Figure 5 – Gauge	18
	Figure 6 – Contact / shield resistance arrangement	23
	Figure 7 – Connector vibration and shock test arrangement	24
	Table 1 – Climatic category	12
	Table 2 – Dimensions of the fixed connector	15
	Table 3 – Dimensions of the free connector	17
	Table 4 – Panel cut-out	18

Table 5 – Gauge dimensions.....	19
Table 6 – Number of test specimens and contacts	25
Table 7 – Test group P	25
Table 8 – Test group AP	26
Table 9 – Test group BP	28
Table 10 – Test group CP	30
Table 11 – Test group DP	31
Table 12 – Test group EP	32
Table 13 – Test group HP	33

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**CONNECTORS FOR ELECTRICAL AND ELECTRONIC EQUIPMENT –
PRODUCT REQUIREMENTS –****Part 3-119: Rectangular connectors – Detail specification for shielded and
unshielded, free and fixed 10-way connectors with push-pull coupling
for industrial environments for data transmission with frequencies
up to 100 MHz**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61076-3-119 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This first edition cancels and replaces IEC PAS 61076-3-119 published in 2013. This edition constitutes a technical revision.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2602/FDIS	48B/2617/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61076 series, published under the general title *Connectors for electronic equipment – Product requirements*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.