



BSI Standards Publication

Fuel cell technologies

Part 5-100: Portable fuel cell power systems – Safety (IEC 62282-5-100:2018)

National foreword

This British Standard is the UK implementation of EN IEC 62282-5-100:2018. It is identical to IEC 62282-5-100:2018. It supersedes BS EN 62282-5-1:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/105, Fuel cell technologies.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 96966 9

ICS 27.070

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

**Fuel cell technologies - Part 5-100: Portable fuel cell power
systems - Safety
(IEC 62282-5-100:2018)**

Technologies des piles à combustible - Partie 5-100:
Systèmes à piles à combustible portables - Sécurité
(IEC 62282-5-100:2018)

Brennstoffzellentechnologien - Teil 5-100: Portable
Brennstoffzellen-Energiesysteme - Sicherheit
(IEC 62282-5-100:2018)

This European Standard was approved by CENELEC on 2018-05-17. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 105/649/CDV, future edition 1 of IEC 62282-5-100, prepared by IEC/TC 105 "Fuel cell technologies" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62282-5-100:2018.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2019-02-17
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2021-05-17

This document supersedes EN 62282-5-1:2012

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62282-5-100:2018 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60079 series	NOTE Harmonized as EN IEC 60079 series
IEC 60079-0	NOTE Harmonized as EN IEC 60079-0
ISO/IEC 80079-20-1	NOTE Harmonized as FprEN ISO 80079-20-1 ¹
IEC 60079-32 series	NOTE Harmonized as EN 60079-32 series
IEC 60664-1	NOTE Harmonized as EN 60664-1
IEC 60730 series	NOTE Harmonized as EN 60730 series
IEC 61140	NOTE Harmonized as EN 61140
IEC 61439-1	NOTE Harmonized as EN 61439-1
ISO 4080	NOTE Harmonized as EN ISO 4080
ISO 15156-1	NOTE Harmonized as EN ISO 15156-1
IEC 62282-6-100	NOTE Harmonized as EN 62282-6-100

¹ To be published.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034	series	Rotating electrical machines	-	-
IEC 60068-2-75	-	Environmental testing - Part 2-75: Tests - Test Eh: Hammer tests	EN 60068-2-75	-
IEC 60079-2	-	Explosive atmospheres - Part 2: Equipment protection by pressurized enclosure "p"	EN 60079-2	-
IEC 60079-10	series	Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10	series
IEC 60079-15	-	Explosive atmospheres - Part 15: Equipment protection by type of protection "n"	EN IEC 60079-15	-
IEC 60079-29	series	Explosive atmospheres - Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases	EN 60079-29	series
IEC 60086-4	-	Primary batteries - Part 4: Safety of lithium batteries	EN 60086-4	-
IEC 60204-1 (mod)	2016	Safety of machinery - Electrical equipment of machines - Part 1: General requirements	EN 60204-1	2018
IEC 60216-4-1	-	Electrical insulating materials - Thermal endurance properties -- Part 4-1: Ageing ovens - Single-chamber ovens	EN 60216-4-1	-
IEC 60335-1 (mod)	2010	Household and similar electrical appliances - Safety - Part 1: General requirements	EN 60335-1	2012
+ A1	2013			
+ A2	2016			
-	-		+ A11	2014
-	-		+ AC	2014
-	-		+ A13	2017
IEC 60364-4-41	-	Low-voltage electrical installations - Part 4-41: Protection for safety - Protection against electric shock	HD 60364-4-41	-
IEC 60529	-	Degrees of protection provided by-enclosures (IP Code)		-
IEC 60695-2-11	-	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	EN 60695-2-11	-

IEC 60695-2-13	-	Fire hazard testing -- Part 2-13:EN 60695-2-13	-
		Glowing/hot-wire based test methods -	
		Glow-wire ignition temperature (GWIT) test	
		method for materials	
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flamesEN 60695-11-5	-
		- Needle-flame test method - Apparatus,	
		confirmatory test arrangement and	
		guidance	
IEC 60695-11-10	-	Fire hazard testing -- Part 11-10: TestEN 60695-11-10	-
		flames - 50 W horizontal and vertical flame	
		test methods	
IEC 60695-11-20	-	Fire hazard testing - Part 11-20: TestEN 60695-11-20	-
		flames - 500 W flame test method	
IEC 60730-1 (mod) 2013		Automatic electrical controls - Part 1:EN 60730-1	2016
		General requirements	
+ A1	2015		+ A1 2016
IEC 60730-2-5	-	Automatic electrical controls -- Part 2-5:EN 60730-2-5	-
		Particular requirements for automatic	
		electrical burner control systems	
IEC 60730-2-17	-	Automatic electrical controls for household-	-
		and similar use -- Part 2-17: Particular	
		requirements for electrically operated gas	
		valves, including mechanical requirements	
IEC 60812	-	Analysis techniques for system reliability -EN 60812	-
		Procedure for failure mode and effects	
		analysis (FMEA)	
IEC 60884-1	-	Plugs and socket-outlets for household and-	-
		similar purposes -- Part 1: General	
		requirements	
IEC 60934	-	Circuit-breakers for equipment (CBE) EN 60934	-
IEC 60950-1 (mod) 2005		Information technology equipment - SafetyEN 60950-1	2006
		- Part 1: General requirements	
-	-		+ A11 2009
+ A1 (mod)	2009		+ A1 2010
-	-		+ A12 2011
-	-		+ AC 2011
+ A2 (mod)	2013		+ A2 2013
IEC 60990	2016	Methods of measurement of touch currentEN 60990	2016
		and protective conductor current	
IEC 61000-3-2	-	Electromagnetic compatibility (EMC) - PartEN IEC 61000-3-2	-
		3-2: Limits - Limits for harmonic current	
		emissions (equipment input current ≤ 16 A	
		per phase)	
IEC 61000-3-3	-	Electromagnetic compatibility (EMC) - PartEN 61000-3-3	-
		3-3: Limits - Limitation of voltage changes,	
		voltage fluctuations and flicker in public	
		low-voltage supply systems, for equipment	
		with rated current ≤ 16 A per phase and	
		not subject to conditional connection	
IEC 61000-6-1	-	Electromagnetic compatibility (EMC) - PartEN 61000-6-1	-
		6-1: Generic standards - Immunity	
		standard for residential, commercial and	
		light-industrial environments	
IEC 61000-6-2	-	Electromagnetic compatibility (EMC) - PartEN 61000-6-2	-
		6-2: Generic standards - Immunity	
		standard for industrial environments	
IEC 61000-6-3	-	Electromagnetic compatibility (EMC) -- PartEN 61000-6-3	-
		6-3: Generic standards - Emission	
		standard for residential, commercial and	
		light-industrial environments	

IEC 61000-6-4	-	Electromagnetic compatibility (EMC) - Part 6-4: Generic standards - Emission standard for industrial environments	EN IEC 61000-6-4	-
IEC 61025	-	Fault Tree Analysis (FTA)	EN 61025	-
IEC 61032	-	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	-
IEC 61508-1	-	Functional safety of electrical/electronic/programmable electronic safety-related systems - Part 1: General requirements	EN 61508-1	-
IEC 61511-1	-	Functional safety - Safety instrumented systems for the process industry sector - Part 1: Framework, definitions, system, hardware and application programming requirements	EN 61511-1	-
IEC 61511-3	-	Functional safety - Safety instrumented systems for the process industry sector - Part 3: Guidance for the determination of the required safety integrity levels	EN 61511-3	-
IEC 61882	-	Hazard and operability studies (HAZOP studies) - Application guide	EN 61882	-
IEC 62040-1	-	Uninterruptible power systems (UPS) - Part 1: Safety requirements		-
IEC 62040-2	-	Uninterruptible power systems (UPS) - Part 2: Electromagnetic compatibility (EMC) requirements		-
IEC 62133	series	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications	EN 62133	series
IEC 62282-2	-	Fuel cell technologies -- Part 2: Fuel cell modules	EN 62282-2	-
ISO 3864	series	Graphical symbols - Safety colours and safety signs		-
ISO 7000	-	Graphical symbols for use on equipment -- Registered symbols		-
ISO 7010	-	Graphical symbols - Safety colours and safety signs - Registered safety signs	EN ISO 7010	-
ISO 15649	-	Petroleum and natural gas industries -- Piping		-
ISO 16000-3	-	Indoor air -- Part 3: Determination of formaldehyde and other carbonyl compounds in indoor air and test chamber air - Active sampling method		-
ISO 16000-6	-	Indoor air -- Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA® sorbent, thermal desorption and gas chromatography using MS or MS-FID		-
ISO 16017-1	2000	Indoor, ambient and workplace air Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography -- Part 1: Pumped sampling	EN ISO 16017-1	2000
ISO 16111	-	Transportable gas storage devices --- Hydrogen absorbed in reversible metal hydride		-
ISO 16528	series	Boilers and pressure vessels		-

This page deliberately left blank

CONTENTS

FOREWORD.....	6
1 Scope	8
2 Normative references	10
3 Terms and definitions	13
4 Design and construction requirements	18
4.1 Physical environment and operating conditions	18
4.1.1 General requirements	18
4.1.2 Electrical power input	18
4.1.3 Handling, transportation, and storage	18
4.2 Material compatibility	18
4.2.1 General requirements for material compatibility	18
4.2.2 Polymeric and elastomeric components	19
4.2.3 Fuel connection devices	19
4.3 Protection against mechanical hazards	19
4.4 Protection against toxicity of fuels and fuel feedstocks	20
4.5 Protection against explosion hazards	20
4.5.1 General requirements for protection against explosion hazards	20
4.5.2 Flammable atmospheres within the portable fuel cell power system	20
4.5.3 Normal operation	20
4.5.4 Abnormal operation	20
4.5.5 Purging	20
4.5.6 Electrostatic discharge	21
4.6 Protection against electric shock	21
4.6.1 General requirements for protection against electric shock	21
4.6.2 Protection against direct contact with live parts	21
4.6.3 Protection against indirect contact with live parts	22
4.6.4 Protection by the use of SELV	22
4.7 Selection of electrical components and equipment	23
4.7.1 Area classification and suitability	23
4.7.2 Turning moments	23
4.7.3 Fuses	23
4.7.4 Capacitor discharge	23
4.7.5 Securing of parts	23
4.7.6 Current-carrying parts	24
4.7.7 Internal wiring	24
4.7.8 Cord-connected portable fuel cell power systems	24
4.7.9 Strain relief	25
4.7.10 Creepage and clearances	25
4.7.11 Separation of circuits	25
4.7.12 Protection of receptacles	26
4.7.13 Earthing and bonding	26
4.8 Protection against fire hazard	26
4.8.1 General intent and purpose of protection against fire hazard	26
4.8.2 Flammability	26
4.8.3 Openings in equipment	27
4.9 Protection against temperature hazards	28
4.9.1 General requirements for protection against temperature hazards	28

4.9.2	Surface temperatures	28
4.9.3	Component temperatures	28
4.9.4	Wall, floor and ceiling temperatures	28
4.10	Protection against electromagnetic disturbances	28
4.11	Hazard and risk assessment	28
4.11.1	General requirements for hazard and risk assessment and the approach	28
4.11.2	Safety and reliability analysis	29
4.12	Safety control circuits	29
4.13	Protection against oxygen depletion	29
4.14	Emission of effluents	30
4.15	Fuel supply	30
4.16	Fuel processing systems (if applicable)	30
4.17	Enclosures	31
4.17.1	General requirements for all enclosures	31
4.17.2	Enclosure requirements for outdoor use	31
4.18	Battery supplies	31
4.18.1	General requirements for batteries	31
4.18.2	Battery compartments	31
4.18.3	Vented wet cell batteries	32
4.18.4	Ventilation of battery compartments	32
4.19	Pressure vessels and piping	32
4.19.1	General requirements for pressure vessels and piping	32
4.19.2	Piping systems	32
4.20	Hoses	33
4.21	Automatic shut-off valves	33
4.22	Regulators	33
4.23	Process control equipment	33
4.24	Filters	33
4.24.1	Air filters	33
4.24.2	Liquid fuel filters	34
4.25	Motors	34
4.26	Fuel pumps	34
5	Instructions	34
5.1	Operation and maintenance manual	34
5.2	User's information manual	36
5.2.1	User's information manual general requirements	36
5.2.2	User's information manual front cover	36
5.2.3	Users information manual safety section	36
6	Labelling	37
6.1	General labelling requirements	37
6.2	Marking	37
6.3	Warnings	38
7	Type tests	38
7.1	General requirements for type tests	38
7.2	Tests sequence	39
7.3	Leakage test for liquid fueled systems	39
7.3.1	General requirements for leakage tests for liquid fueled systems	39
7.3.2	Method of test	39
7.4	Flammable fuel gas concentration test	40

7.4.1	General requirements for flammable gas concentration testing	40
7.4.2	Method of test.....	40
7.5	Surface temperature test.....	40
7.6	Component temperature test.....	40
7.7	Wall, floor and ceiling temperatures test	40
7.8	Dielectric strength test	41
7.8.1	General requirements for dielectric strength and testing	41
7.8.2	Test method	41
7.9	Humidity test.....	41
7.10	Leakage current at operating temperature.....	41
7.10.1	Leakage current testing requirement and duration	41
7.10.2	Test method	42
7.11	Abnormal operation testing	42
7.11.1	Abnormal operation testing – General requirements.....	42
7.11.2	Abnormal operation tests – Outcomes and further testing requirements.....	42
7.11.3	Abnormal operation test methods	42
7.12	Strain relief test	43
7.13	Insulating material test.....	43
7.14	Earthing test	43
7.15	Tank pressure test	43
7.16	Stability.....	44
7.17	Impact test.....	44
7.18	Free drop test	45
7.19	Adhesion and legibility of marking materials.....	46
7.20	Flammable gas accumulation	46
7.20.1	Flammable gas accumulation test basis and applicability.....	46
7.20.2	Test set-up	47
7.20.3	Test method	47
7.21	Oxygen depletion test	47
7.21.1	Oxygen depletion test basis and applicability.....	47
7.21.2	Test set-up	47
7.21.3	Test method	48
7.22	Emission of effluents tests	48
7.22.1	Emission of effluents testing sequence	48
7.22.2	Emission of effluents for indoors.....	48
7.23	Wind test	50
7.23.1	Wind test applicability	50
7.23.2	Method of test.....	50
7.24	Strength test	51
7.24.1	Strength test sequencing and alternative compliance methods	51
7.24.2	Method of test (liquid).....	51
7.24.3	Method of test (gas).....	51
7.24.4	Passing criteria.....	51
7.25	Stress relief test.....	52
7.26	Fuel supply securement test	52
7.27	Shutdown parameters	52
7.28	Non-metallic tubing conductivity test	52
7.28.1	Passing criteria.....	52
7.28.2	Test method	52

7.29	Non-metallic tubing test for accumulation of static electricity.....	53
7.29.1	Passing criteria.....	53
7.29.2	Test method	53
8	Routine tests	53
8.1	Routine test requirements	53
8.2	Liquid leakage test.....	53
8.3	Gas leakage test.....	53
8.4	Dielectric strength test	54
8.5	Routine test records.....	54
Annex A	(normative) Ventilation rates for batteries	55
A.1	Ventilation rate for valve regulated lead acid batteries	55
A.2	Ventilation rate for vented wet cell batteries.....	55
Annex B	(informative) Shock and vibration limits for high shock environments	56
B.1	Field of application.....	56
B.2	Vertical axis test	56
B.3	Longitudinal and lateral axes tests	56
Annex C	(normative) Uncertainty of measurements	58
Bibliography		59
Figure 1	– Portable fuel cell power systems	9
Figure 2	– Articulated probe.....	46
Table 1	– Emission limits based on STEL	50
Table B.1	– Vertical axis vibration conditions	56
Table B.2	– Longitudinal and lateral axes vibration conditions	57
Table C.1	– Measurements and their maximum uncertainties.....	58

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

Part 5-100: Portable fuel cell power systems – Safety

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62282-5-100 has been prepared by IEC technical committee 105: Fuel cell technologies.

This edition cancels and replaces the second edition of IEC 62282-5-1, published in 2012. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 62282-5-1:

- the requirements and verification method regarding 4.13 and 7.21 for oxygen depletion have been modified;
- the requirements and verification method regarding 4.14 and 7.22 for emission of effluents have been modified;
- Subclauses 4.21 and 7.20.3, for fuel cell power systems with flammable gas generators relying on water reactive technology, new safety requirements and test procedures have been added;
- Subclause 7.11.1 e) has been updated; for an overcurrent test in abnormal operations, a new test procedure in consideration of safety has been added.

The text of this International Standard is based on the following documents:

CDV	Report on voting
105/649/CDV	105/670/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FUEL CELL TECHNOLOGIES –

Part 5-100: Portable fuel cell power systems – Safety

1 Scope

This part of IEC 62282 covers construction, marking and test requirements for portable fuel cell power systems. These fuel cell systems are movable and not fastened or otherwise secured to a specific location. The purpose of the portable fuel cell power system is to produce electrical power.

This document applies to AC and DC type portable fuel cell power systems, with a rated output voltage not exceeding 600 V AC, or 850 V DC for indoor and outdoor use. These portable fuel cell power systems cannot be used in hazardous locations as defined in IEC 60050-426:2008, 426-03-01 unless there are additional protective measures in accordance with IEC 60079-0[5]¹⁾.

This document does not apply to portable fuel cell power systems that are

- 1) permanently connected (hard wired) to the electrical distribution system,
- 2) permanently connected to a utility fuel distribution system,
- 3) exporting power to the grid,
- 4) for propulsion of road vehicles,
- 5) intended to be used on board passenger aircraft.


Fuel cells that provide battery charging for hybrid vehicles where the battery provides power and energy for propulsion of the vehicle are not included in the scope of this document

The following fuels and fuel feedstocks are considered within the scope of this document:

- natural gas,
- liquefied petroleum gas, such as propane and butane,
- liquid alcohols, for example methanol, ethanol,
- gasoline,
- diesel,
- kerosene,
- hydrogen,
- chemical hydrides.

This document does not preclude the use of similar fuels or oxidants from sources other than air provided the unique hazards are addressed through additional requirements.

1) Numbers in square brackets refer to the Bibliography.



IEC

Key

1 EMD electromagnetic disturbance

2 EMI electromagnetic interference

Figure 1 – Portable fuel cell power systems

The overall design of a portable fuel cell power system anticipated by this document forms an assembly of some or all of the following systems (see Figure 1), integrated as necessary, to perform designated functions, as follows:

Fuel processing system – chemical processing equipment including any associated heat exchangers and controls required to convert input fuel to a composition suitable for the fuel cell stack.

Oxidant processing system – subsystem that meters, conditions, processes and may pressurize the incoming oxidant supply for use within the fuel cell power system.

Thermal management system – subsystem intended to provide cooling and heat rejection in order to maintain thermal equilibrium within the fuel cell power system, and, if necessary, to provide for the recovery and utilization of excess heat and to assist in heating the fuel cell power systems during start-up.

Power conditioning system – equipment which is used to change the magnitude or waveform of the voltage, or otherwise alter or regulate the output of a power source.

Automatic control system – assembly of sensors, actuators, valves, switches and logic components (including process controllers) that maintains the fuel cell power system parameters within the manufacturer's specified limits without manual intervention.

Fuel cell module – assembly, including a fuel cell stack(s), which electrochemically converts chemical energy to electric energy and thermal energy intended to be integrated into a power generation system.

Fuel supply system – either integral to the portable fuel cell power system or supplied through a removable and refillable container assembly.

On-board energy storage system – an internal energy source intended to aid or complement the fuel cell module in providing power to internal or external loads.

Ventilation systems – subsystem of the fuel cell power system that provides, by mechanical means, air to its cabinet.

Water treatment systems – provides for treatment and purification of recovered or added water for use within the portable fuel cell power system.

These requirements are not intended to prevent the design and construction of a portable fuel cell power system not specifically described in this document, provided that such alternatives have been considered and equivalent testing yields equivalent safety performance to that specified in this document. In considering alternative designs or construction, this document can be used to evaluate the alternative materials or methods to be used as to their ability to yield equivalent performance to that specified in this document.

This document does not cover requirements of pressurized or non-pressurized fuel supply containers upstream of the appliance gaseous or liquid fuel supply connector that are not integral to the portable fuel cell power system.

All pressures in this document are considered to be gauge pressures, unless otherwise specified.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034 (all parts), *Rotating electrical machines*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60079-2, *Explosive atmospheres – Part 2: Equipment protection by pressurized enclosure "p"*

IEC 60079-10 (all parts), *Explosive atmospheres – Part 10: Classification of areas*

IEC 60079-15, *Explosive atmospheres – Part 15: Equipment protection by type of protection "n"*

IEC 60079-29 (all parts), *Explosive atmospheres – Part 29: Gas detectors*

IEC 60086-4, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60204-1:2016, *Safety of machinery – Electrical equipment of machines – Part 1: General requirements*

IEC 60216-4-1, *Electrical insulating materials – Thermal endurance properties – Part 4-1: Ageing ovens – Single-chamber ovens*

IEC 60335-1:2010, *Household and similar electrical appliances – Safety – Part 1: General requirements*

IEC 60335-1:2010/AMD1:2013

IEC 60335-1:2010/AMD2:2016

IEC 60364-4-41, *Low-voltage electrical installations – Part 4-41: Protection for safety – Protection against electric shock*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60695-2-11, *Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC 60695-11-5, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60695-11-20, *Fire hazard testing – Part 11-20: Test flames – 500 W flame test method*

IEC 60730-1:2013, *Automatic electrical controls – Part 1: General requirements*
IEC 60730-1:2013/AMD1:2015

IEC 60730-2-5, *Automatic electrical controls – Part 2-5: Particular requirements for automatic electrical burner control systems*

IEC 60730-2-17, *Automatic electrical controls for household and similar use – Part 2-17: Particular requirements for electrically operated gas valves, including mechanical requirements²⁾*

IEC 60812, *Analysis techniques for system reliability – Procedure for failure mode and effects analysis (FMEA)*

IEC 60884-1, *Plugs and socket-outlets for household and similar purposes – Part 1: General requirements*

IEC 60934, *Circuit-breakers for equipment (CBE)*

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*
IEC 60950-1:2005/AMD1:2009
IEC 60950-1:2005/AMD2:2013

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic currents emissions (equipment input current ≤ 16 A per phase)*

IEC 61000-3-3, *Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection*

IEC 61000-6-1, *Electromagnetic compatibility (EMC) – Part 6-1: Generic standards – Immunity standard for residential, commercial and light-industrial environments*

²⁾ Withdrawn.

IEC 61000-6-2, *Electromagnetic compatibility (EMC) – Part 6-2: Generic standards – Immunity standard for industrial environments*

IEC 61000-6-3, *Electromagnetic compatibility (EMC) – Part 6-3: Generic standards – Emission standard for residential, commercial and light-industrial environments*

IEC 61000-6-4, *Electromagnetic compatibility (EMC) – Part 6-4: Generic standards – Emission standard for industrial environments*

IEC 61025, *Fault tree analysis (FTA)*

IEC 61032, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61508-1, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 1: General requirements*

IEC 61511-1, *Functional safety – Safety instrumented systems for the process industry sector – Part 1: Framework, definitions, system, hardware and application programming requirements*

IEC 61511-3, *Functional safety – Safety instrumented systems for the process industry sector – Part 3: Guidance for the determination of the required safety integrity levels*

IEC 61882, *Hazard and operability studies (HAZOP studies) – Application guide*

IEC 62040-1, *Uninterruptible power systems (UPS) – Part 1: Safety requirements*

IEC 62040-2, *Uninterruptible power systems (UPS) – Part 2: Electromagnetic compatibility (EMC) requirements*

IEC 62133 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62282-2, *Fuel cell technologies – Part 2: Fuel cell modules*

ISO 3864 (all parts), *Graphical symbols – Safety colours and safety signs*

ISO 7000, *Graphical symbols for use on equipment* (available at <http://www.graphical-symbols.info/equipment>)

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 15649, *Petroleum and natural gas industries – Piping*

ISO 16000-3, *Indoor air – Part 3: Determination of formaldehyde and other carbonyl compounds in indoor air and test chamber air – Active sampling method*

ISO 16000-6, *Indoor air – Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA® sorbent, thermal desorption and gas chromatography using MS or MS-FID*

ISO 16017-1:2000, *Indoor, ambient and workplace air – Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography – Part 1: Pumped sampling*

ISO 16111, *Transportable gas storage devices – Hydrogen absorbed in reversible metal hydride*

ISO 16528 (all parts), *Boilers and pressure vessels*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

basic insulation

insulation of hazardous-live-parts which provides basic protection

[SOURCE: IEC 60050-195:1998, 195-06-06, modified – The note has been deleted.]

3.2

double insulation

insulation comprising both basic insulation and supplementary insulation

[SOURCE: IEC 60050-195:1998, 195-06-08]

3.3

electromagnetic interference

EMI

degradation of the performance of an equipment, transmission channel or system caused by an electromagnetic disturbance

Note 1 to entry: This note only applies to the French language.

[SOURCE: IEC 60050-161:1990, 161-01-06, modified – The notes have been deleted.]

3.4

electromagnetic disturbance

EMD

any electromagnetic phenomenon which may degrade the performance of a device, equipment or system, or adversely affect living or inert matter

Note 1 to entry: This note only applies to the French language.

[SOURCE: IEC 60050-161:1990, 161-01-05, modified – The note has been deleted.]

3.5

enclosure

housing affording the type and degree of protection suitable for the intended application

Note 1 to entry: One type of enclosure can be inside another type (e.g. an electrical enclosure inside a fire enclosure or a fire enclosure inside an electrical enclosure). Also, a single enclosure can provide the functions of more than one type (e.g. those of both an electrical enclosure and a fire enclosure). Enclosures may be electrical, mechanical, fire or another type of enclosure to provide protection from these hazards or from wind, weather and other hazards.

[SOURCE: IEC 60050-195:1998, 195-02-35, modified – The note has been added.]

3.6

electrical enclosure

enclosure providing protection against the foreseen dangers created by electricity

[SOURCE: IEC 60050-195:1998, 195-06-13]

3.7

fire enclosure

part of the equipment intended to minimize the spread of fire or flames from within

3.8

mechanical enclosure

part of the equipment intended to reduce the risk of injury due to mechanical and other physical hazards

3.9

hazardous location

any area or space where combustible dust, ignitable fibres, or flammables, volatile liquids, gases, vapours or mixtures are or may be present in the air in quantities sufficient to produce an explosive atmosphere or ignitable mixtures

3.10

explosive atmosphere

mixture with air, under atmospheric conditions, of flammable substances in the form of gas, vapour, dust, fibres, or flyings which, after ignition, permits self-sustaining propagation

[SOURCE: IEC 60050-426:2008, 426-01-06]

3.11

hazardous energy level

available power level of 240 VA or more, having a duration of 60 s or more, or a stored energy level of 20 J or more (for example, from one or more capacitors), at a potential of 2 V or more

[SOURCE: IEC 60950-1:2005, 1.2.8.10]

3.12

hazardous voltage

voltage exceeding 42,4 V peak, or 60 V DC, existing in a circuit that does not meet the requirements for either a limited current circuit or a TNV circuit

[SOURCE: IEC 60950-1:2005, 1.2.8.6]

3.13

heat deflection temperature

HDT

measure of a polymer's resistance to distortion under a given load at elevated temperatures

Note 1 to entry: The deflection temperature is the temperature at which a test bar, loaded to the specified bending stress, deflects by 0,25 mm.

Note 2 to entry: This note only applies to the French language.

3.14

lower flammability limit

LFL

minimum concentration of fuel in a fuel-air mixture where a combustion can be ignited by an ignition source

Note 1 to entry: A fuel-air mixture is flammable when combustion can be started by an ignition source. The main component is the proportions or composition of the fuel-air mixture. A mixture that has less than a critical amount of fuel, known as the lower flammability limit (LFL) or more than a critical amount of fuel, known as the rich or upper flammability limit (UFL), will not be flammable.

Note 2 to entry: This note only applies to the French language.