



BSI Standards Publication

Fuel cell technologies

Part 6-101: Micro fuel cell power systems — Safety — General requirements

National foreword

This British Standard is the UK implementation of EN IEC 62282-6-101:2024. It is identical to IEC 62282-6-101:2024. Together with BS EN IEC 62282-6-106:2024, it partially supersedes BS EN 62282-6-100:2010+A1:2012.

The UK participation in its preparation was entrusted to Technical Committee GEL/105, Fuel cell technologies.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2024
Published by BSI Standards Limited 2024

ISBN 978 0 539 14304 1

ICS 27.070

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2024.

Amendments/corrigenda issued since publication

Date	Text affected
<hr/>	

English Version

Fuel cell technologies - Part 6-101: Micro fuel cell power
systems - Safety - General requirements
(IEC 62282-6-101:2024)

Technologies des piles à combustible - Partie 6-101:
Systèmes à micropiles à combustible - Sécurité - Exigences
générales
(IEC 62282-6-101:2024)

Brennstoffzellentechnologien - Teil 6-101:
Mikrobrennstoffzellen-Energiesysteme - Sicherheit -
Allgemeine Anforderungen
(IEC 62282-6-101:2024)

This European Standard was approved by CENELEC on 2024-03-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 105/1010/FDIS, future edition 1 of IEC 62282-6-101, prepared by IEC/TC 105 "Fuel cell technologies" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62282-6-101:2024.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-12-22
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2027-03-22

This document partially supersedes EN 62282-6-100:2010 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62282-6-101:2024 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 31010	NOTE Approved as EN IEC 31010
IEC 60335-1:2020	NOTE Approved as EN IEC 60335-1:2023 (not modified)
IEC 60812	NOTE Approved as EN IEC 60812
IEC 61025	NOTE Approved as EN 61025
IEC 61508 (series)	NOTE Approved as EN 61508 (series)
IEC 62061	NOTE Approved as EN IEC 62061
IEC 62282-5-100	NOTE Approved as EN IEC 62282-5-100
ISO 11114-1	NOTE Approved as EN ISO 11114-1
ISO 11114-2	NOTE Approved as EN ISO 11114-2
ISO 12100	NOTE Approved as EN ISO 12100
ISO 13849-1	NOTE Approved as EN ISO 13849-1

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60086-4	-	Primary batteries - Part 4: Safety of lithium batteries	EN IEC 60086-4	-
IEC 60086-5	-	Primary batteries - Part 5: Safety of batteries with aqueous electrolyte	EN IEC 60086-5	-
IEC 60730-1	2022	Automatic electrical controls - Part 1: General requirements	EN IEC 60730-1	2024
IEC 61032	1997	Protection of persons and equipment by enclosures - Probes for verification	EN 61032	1998
IEC 62133	series	Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary lithium cells, and for batteries made from them, for use in portable applications	EN 62133	series
IEC 62281	-	Safety of primary and secondary lithium cells and batteries during transport	EN IEC 62281	-
IEC 62282-6-300	2012	Fuel cell technologies - Part 6-300: Micro fuel cell power systems - Fuel cartridge interchangeability	EN 62282-6-300	2013
IEC 62368-1	2023	Audio/video, information and communication technology equipment - Part 1: Safety requirements	EN IEC 62368-1	— ¹
ISO 175	-	Plastics - Methods of test for the determination of the effects of immersion in liquid chemicals	EN ISO 175	-
ISO 188	-	Rubber, vulcanized or thermoplastic - Accelerated ageing and heat resistance tests	-	-

¹ To be published: Stage at time of publication: FprEN IEC 62368-1:2023.

EN IEC 62282-6-101:2024 (E)

ISO 1817	-	Rubber, vulcanized or thermoplastic - Determination of the effect of liquids	-	-
ISO 7010	2019	Graphical symbols - Safety colours and safety signs - Registered safety signs	EN ISO 7010	2020
ISO 11114-4	-	Transportable gas cylinders - Compatibility of cylinder and valve materials with gas contents - Part 4: Test methods for selecting steels resistant to hydrogen embrittlement	EN ISO 11114-4	-
ISO 16000-3	-	Indoor air - Part 3: Determination of formaldehyde and other carbonyl compounds in indoor and test chamber air - Active sampling method	-	-
ISO 16000-6	-	Indoor air - Part 6: Determination of organic compounds (VVOC, VOC, SVOC) in indoor and test chamber air by active sampling on sorbent tubes, thermal desorption and gas chromatography using MS or MS FID	-	-
ISO 16017-1	-	Indoor, ambient and workplace air - Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography - Part 1: Pumped sampling United Nations Recommendations on the Transport of Dangerous Goods: Model Regulations Twentieth revised edition, Manual of Tests and Criteria: Seventh revised edition, available at https://unece.org/fileadmin/DAM/trans/danger/publi/manual/Rev7/Manual_Rev7_E.pdf	EN ISO 16017-1	-

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Fuels and technologies covered.....	8
1.3 Equivalent level of safety	9
2 Normative references	9
3 Terms and definitions	10
4 Safety principles	14
4.1 General.....	14
4.2 Chemical safety principles	14
4.3 Materials considerations	15
4.4 Mechanical safety	15
4.4.1 General	15
4.4.2 Micro fuel cell power system.....	16
4.4.3 Fuel cartridge	17
4.5 Electrical safety	17
4.5.1 General	17
4.5.2 Shock hazard	17
4.5.3 Fire hazard	17
4.5.4 Electric components and attachments.....	17
4.6 Hazard analysis and risk assessment.....	17
4.7 Functional safety	17
5 General safety requirements.....	18
5.1 General.....	18
5.1.1 Cartridge	18
5.1.2 Fuel quantity limits.....	18
5.2 Chemical safety requirements	18
5.3 Material requirements	19
5.3.1 General	19
5.3.2 Micro fuel cell power systems	20
5.3.3 Parts exposed to moisture, fuel or by-products	20
5.3.4 Elastomeric materials	21
5.3.5 Polymeric materials	21
5.4 Mechanical design requirements	21
5.4.1 General	21
5.4.2 Micro fuel cell power system.....	22
5.4.3 Fuel cartridge	22
5.4.4 Fuel valves and connections.....	23
5.5 Electrical requirements	24
5.5.1 Shock hazard	24
5.5.2 Fire hazard	24
5.5.3 Output terminal area	24
5.5.4 Electric components and attachments.....	24
5.5.5 Electrical conductors and wiring	24
5.5.6 Requirements related to potential ignition sources	25

5.6	Hazard analysis and risk assessment.....	26
5.7	Functional safety requirements	26
5.7.1	General	26
5.7.2	Software or electronics controls.....	27
5.8	Small parts	27
6	Abnormal operating and fault conditions testing and requirements.....	27
6.1	General.....	27
6.2	Abnormal operation – Electromechanical components.....	27
6.3	Abnormal operation of micro fuel cell power systems with integrated batteries	28
6.4	Abnormal operation – Simulation of faults based on hazard analysis.....	28
7	Instructions and warnings for micro fuel cell power systems and fuel cartridges	28
7.1	General.....	28
7.2	Minimum markings required on the fuel cartridge	28
7.3	Minimum markings required on the micro fuel cell power system.....	29
7.4	Additional information required either on the fuel cartridge or on accompanying written information or on the micro fuel cell power system	29
7.5	Technical documentation	29
8	Type tests for micro fuel cell power systems and fuel cartridges	30
8.1	General.....	30
8.2	General leakage and gas loss measurement protocols.....	32
8.2.1	General protocols	32
8.2.2	Tests	32
8.2.3	Protocol for performing concentration-based measurements	32
8.2.4	Protocols for the assessment of point-source hydrogen gas loss	35
8.2.5	Liquid leak detector test protocol	37
8.2.6	Water immersion test protocol	37
8.2.7	Mass loss measurement protocols	38
8.2.8	Methods for the detection of accessible hazardous liquids	38
8.2.9	Protocol for gas loss test for devices to be used in close proximity to user's mouth or nose	38
8.3	Type tests.....	40
8.3.1	Pressure differential tests	40
8.3.2	Vibration test	42
8.3.3	Temperature cycling test	43
8.3.4	High-temperature exposure test.....	44
8.3.5	Drop test	44
8.3.6	Compressive loading test.....	45
8.3.7	External short-circuit test.....	46
8.3.8	Surface, component and exhaust gas temperature test.....	47
8.3.9	Long-term storage test.....	47
8.3.10	High-temperature connection test	47
8.3.11	Connection cycling tests	48
8.3.12	Gas loss tests.....	50
Annex A (informative)	Background and rationale for type tests.....	52
Bibliography.....		54

Figure 1 – Micro fuel cell power system block diagram..... 9

Figure 2 – Ingestion gauge



Figure 3 – Gas loss test apparatus	34
Figure 4 – Operational gas loss concentration testing apparatus.....	39
Figure 5 – Temperature cycling.....	44
Table 1 – Technology specific parts	8
Table 2 – Scenarios and control volumes	14
Table 3 – Guidelines for determining leakage and gas loss limits for mitigating hazards	15
Table 4 – Gas loss limits for concentration-based testing	19
Table 5 – List of type tests	30
Table 6 – Laboratory conditions	31
Table A.1 – Purpose of tests	52

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FUEL CELL TECHNOLOGIES –

**Part 6-101: Micro fuel cell power systems –
Safety – General requirements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62282-6-101 has been prepared by IEC technical committee 105: Fuel cell technologies. It is an International Standard.

This first edition, together with the other parts of the IEC 62282-6-1XX series, cancels and replaces IEC 62282-6-100:2010 and IEC 62282-6-100:2010/AMD1:2012.

This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 62282-6-100:2010 and IEC 62282-6-100:2010/AMD1:2012:

- a) A new structure has been set up: IEC 62282-6-101 covers the general safety requirements common to all fuel types whereas IEC 62282-6-102 and subsequent parts of the IEC 62282-6-1XX series cover particular requirements for specific fuel types based on the requirements given in IEC 62282-6-101.

The text of this International Standard is based on the following documents:

Draft	Report on voting
105/1010/FDIS	105/1023/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 62282 series, published under the general title *Fuel cell technologies*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations may need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months from the date of publication.

INTRODUCTION

IEC 62282-6-100 has been restructured to make it more user friendly.

The new IEC 62282-6-1XX series consists of IEC 62282-6-101 and subsequent parts of the IEC 62282-6-1XX series which will replace IEC 62282-100 on a case-by-case basis. Until subsequent specific parts of the IEC 62282-6-1XX series are completed, a suitable transition period will apply.

IEC 62282-6-101 covers general safety requirements common to all fuel types.

IEC 62282-6-102 and subsequent parts in the IEC 62282-6-1XX series will cover detailed requirements for specific fuel cartridges based on the requirements of IEC 62282-6-101, as shown in Table 1: Technology specific parts.

FUEL CELL TECHNOLOGIES –

Part 6-101: Micro fuel cell power systems – Safety – General requirements

1 Scope

1.1 General

- a) This part of IEC 62282 covers micro fuel cell power systems and fuel cartridges that are wearable or easily carried by hand, providing direct current outputs that do not exceed 60 V DC and power outputs that do not exceed 240 VA. Portable fuel cell power systems that provide output levels that exceed these electrical limits are covered by IEC 62282-5-100.
- b) Externally accessible circuitry is therefore considered to be ES1 energy source as defined in IEC 62368-1, and as limited power source if further compliance with IEC 62368-1:2023, Annex Q is demonstrated. Micro fuel cell power systems that have internal circuitry exceeding 60 V DC or 240 VA are addressed with the separate criteria of IEC 62368-1.
- c) This document covers micro fuel cell power systems and fuel cartridges. This document establishes the requirements for micro fuel cell power systems and fuel cartridges to ensure a reasonable degree of safety for normal use, reasonably foreseeable misuse, and cargo and consumer transportation and storage of such items. Fuel cartridges refilled by the manufacturer or by trained technicians are covered by this document. The fuel cartridges covered by this document are not intended to be refilled by the consumer.
- d) Micro fuel cell power systems and fuel cartridges that are covered by this document are not intended for use in hazardous areas as defined by IEC 60079-10-1.

1.2 Fuels and technologies covered

- a) A micro fuel cell power system block diagram is shown in Figure 1.
- b) This document, including all annexes, apply to micro fuel cell power systems and fuel cartridges as defined in 1.1 above.
- c) Clause 4 to Clause 8 cover the general safety requirements for all micro fuel cell power systems. IEC 62282-6-101 together with the appropriate technology specific parts shown in Table 1 cover the requirements for the specific technologies in the IEC 62282-6-1XX series.

Table 1 – Technology specific parts

Specific technology supplement standard	Title
IEC 62282-6-106	Fuel cell technologies – Part 6-106: Micro fuel cell power systems – Safety – Indirect Class 8 (corrosive) compounds
IEC 62282-6-107	Fuel cell technologies – Part 6-107: Micro fuel cell power systems – Safety – Indirect water reactive (Division 4.3) compounds




Figure 1 – Micro fuel cell power system block diagram

1.3 Equivalent level of safety

- The requirements of this document are not intended to constrain innovation. The manufacturer can consider fuels, materials, designs or constructions not specifically dealt with in this document. These alternatives can be evaluated as to their ability to yield levels of safety equivalent to those specified in this document.
- It is understood that all micro fuel cell power systems and fuel cartridges comply with applicable country and local requirements including, but not limited to, those concerning transportation, child-resistance and storage, where required.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60086-4, *Primary batteries – Part 4: Safety of lithium batteries*

IEC 60086-5, *Primary batteries – Part 5: Safety of batteries with aqueous electrolyte*

IEC 60730-1:2022, *Automatic electrical controls – Part 1: General requirements*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 62133 (all parts), *Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications*

IEC 62281, *Safety of primary and secondary lithium cells and batteries during transport*

IEC 62368-1:2023, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62282-6-300:2012, *Fuel cell technologies – Part 6-300: Micro fuel cell power systems – Fuel cartridge interchangeability*

ISO 175, *Plastics – Methods of test for the determination of the effects of immersion in liquid chemicals*

ISO 188, *Rubber, vulcanized or thermoplastic – Accelerated ageing and heat resistance tests*

ISO 1817, *Rubber, vulcanized or thermoplastic – Determination of the effect of liquids*

ISO 7010:2019, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

ISO 11114-4, *Transportable gas cylinders – Compatibility of cylinder and valve materials with gas contents – Part 4: Test methods for selecting steels resistant to hydrogen embrittlement*

ISO 16000-3, *Indoor air – Part 3: Determination of formaldehyde and other carbonyl compounds in indoor and test chamber air – Active sampling method*

ISO 16000-6, *Indoor air – Part 6: Determination of organic compounds (VVOC, VOC, SVOC) in indoor and test chamber air by active sampling on sorbent tubes, thermal desorption and gas chromatography using MS or MS FID*

ISO 16017-1, *Indoor, ambient and workplace air – Part 1: Sampling and analysis of volatile organic compounds by sorbent tube/thermal desorption/capillary gas chromatography – Part 1: Pumped sampling*

United Nations Recommendations on the Transport of Dangerous Goods: Model Regulations Twentieth revised edition, Manual of Tests and Criteria: Seventh revised edition, available at https://unece.org/fileadmin/DAM/trans/danger/publi/manual/Rev7/Manual_Rev7_E.pdf (viewed 2023-08-08)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1

air management system

set of components that can be used to control air properties, if necessary, to support the micro fuel cell power system operation

3.2

attached cartridge

fuel cartridge, which has its own enclosure that connects to the device powered by the micro fuel cell power system

3.3**aqueous reservoir**

optional reservoir within a fuel cartridge which contains an aqueous solution used in fuel processing

Note 1 to entry: Any hazards associated with aqueous solutions should be addressed in the hazard analysis and risk assessment or in a fuel specific standard.

3.4**control system**

set of components of the micro fuel cell power system that coordinates properties of the micro fuel cell power system and reactants using any combination of the following to effect proper micro fuel cell power system start-up, operation and shutdown, when necessary: electrical, mechanical, or digital inputs, outputs, software, or functions

3.5**corrosive liquid**

aqueous solution with a pH < 3,5 or pH > 10,5 or any liquid which can cause the full thickness destruction of skin after not more than 60 min exposure when observed after 14 days, or which otherwise meets the criteria of UN class 8 materials

3.6**exterior cartridge**

fuel cartridge, which has its own enclosure that forms a portion of the enclosure of the device powered by the micro fuel cell power system

3.7**flammable liquid**

liquid meeting the criteria for inclusion in UN Class 3 "flammable liquids" (i.e. having a flash point of not more than 60,5 °C)

3.8**flammable gas**

gas meeting the criteria for inclusion in UN division 2.1 "flammable gas" (i.e. any material which is a gas at 20 °C or less and at a pressure of 101,3 kPa which is ignitable at 101,3 kPa when in a mixture of 13 % or less by volume with air; or has a flammable range at 101,3 kPa with air of at least 12 % regardless of the lower limit)

3.9**fuel**

energy containing material used directly from the cartridge or indirectly, after processing and conversion, in the electrochemical reaction of the fuel cell

3.10**fuel cartridge**

article that stores fuel

3.11**fuel cell**

electrochemical device that converts the chemical energy of a fuel and an oxidant to electrical energy (DC power), heat and reaction products

3.12**fuel cell power system**

system that uses a fuel cell to generate electric power and heat

Note 1 to entry: A fuel cell power system is composed of all or some of the systems shown in Figure 1.

3.13**fuel management system**

optional set of components used to control fuel or hydrogen properties (e.g. concentration, flow rate, purity, temperature, humidity or pressure), if necessary to support the micro fuel cell power system operation or the storage of generated reactants or both

Note 1 to entry: Not all micro fuel cell power systems will include all functions. Some micro fuel cell power systems will include additional functions.

3.14**gas loss**

hazardous gas emission, as determined in accordance with 4.2 and 5.2

3.15**hazardous substance**

any solid, liquid or gas which meets the criteria for being hazardous as defined in 4.2 and 5.2

3.16**internal reservoir**

structure in a micro fuel cell power system that stores fuel and cannot be removed but not including fuel lines or fittings not intended to provide sustained fuel storage

3.17**insert cartridge**

fuel cartridge, which has its own enclosure and is installed within the enclosure of the device powered by the micro fuel cell power system

3.18**in-service cartridge**

fuel cartridge representative of fuel cartridges put into use and then removed from a system

Note 1 to entry: For systems that allow removal of a fuel cartridge from the system at any time during operation, an in-service cartridge would be a fuel cartridge that has been put into operation such that approximately half of the initial fuel charge has been utilized and the cartridge allowed to stabilize; for systems that include a lock-out mechanism to prevent removal of a cartridge during operation, an in-service cartridge shall mean the fuel cartridge in the state in which it is removable from the system.

3.19**leakage**

accessible hazardous solid or hazardous liquid substance (fuel, hazardous fuel by-products, electrolyte, or hazardous liquid fuel) outside the micro fuel cell power system or fuel cartridge

3.20**limited power source**

electrical supply either isolated from a mains supply or supplied by a battery or other device (i.e. fuel cell power unit) where the voltage, current and power levels are either inherently or non-inherently limited to levels that do not result in an electric shock or fire hazard as defined in IEC 62368-1

Note 1 to entry: An inherently limited power source does not rely on a current-limiting device to meet limited power requirements although it may rely on an impedance to limit its output. However, a non-inherently limited power source relies upon a current-limiting device such as a fuse to meet limited power requirements.

3.21**maximum developed pressure**

maximum gauge pressure seen inside the fuel cartridge under operation, transport and storage

EXAMPLE Pressure at the maximum temperature (at least 70 °C in accordance with 8.3.4) to which the cartridge can be exposed during operation, transport and storage.

3.22**micro fuel cell module**

assembly incorporating one or more fuel cells and, if applicable, additional components, which is intended to be integrated into a micro fuel cell power system

3.23**micro fuel cell power system**

micro fuel cell power unit and associated fuel cartridges that is wearable or easily carried by hand

3.24**micro fuel cell power unit**

fuel cell based electric generator providing a DC voltage that does not exceed 60 V and a continuous net electrical power that does not exceed 240 VA

Note 1 to entry: The micro fuel cell power unit does not include a fuel cartridge.

3.25**non-operating**

turned "off" or no longer operational

3.26**primary battery**

non-rechargeable battery

3.27**rated power**

maximum continuous electric output power that a fuel cell power system is designed to achieve under normal operating conditions, specified by the manufacturer

Note 1 to entry: The rated power is expressed in W.

3.28**refilling valve**

component of the non-user-refillable fuel cartridge that allows refilling the fuel cartridge only by trained technicians

3.29**satellite cartridge**

fuel cartridge that is intended to be connected to and removed from the micro fuel cell power system to transfer fuel to the internal reservoir inside the micro fuel cell power system

3.30**shut-off valve**

component of a fuel cartridge that controls the release of fuel

3.31**toxic material**

any material having a toxic hazard rating of 2 (medium) or higher, in the Sax's dangerous properties of industrial materials 11th Edition, or related reference guide

3.32**waste cartridge**

cartridge that stores waste and by-products from the micro fuel cell power system

3.33**water reactive material**

material meeting the criteria for UN division 4.3 "water reactive materials" (e.g. materials which react with water to evolve dangerous quantities of flammable gas)