



BSI Standards Publication

LED light source characteristics

Part 1: Data sheets

National foreword

This British Standard is the UK implementation of EN IEC 63356-1:2023. It is identical to IEC 63356-1:2023. It supersedes BS EN IEC 63356-1:2022, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPL/34/1, Electric lamps.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 23338 4

ICS 29.140.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

LED light source characteristics - Part 1: Data sheets (IEC 63356-1:2023)

Caractéristiques de source lumineuse à LED - Partie 1:
Feuilles de caractéristiques
(IEC 63356-1:2023)

Eigenschaften von LED-Lichtquellen - Teil 1: Datenblätter
(IEC 63356-1:2023)

This European Standard was approved by CENELEC on 2023-10-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

The text of document 34A/2363/FDIS, future IEC 63356-1, prepared by SC 34A "Electric light sources" of IEC/TC 34 "Lighting" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63356-1:2023.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2024-07-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2026-10-24

This document supersedes EN IEC 63356-1:2022 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 63356-1:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60061-1 NOTE Approved as EN 60061-1

IEC 60061-2 NOTE Approved as EN 60061-2

IEC 63356-2 NOTE Approved as EN IEC 63356-2

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Overview and common information	7
4.1 General.....	7
4.2 Numbering system	7
4.3 List of data sheets	8
4.3.1 List of single-capped LED lamp data sheets	8
4.3.2 List of double-capped LED lamp data sheets	8
4.3.3 List of LED module data sheets	10
5 Single-capped LED lamp data sheets	11
5.1 Single-capped LED lamps with GH36d caps.....	11
5.1.1 Diagrammatic information for location of lamp dimensions	11
5.1.2 Data sheets	12
5.2 Other single-capped LED lamps	17
6 Double-capped LED lamp data sheets	17
6.1 Linear double-capped LED lamps with GX16t-5 caps	17
6.1.1 Diagrammatic information for location of lamp dimensions	17
6.1.2 Data sheets	19
6.2 Linear double-capped LED lamps with GJ6.6 caps.....	28
6.2.1 Diagrammatic information for location of lamp dimensions	28
6.2.2 GJ6.6 lamp data sheets	29
6.3 Linear double-capped LED lamps with GR6d caps	44
6.3.1 Diagrammatic information for location of lamp dimensions	44
6.3.2 Information for luminaire design.....	45
6.3.3 Data sheets	46
7 LED module data sheets.....	51
Bibliography.....	52
Figure 1 – Location of dimensions of single-capped lamps with a GH36d cap	11
Figure 2 – Location of dimensions of linear double-capped lamps with GX16t-5 caps	18
Figure 3 – Location of dimensions of linear double-capped lamps with GJ6.6 caps	29
Figure 4 – Dimensions of linear double-capped lamps with GR6d caps	45
Figure 5 – Mechanical dimensions for luminaire design.....	45
Table 1 – List of data sheets for non-integrated single-capped LED lamps.....	8
Table 2 – List of data sheets for semi-integrated single-capped LED lamps	8
Table 3 – List of data sheets for integrated single-capped LED lamps.....	8

Table 4 – List of data sheets for non-integrated double-capped LED lamps	9
Table 5 – List of data sheets for semi-integrated double-capped LED lamps	9
Table 6 – List of data sheets for integrated double-capped LED lamps	10
Table 7 – List of data sheets for non-integrated LED modules.....	10
Table 8 – List of data sheets for semi-integrated LED modules	10
Table 9 – List of data sheets for integrated LED modules	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LED LIGHT SOURCE CHARACTERISTICS –

Part 1: Data sheets

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 63356-1 has been prepared by subcommittee 34A: Electric light sources, of IEC technical committee 34: Lighting. It is an International Standard.

This second edition cancels and replaces the first edition published in 2022. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) addition of datasheets for GH36d capped LED lamps;
- b) addition of datasheets for GJ6.6t and GJ6.6d-1 capped LED lamps;
- c) addition of datasheets for GR6d capped LED lamps.

The text of this International Standard is based on the following documents:

Draft	Report on voting
34A/2363/FDIS	34A/2372/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications/.

A list of all parts in the IEC 63356 series, published under the general title *LED light source characteristics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

INTRODUCTION

The IEC 63356 series (LED light source characteristics) is split into two parts:

- IEC 63356-1: Data sheets

The scope of IEC 63356-1 covers data sheets that are comprehensive specifications for unique LED light sources (LED lamp or LED module). These are full specifications for products including, where necessary, information on interchangeability aspects, for example mechanical, electrical, optical.

Each data sheet in IEC 63356-1 relates to an individual type of LED lamp or LED module.

- IEC 63356-2: Design parameters and values

The scope of IEC 63356-2 covers design parameters and values that are used in the design of an LED light source (LED lamp or LED module) or a related component. IEC 63356-2 does not provide full product specifications but includes important interface aspects (e.g. mechanical, electrical, optical) that should be taken account of in the design of LED light sources and related components.

LED LIGHT SOURCE CHARACTERISTICS –

Part 1: Data sheets

1 Scope

This part of IEC 63356 specifies data sheets of LED lamps and LED modules with a series of parameters per data sheet for a specific LED light source that enables interchangeability between products from different LED light source manufacturers.

Compliance criteria relating to data sheet parameters in this document are covered by IEC 63220¹ for safety, or IEC 63221² for performance.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

4 Overview and common information

4.1 General

Dimensions are specified at a temperature of $(25 \pm 5) ^\circ\text{C}$, unless otherwise specified

4.2 Numbering system

Data sheets are numbered so that:

- the first part represents the number of the publication "63356-1", followed by the letters "IEC";
- the second three-digit number represents the data sheet group;
- the third four-digit number represents the data sheet number;
- the fourth single-digit number represents the data sheet edition.

NOTE In cases where a data sheet comprises more than one page, all pages of the specific data sheet are issued with the same updated edition number.

¹ Under preparation. Stage at the time of publication IEC CDV 63220:2023.

² Under preparation. Stage at the time of publication IEC CDV 63221:2023.

Data sheet numbers are grouped as follows:

- single-capped LED lamp data sheets:
 - non-integrated 100-xxxx;
 - semi-integrated 110-xxxx;
 - integrated 120-xxxx;
- double-capped LED lamp data sheets:
 - non-integrated 200-xxxx;
 - semi-integrated 210-xxxx;
 - integrated 220-xxxx;
- LED module data sheets:
 - non-integrated 300-xxxx;
 - semi-integrated 310-xxxx;
 - integrated 320-xxxx.

EXAMPLE 63356-1-IEC-110-0001-1: Single-capped LED lamp, semi-integrated, number 0001, version 1.

4.3 List of data sheets

4.3.1 List of single-capped LED lamp data sheets

Table 1, Table 2 and Table 3 provide a summary of data sheets for non-integrated, semi-integrated and integrated single-capped LED lamps respectively.

Table 1 – List of data sheets for non-integrated single-capped LED lamps

Sheet no. 63356-1-IEC- 1xx-xxxx	Shape	Rated diameter mm	Rated current	Power range W	Cap
100-0001-1	round	50	0,25 A DC	5,0 to 12,5	GH36d-1
100-0002-1	round	50	0,35 A DC	7,0 to 17,5	GH36d-2
100-0003-1	round	50	0,5 A DC	10,0 to 25,0	GH36d-3
100-0004-1	round	50	0,7 A DC	14,0 to 35,0	GH36d-4
100-0005-1	round	50	0,9 A DC	18,0 to 45,0	GH36d-5
100-0006-1	round	50	1,1 A DC	22,0 to 55,0	GH36d-6

Table 2 – List of data sheets for semi-integrated single-capped LED lamps

Void

Table 3 – List of data sheets for integrated single-capped LED lamps

Void

4.3.2 List of double-capped LED lamp data sheets

Table 4, Table 5 and Table 6 provide a summary of data sheets for non-integrated, semi-integrated and integrated double-capped LED lamps respectively.

Table 4 – List of data sheets for non-integrated double-capped LED lamps

Sheet no. 63356-1-IEC- 2xx-xxxx	Shape	Nominal length mm	Rated diameter mm	Rated current	Power range W	Cap
200-0001-1	linear	600	25,5	0,35 A DC	7,9 to 16,6	GX16t-5
200-0002-1	linear	600	32,5	0,35 A DC	7,9 to 16,6	GX16t-5
200-0003-1	linear	900	25,5	0,35 A DC	11,0 to 24,8	GX16t-5
200-0004-1	linear	900	32,5	0,35 A DC	11,0 to 24,8	GX16t-5
200-0005-1	linear	1 200	25,5	0,35 A DC	14,3 to 33,3	GX16t-5
200-0006-1	linear	1 200	32,5	0,35 A DC	14,3 to 33,3	GX16t-5
200-0007-1	linear	1 500	25,5	0,35 A DC	14,3 to 42,0	GX16t-5
200-0008-1	linear	1 500	32,5	0,35 A DC	14,3 to 42,0	GX16t-5
200-0009-1	linear	2 400	25,5	0,35 A DC	28,7 to 66,5	GX16t-5
200-0010-1	linear	2 400	32,5	0,35 A DC	28,7 to 66,5	GX16t-5
200-0011-1	linear	600		0,35 A DC	7,0 to 17,5	GR6d-1
200-0012-1	linear	900		0,5 A DC	10,0 to 25,0	GR6d-2
200-0013-1	linear	1200		0,7 A DC	14,0 to 35,0	GR6d-3
200-0014-1	linear	1 200		1,05 A DC	21,0 to 52,5	GR6d-4
200-0015-1	linear	1 500		1,05 A DC	21,0 to 52,5	GR6d-4
200-0016-1	linear	1 500		1,4 A DC	28,0 to 70,0	GR6d-5
200-0017 ^a	reserved					GR6d-6
200-0018 ^a	reserved					GR6d-7
200-0019 ^a	reserved					GR6d-8
200-0020 ^a	reserved					GR6d-9

^a No data sheet available.

Table 5 – List of data sheets for semi-integrated double-capped LED lamps

Void

Table 6 – List of data sheets for integrated double-capped LED lamps

Sheet no. 63356-1-IEC- 2xx-xxxx	Shape	Nominal length mm	Maximum outline diameter mm	Rated voltage V AC	Power range W	Cap
220-0001-1	linear	550	17,0	108 to 382	7,0 to 13,0	GJ6.6t
220-0002-1	linear	600	26,7	108 to 382	8,0 to 17,0	GJ6.6t
220-0003-1	linear	850	17,0	108 to 382	10,0 to 16,0	GJ6.6t
220-0004-1	linear	900	26,7	108 to 382	11,5 to 25,0	GJ6.6t
220-0005-1	linear	1150	17,0	108 to 382	13,0 to 31,0	GJ6.6t
220-0006-1	linear	1200	26,7	108 to 382	9,9 to 32,0	GJ6.6t
220-0007-1	linear	1450	17,0	108 to 382	18,0 to 37,0	GJ6.6t
220-0008-1	linear	2400	26,7	108 to 382	30,0 to 65,0	GJ6.6t
220-0009-1	linear	550	17,0	108 to 382	7,0 to 13,0	GJ6.6d-1
220-0010-1	linear	600	26,7	108 to 382	8,0 to 17,0	GJ6.6d-1
220-0011-1	linear	850	17,0	108 to 382	10,0 to 16,0	GJ6.6d-1
220-0012-1	linear	900	26,7	108 to 382	11,5 to 25,0	GJ6.6d-1
220-0013-1	linear	1150	17,0	108 to 382	13,0 to 31,0	GJ6.6d-1
220-0014-1	linear	1200	26,7	108 to 382	9,9 to 32,0	GJ6.6d-1
220-0015-1	linear	1450	17,0	108 to 382	18,0 to 37,0	GJ6.6d-1
220-0016-1	linear	2400	26,7	108 to 382	30,0 to 65,0	GJ6.6d-1
220-0017 ^a	linear			100 to 127		GR6d-10
220-0018 ^a	linear			200 to 254		GR6d-11
220-0019 ^a	linear			250 to 288		GR6d-12
220-0020 ^a	reserved					GR6d-13
220-0021 ^a	linear			100 to 288		GR6d-14
220-0022 ^a	reserved					GR6d-15

^a No data sheet available.

4.3.3 List of LED module data sheets

Table 7, Table 8 and Table 9 provide a summary of data sheets for non-integrated, semi-integrated and integrated LED modules respectively.

Table 7 – List of data sheets for non-integrated LED modules

Void

Table 8 – List of data sheets for semi-integrated LED modules

Void

Table 9 – List of data sheets for integrated LED modules


Void

5 Single-capped LED lamp data sheets

5.1 Single-capped LED lamps with GH36d caps

5.1.1 Diagrammatic information for location of lamp dimensions

Figure 1 shows the dimensions used in conjunction with the relevant data sheet for a GH36d LED lamp.



IEC

Key

- 1 reference plane
- 2 key positions

NOTE Details about key positions are given in IEC 60061-1, sheet 7004-186.

^a The GH36d capped LED lamp is designed to be applied to a heat sink and in combination with the appropriate key system to differentiate between input power combinations.

Figure 1 – Location of dimensions of single-capped lamps with a GH36d cap

5.1.2 Data sheets

Data sheet 63356-1-IEC-100-0001-1:

Nominal diameter mm	Rated DC lamp current A	Range of lamp power W	Cap
50	0,25	5,0 to 12,5	GH36d-1

Dimensions mm								
<i>A</i>		<i>B</i>		<i>D</i>	<i>K</i>		<i>T</i>	
Min.	Max.	Min.	Max.		Min.	Max.	Min.	Max.
49,5	50,5	24,9	25,2	36,0	8,5	9,0	5,5	30,0

Electrical characteristics		
DC test current A		DC lamp voltage V
0,25		Min.
		Max.
		20
		50

Information for controlgear design		
Type of controlgear	Constant DC current output SELV or PELV	
DC output voltage range for the constant DC current	V	
	Min.	Max.
	20	50
Tolerance of the constant DC current	±10 %	

Data sheet 63356-1-IEC-100-0002-1:

Nominal diameter mm	Rated DC lamp current A	Range of lamp power W	Cap
50	0,35	7,0 to 17,5	GH36d-2

Dimensions mm								
<i>A</i>		<i>B</i>		<i>D</i>	<i>K</i>		<i>T</i>	
Min.	Max.	Min.	Max.		Min.	Max.	Min.	Max.
49,5	50,5	24,9	25,2	36,0	8,5	9,0	5,5	30,0

Electrical characteristics		
DC test current A		DC lamp voltage V
0,35		Min.
		Max.
		20
		50

Information for controlgear design		
Type of controlgear	Constant DC current output SELV or PELV	
DC output voltage range for the constant DC current	V	
	Min.	Max.
	20	50
Tolerance of the constant DC current	±10 %	

Data sheet 63356-1-IEC-100-0003-1:

Nominal diameter mm	Rated DC lamp current A	Range of lamp power W	Cap
50	0,5	10,0 to 25,0	GH36d-3

Dimensions mm								
<i>A</i>		<i>B</i>		<i>D</i>	<i>K</i>		<i>T</i>	
Min.	Max.	Min.	Max.		Min.	Max.	Min.	Max.
49,5	50,5	24,9	25,2	36,0	8,5	9,0	5,5	30,0

Electrical characteristics		
DC test current A		DC lamp voltage V
0,5		Min.
		Max.
		20
		50

Information for controlgear design		
Type of controlgear	Constant DC current output SELV or PELV	
DC output voltage range for the constant DC current	V	
	Min.	Max.
	20	50
Tolerance of the constant DC current	±10 %	