



**BSI Standards Publication**

## **Intravascular catheters – Sterile and single-use catheters**

---

Part 6: Subcutaneous implanted ports

## National foreword

This British Standard is the UK implementation of EN ISO 10555-6:2017+A1:2019. It is identical to ISO 10555-6:2015, incorporating amendment 1:2019. It supersedes BS EN ISO 10555-6:2017, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CH/205, Non-active medical devices.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019  
Published by BSI Standards Limited 2019

ISBN 978 0 539 03811 8

ICS 11.040.25

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 April 2015.

### Amendments/corrigenda issued since publication

| Date             | Text affected                                                            |
|------------------|--------------------------------------------------------------------------|
| 31 December 2017 | This corrigendum renumbers BS ISO 10555-6:2015 as BS EN ISO 10555-6:2017 |
| 31 October 2019  | Implementation of ISO amendment 1:2019 with CEN endorsement A1:2019      |

English Version

Intravascular catheters — Sterile and single-use  
catheters — Part 6: Subcutaneous implanted ports

Cathéters intravasculaires — Cathéters  
stériles et non réutilisables — Partie 6:  
Chambres à cathéter implantables

Intravaskuläre Katheter — Sterile  
Katheter zur einmaligen Verwendung —  
Teil 6: Subkutan implantierte Ports

This European Standard was approved by CEN on 30 July 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

## European foreword

The text of ISO 10555-6:2015 has been prepared by Technical Committee ISO/TC 84 “Devices for administration of medicinal products and catheters” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 10555-6:2017 by Technical Committee CEN/TC 205 “Non-active medical devices” the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative [Annex ZA](#) which is an integral part of this document.

The following referenced documents are indispensable for the application of this document. For undated references, the latest edition of the referenced document (including any amendments) applies. For dated references, only the edition cited applies. However, for any use of this standard ‘within the meaning of [Annex ZA](#)’, the user should always check that any referenced document has not been superseded and that its relevant contents can still be considered the generally acknowledged state-of-art.

When an IEC or ISO standard is referred to in the ISO standard text, this shall be understood as a normative reference to the corresponding EN standard, if available, and otherwise to the dated version of the ISO or IEC standard, as listed below.

NOTE The way in which these referenced documents are cited in normative requirements determines the extent (in whole or in part) to which they apply.

**Table — Correlation between normative references and dated EN and ISO standards**

| Normative references as listed in Clause 2 of the ISO standard | Equivalent dated standard |                                  |
|----------------------------------------------------------------|---------------------------|----------------------------------|
|                                                                | EN                        | ISO or IEC                       |
| <a href="#">ISO 10555-1:2013</a>                               | EN ISO 10555-1:2013       | <a href="#">ISO 10555-1:2013</a> |
| <a href="#">ISO 10555-3:2013</a>                               | EN ISO 10555-3:2013       | <a href="#">ISO 10555-3:2013</a> |

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 10555-6:2015 has been approved by CEN as EN ISO 10555-6:2017 without any modification.

## Foreword to amendment A1

This document (EN ISO 10555-6:2017/A1:2019) has been prepared by Technical Committee ISO/TC 84 "Devices for administration of medicinal products and catheters" in collaboration with Technical Committee CEN/TC 205 "Non-active medical devices" the secretariat of which is held by DIN.

This Amendment to the European Standard EN ISO 10555-6:2017 shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2020, and conflicting national standards shall be withdrawn at the latest by April 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 10555-6:2015/Amd 1:2019 has been approved by CEN as EN ISO 10555-6:2017/A1:2019 without any modification.

## Annex ZA (informative)

### Relationship between this European Standard and the Essential Requirements of Directive 93/42/EEC [OJ L 169] aimed to be covered

This European standard has been prepared under a Commission's standardisation request M/295 concerning the development of European Standards related to medical devices to provide one voluntary means of conforming to essential requirements of Council Directive 93/42/EEC of 14 June 1993 concerning medical devices [OJ L 169].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in [Table ZA.1](#) confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

NOTE 1 Where a reference from a clause of this standard to the risk management process is made, the risk management process needs to be in compliance with Directive 93/42/EEC as amended by 2007/47/EC. This means that risks have to be reduced 'as far as possible', 'to a minimum', 'to the lowest possible level', 'minimized' or 'removed', according to the wording of the corresponding essential requirement.

NOTE 2 The manufacturer's policy for determining **acceptable risk** must be in compliance with essential requirements 1, 2, 5, 6, 7, 8, 9, 11 and 12 of the Directive.

NOTE 3 This [Annex ZA](#) is based on normative references according to the table of references in the European foreword, replacing the references in the core text.

NOTE 4 When an Essential Requirement does not appear in [Table ZA.1](#), it means that it is not addressed by this European Standard.

**Table ZA.1 — Correspondence between this European Standard and Annex I of Directive 93/42/EEC93/42/EEC [OJ L 169]**

| Essential Requirements (ER) of Directive 93/42/EEC93/42/EEC | Clause(s) / sub-clause(s) of this EN | Remarks / Notes                                                                                                                      |
|-------------------------------------------------------------|--------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 7.5                                                         | <a href="#">4.2</a>                  | ER 7.5 is covered only in respect of biocompatibility. Covers lubricants limited size drops on surfaces in design and manufacturing. |

| Essential Requirements (ER) of Directive 93/42/EEC93/42/EEC | Clause(s) / sub-clause(s) of this EN                                                                          | Remarks / Notes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9.1                                                         | <a href="#">4.5.3</a> , <a href="#">4.5.6.1</a> , <a href="#">6.4 g</a>                                       | <p>ER 9.1 is covered by Standard <a href="#">Clause 4.5.3</a> in respect of leakage only.</p> <p>ER 9.1 is covered by Standard <a href="#">Clause 4.5.6.1</a> only in respect of peak tensile force between the port and the catheter.</p> <p>ER 9.1 is covered by Standard <a href="#">Clause 6.4g</a> only in respect of specifications of the devices required to connect the port to the power injector.</p> <p>The connection must be standardized.</p> <p>The maximum for the connected injector.</p> <p>The intended purpose should be stated on the label or in the instruction for use, if not obvious.</p> <p>A pressure limit and maximum flowrate is required in the instruction for use, if the catheter is indicated for power injection.</p> <p>Covers restrictions on use indicated on labelling.</p> |
| 9.2                                                         | <a href="#">4.5.3</a> , <a href="#">4.5.4</a> , <a href="#">4.6</a> , <a href="#">4.7</a> , <a href="#">5</a> | <p>ER 9.2 first dash is covered by Standard <a href="#">Clause 4.5.3</a> in respect of leakage only.</p> <p>ER 9.2 first dash is covered by Standard <a href="#">Clause 4.5.4</a> in respect of the flushing volume only.</p> <p>ER 9.2 first dash is covered by Standard <a href="#">Clause 4.6</a> in respect of the flow rate only.</p> <p>ER 9.2 first dash is covered by Standard <a href="#">Clause 4.7</a> in respect of the burst pressure.</p> <p>ER 9.2 second dash is covered by Standard <a href="#">Clause 5</a> in respect of MRI compatibility only.</p> <p>The risk of injury, in connection with physical features including the volume/pressure ratio and dimensional features in the design process.</p>                                                                                           |
| 12.7.1                                                      | <a href="#">4.5.3</a> , <a href="#">4.6.2</a> , <a href="#">4.7.2</a>                                         | <p>ER 12.7.1 is covered by Standard <a href="#">Clause 4.5.3</a> in respect of leakage only.</p> <p>ER 12.7.1 is covered by Standard <a href="#">Clause 4.6.2</a> in respect of flow rate only.</p> <p>ER 12.7.1 is covered by Standard <a href="#">Clause 4.7.2</a> in respect of burst pressure only.</p> <p>The catheter and port must be designed to protect the patient.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| 12.9                                                        | <a href="#">4.3</a>                                                                                           | ER 12.9 is covered in respect of distance marking on the catheter only. Indicators for length adjustment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 13.3 a)                                                     | <a href="#">6.3</a>                                                                                           | Standard <a href="#">Clause 6.3</a> first dash covers ER 13.3 a) but only in respect of the name of the manufacturer and only provided the labels are located as required by the Directive.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 13.3 b)                                                     | <a href="#">6.1</a> , <a href="#">6.3</a>                                                                     | <p>Standard <a href="#">Clause 6.1</a> covers ER 13.3 b) only in respect of the marking on the actual product.</p> <p>Standard <a href="#">Clause 6.3</a> second and third dash covers ER 13.3 b) but only in respect of the designation and item number and Batch/Lot/serial number.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 13.3 d)                                                     | <a href="#">6.3</a>                                                                                           | <p>ER 13.3 d) is covered by Standard <a href="#">Clause 6.3</a> third dash but only when the any batch code is preceded by the word 'LOT'.</p> <p>Label and traceability label</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

| Essential Requirements (ER) of Directive 93/42/EEC93/42/EEC | Clause(s) / sub-clause(s) of this EN      | Remarks / Notes                                                                                                                                                                                                                                                           |
|-------------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 13.4                                                        | <a href="#">6.2</a> , <a href="#">6.4</a> | ER 13.4 is covered by Standard <a href="#">Clause 6.2</a> but only in respect of identification of power injection.<br>ER 13.4 is covered by Standard <a href="#">Clause 6.2</a> but only in respect of the information given in Standard <a href="#">Clause 6.4</a> a-g. |
| 13.6 a)                                                     | <a href="#">6.4</a>                       |                                                                                                                                                                                                                                                                           |
| 13.6 b)                                                     | <a href="#">6.4</a>                       | Only covers devices for power injection.                                                                                                                                                                                                                                  |
| 13.6 c)                                                     | <a href="#">6.4 g)</a>                    |                                                                                                                                                                                                                                                                           |
| 13.6 d)                                                     | <a href="#">6.4 c), d)</a>                |                                                                                                                                                                                                                                                                           |
| 13.6 e)                                                     | <a href="#">6.4 a)</a>                    |                                                                                                                                                                                                                                                                           |
| 13.6 f)                                                     | <a href="#">6.4 e)</a>                    |                                                                                                                                                                                                                                                                           |
| 13.6 i)                                                     | <a href="#">6.4 g)</a>                    |                                                                                                                                                                                                                                                                           |
| 13.6 l)                                                     | <a href="#">6.4 e)</a>                    | Precautions to be taken as regards exposure in reasonably foreseeable environmental conditions to magnetic fields.                                                                                                                                                        |
| 13.6 n)                                                     | <a href="#">6.4</a>                       | Does not specify 'unusual risk'.                                                                                                                                                                                                                                          |
| 13.6 q)                                                     | <a href="#">6.4</a>                       |                                                                                                                                                                                                                                                                           |

**WARNING 1 —** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2 —** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

# Contents

Page

|                                                                                                              |             |
|--------------------------------------------------------------------------------------------------------------|-------------|
| <b>Foreword</b>                                                                                              | <b>viii</b> |
| <b>1 Scope</b>                                                                                               | <b>1</b>    |
| <b>2 Normative references</b>                                                                                | <b>1</b>    |
| <b>3 Terms and definitions</b>                                                                               | <b>1</b>    |
| <b>4 Requirements of the implantable subcutaneous implanted port and catheter</b>                            | <b>3</b>    |
| 4.1 General                                                                                                  | 3           |
| 4.2 Biocompatibility                                                                                         | 4           |
| 4.3 Distance markings                                                                                        | 4           |
| 4.4 Nominal dimensions of the subcutaneous implanted port                                                    | 4           |
| 4.5 Physical requirements                                                                                    | 4           |
| 4.5.1 Radio-detectability                                                                                    | 4           |
| 4.5.2 Surface finish                                                                                         | 4           |
| 4.5.3 Freedom from leakage                                                                                   | 4           |
| 4.5.4 Flushing volume                                                                                        | 4           |
| 4.5.5 Characteristics of the septum                                                                          | 5           |
| 4.5.6 Characteristics of the connection or the catheter                                                      | 5           |
| 4.6 Flow rate                                                                                                | 5           |
| 4.6.1 Subcutaneous implanted ports not indicated for power injection                                         | 5           |
| 4.6.2 Subcutaneous implanted ports indicated for power injection                                             | 5           |
| 4.7 Burst pressure of the subcutaneous implanted port and catheter                                           | 6           |
| 4.7.1 Subcutaneous implanted ports not indicated for power injection                                         | 6           |
| 4.7.2 Subcutaneous implanted ports indicated for power injection                                             | 6           |
| <b>5 Magnetic Resonance Imaging (MRI) compatibility</b>                                                      | <b>6</b>    |
| <b>6 Information to be supplied by the manufacturer</b>                                                      | <b>6</b>    |
| 6.1 Marking on the device                                                                                    | 6           |
| 6.2 Primary packaging                                                                                        | 6           |
| 6.3 Labels for traceability                                                                                  | 7           |
| 6.4 Instruction for use                                                                                      | 7           |
| <b>Annex A (normative) Test method for freedom from air leakage</b>                                          | <b>8</b>    |
| <b>Annex B (informative) Determination of flushing volume</b>                                                | <b>10</b>   |
| <b>Annex C (informative) Guidance on further characterization testing: Needle penetration and withdrawal</b> | <b>12</b>   |
| <b>Annex D (normative) Test method for freedom from leakage after multiple punctures</b>                     | <b>14</b>   |
| <b>Annex E (normative) Peak tensile force</b>                                                                | <b>15</b>   |
| <b>Bibliography</b>                                                                                          | <b>16</b>   |