BS EN ISO 11504:2017

BSI Standards Publication

Soil quality - Assessment of impact from soil contaminated with petroleum hydrocarbons (ISO 11504:2017)

Documents
Document Sharing Hub

Full document details: BS EN ISO 11504:2017

National foreword

This British Standard is the UK implementation of EN ISO 11504:2017. It is identical to ISO 11504:2017.

The UK participation in its preparation was entrusted to Technical Committee EH/4, Soil quality.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 85462 0

ICS 13.080.01; 13.080.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS EN ISO 11504:2017

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 11504

September 2017

ICS 13.080.10

English Version

Soil quality - Assessment of impact from soil contaminated with petroleum hydrocarbons (ISO 11504:2017)

Qualité du sol - Évaluation de l'impact du sol contaminé avec des hydrocarbures de pétrole (ISO 11504:2017)

Bodenbeschaffenheit - Beurteilung der Wirkung von mit Mineralölkohlenwasserstoffen verunreinigten Böden (ISO 11504:2017)

This European Standard was approved by CEN on 26 September 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2017 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 11504:2017 E

Documents
Document Sharing Hub

Full document details: BS EN ISO 11504:2017

European foreword

This document (EN ISO 11504:2017) has been prepared by Technical Committee ISO/TC 190 "Soil quality" in collaboration with Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2018 and conflicting national standards shall be withdrawn at the latest by March 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11504:2017 has been approved by CEN as EN ISO 11504:2017 without any modification.

AVA Documents
Document Sharing Hub

Full document details: BS EN ISO 11504:2017

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Principle **3**
5 Relevant fractions and individual compounds **4**
5.1 General 4
5.2 Fractions 4
5.3 Individual compounds 5
6 Petroleum hydrocarbons in soil **6**
7 Exposure assessment of petroleum hydrocarbons in soil **8**
7.1 General 8
7.2 Relevant exposure routes for petroleum hydrocarbons 9
7.3 Exposure assessment methods 9
7.4 Toxicity assessment methods 10
7.5 Relations between oil fractions in different media related to exposure 11
8 Issues related to sampling and investigation **13**
8.1 General 13
8.2 Issues related to analysis 13
Annex A (informative) **Physico-chemical properties of different petroleum hydrocarbons, etc.** **15**
Annex B (informative) **Examples of suggested tolerated concentration in air (TCA) and tolerable daily intake (TDI) values for different specific petroleum hydrocarbons** **19**
Annex C (informative) **Overview of suggested fractionations in different countries** **20**
Bibliography **22**

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*, Subcommittee SC 7, *Soil and site assessment.*

This second edition cancels and replaces the first edition, which has been technically revised.

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

Introduction

Petroleum hydrocarbons (PHCs) are common environmental contaminants. They are components of crude oil and products derived from it and are consequently found on a variety of sites including refineries, sites where they are used as feedstock (e.g. for manufacture of plastics), manufactured gas production sites, sites where hydrocarbons are used as fuel or lubricants and retail service stations. They may also be present as a result of spills and leaks during transportation or related to vehicle accidents.

Petroleum hydrocarbons can present unacceptable risks to the health and safety of humans, ecological systems, surface water, groundwater resources and to structures and building materials. Measuring the total concentration of petroleum hydrocarbons (TPH) in soil (and pore water and pore gas) does not give a useful basis for the evaluation of the potential risks to man and the environment. The variety of physical-chemical properties, and thus differences in the migration and fate of individual compounds, and the toxicity and carcinogenicity of different fractions and compounds in oil products, need to be taken into account in human health and environmental risk assessments.

Only a limited number of individual compounds can be routinely identified and quantified. It is, consequently, important to adopt methods of analysis that provide information about the amount of different hydrocarbon fractions present, preferably distinguishing between aliphatic and aromatic fractions, and the concentrations of single compounds of particular concern with respect to the potential health and environmental risks that they pose.

Although most petroleum hydrocarbons found in soil are of anthropogenic nature, there are some natural sources of these materials and other organic substances (e.g. peat and coal). The analytical methods historically used for the measurement of total petroleum hydrocarbons (TPH) tend to measure natural materials as TPH. This issue will not be dealt with in this document, except to note that a method which is able to give a more precise determination of the petroleum hydrocarbons is less prone to giving results that can be misinterpreted and potentially lead to unnecessary or unsustainable remedial actions.

The purpose of this document is to give recommendations with respect to the choice of relevant fractions and individual compounds, and to give guidance on the appropriate use of the results. Decisions about which analytical methods to adopt are based primarily on the need to provide the right type and quality of data for use in risk assessments. This requires consideration of how the results of the analysis are most appropriately used in a risk assessment, e.g. how can the fractions be used in exposure models and assessments, and how sufficient it is to analyse soil or necessary to obtain related values in other media as well (pore water and pore gas).

There are five existing International Standards covering the analysis of the range of petroleum hydrocarbons of interest. ISO 16703, ISO 16558-1 and ISO/TS 16558-2 can be used to measure mineral oil (C10 to C40) and ISO 22155 or ISO 15009 to measure volatiles. However, methods need to be able to properly measure the fractions and compounds recommended for determination in this document. ISO/TC190 has thus developed standards for methods of analysis designed to be compatible with the recommendations provided in this document: ISO 16558-1, which describes a method for determination of aliphatic and aromatic fractions of volatile petroleum hydrocarbons, and ISO 16558-2, which describes a method for the determination of aliphatic and aromatic fractions of semi-volatile petroleum hydrocarbons.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

Soil quality — Assessment of impact from soil contaminated with petroleum hydrocarbons

1 Scope

This document gives guidelines with regard to the choice of fractions and individual compounds when carrying out analysis for petroleum hydrocarbons in soils, soil materials and related materials, including sediments, for the purpose of assessing risks to human health, the environment and other possible receptors. Since many products based on petroleum hydrocarbons often contain substances that are not hydrocarbons, the recommendations also encompass such compounds where relevant.

This document also includes relevant background information on which the recommendations are based together with guidance on the use of the fractions recommended in the assessment of risk.

This document does not set criteria or guidelines for use as assessment criteria, since this is typically a national or regional regulatory issue. This document also does not include recommendations as to the specific model for the exposure assessment or the specific parameter values to be used; with respect to guidance on this matter, reference is made to ISO 15800.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11074, *Soil quality — Vocabulary*

ISO 15800, *Soil quality — Characterization of soil with respect to human exposure*

ISO 16558-1, *Soil quality — Risk-based petroleum hydrocarbons — Part 1: Determination of aliphatic and aromatic fractions of volatile petroleum hydrocarbons using gas chromatography (static headspace method)*

ISO 16558-2, *Soil quality — Risk-based petroleum hydrocarbons — Part 2: Determination of aliphatic and aromatic fractions of semi-volatile petroleum hydrocarbons using gas chromatography with flame ionization detection (GC/FID)*

ISO 18400-105, *Soil quality — Sampling — Part 105: Packaging, transport, storage and preservation of samples*

ISO 18512, *Soil quality — Guidance on long and short term storage of soil samples*

ISO 25177, *Soil quality — Field soil description*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11074, ISO 15800 and ISO 25177 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at http://www.iso.org/obp

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

3.1
aliphatic hydrocarbon
acyclic or cyclic, saturated or unsaturated carbon compound, excluding aromatic compounds

3.2
aromatic hydrocarbon
hydrocarbon of which the molecular structure incorporates one or more planar sets of six carbon atoms that are connected by delocalized electrons, numbering the same as if they consisted of alternating single and double covalent bonds

3.3
boiling point
BP
point at which the vapour pressure of a liquid equals the external pressure acting on the surface of a liquid

Note 1 to entry: It is expressed in degrees Celsius.

3.4
carcinogen
substance that causes the development of malignant cells in animals or humans

3.5
compliance point
location (e.g. soil or groundwater) where the assessment criteria shall be measured and shall not be exceeded

3.6
equivalent carbon number
empirically determined parameter related to the *boiling point* (3.3) of a chemical normalized to the boiling point of the *n*-alkanes or its retention time in a boiling point gas chromatographic (GC) column

3.7
fraction
group of aromatic and/or aliphatic compounds with leaching and volatilization factors that differ by approximately one order of magnitude

3.8
gas chromatography
analytical method that is used to separate and determine the components of complex mixtures based on partitioning between a gas phase and stationary phase

3.9
hydrocarbon
compound of hydrogen and carbon which are the principal constituents of crude oil, refined petroleum products and products derived from the carbonization of coal (at high or low temperature)

3.10
indicator compound
compound chosen to describe properties, primarily toxicity, of a petroleum mixture or *fraction* (3.7)

Note 1 to entry: This method is often used to assess carcinogenic compounds.

3.11
NSO compound
organic compound that contains nitrogen, sulphur and oxygen

Note 1 to entry: NSO compounds occur in organic matter and crude oil. Asphaltenes are examples of NSO compound. NSO compounds can be separated from crude oil by polar solvents such as methanol.

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

3.12
partitioning
extent to which a compound of a *hydrocarbon* (3.9) mixture separates into different media (or phases) based on its chemical and physical properties and the size and properties of the media in the specific situation

3.13
petroleum hydrocarbon
organic compound comprised of carbon and hydrogen atoms arranged in varying structural configurations which make up the principal constituents of crude oil and petroleum products

Note 1 to entry: Mineral oil is a colloquial term for petroleum hydrocarbons or petroleum products.

3.14
polycyclic aromatic hydrocarbon
PAH
compound whose molecules contain two or more simple aromatic rings fused together by sharing two neighbouring carbon atoms

Note 1 to entry: Naphthalene, anthracene, phenanthrene and benzo(a)pyrene.

3.15
surrogate compound
(representative) compound with toxicological and/or properties indicative of a hydrocarbon fraction, which can therefore be used to represent the fraction in an exposure assessment

3.16
total petroleum hydrocarbon
method-defined parameter, depending on the analytical method used to measure it

4 Principle

A petroleum hydrocarbon product typically consists of a mixture of a very large number of individual compounds. When assessing exposure and risk related to a mixture of compounds, such as in a petroleum hydrocarbon product, evaluation has to be made with respect to the migration, fate and toxicity of the different compounds in the mixture and the toxicity of the mixture. During transport in the subsurface, the composition of a mixture may change due to different rates of dissolution, volatilization, retardation, biodegradation, etc. acting on different component compounds. As a result, the toxicity of the resulting mixture may vary with both time and distance from the source zone.

Assessing the potential exposure to a mixture consisting of a large number of compounds is not feasible, neither in relation to the measurement of the concentration of all the compounds, in relation to the evaluation of the resulting mixture (after migration and degradation) in the relevant media (such as in the groundwater or in the indoor air), nor with respect to the resulting toxicity. A method, where only a number of compounds or surrogate compounds are measured and evaluated, is therefore preferable.

On the other hand, it is necessary when choosing the relevant compounds and surrogate compounds (such as relevant fractions of the total oil product) to ensure that the resulting evaluation of either overall exposure or toxicity is a reasonable estimate of the exposure and toxicity related to the oil product as a whole. Furthermore, selection of surrogate compounds should ensure that, if risk-management action is necessary, the risk-management applied for the surrogate is also likely to mitigate the risks associated with other (unquantified) substances present in the mixture.

Studies on migration, fate and toxicity of petroleum hydrocarbons show substantial differences between the properties of individual compounds and fractions of aliphatic and aromatic hydrocarbons. Similar differences exist between hydrocarbon compounds with different carbon content. The choice of surrogate compounds for assessing exposure and toxicity of petroleum hydrocarbons should be based on fractions of the total hydrocarbon mix in a mineral oil product and on individual compounds and fractions with similar properties.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017

This document gives recommendations about the choice of relevant individual compounds and fractions as a basis for the assessment of risks to humans and the environment at relevant compliance points using established risk assessment models. It should be noted that, for the suggested combination of fractions and singular compounds, it is necessary that comparable analytical methods exist for the suggested fractions, etc. not only for soil but also for water, air and petroleum hydrocarbons present as non-aqueous phase liquids (NAPL) in order to verify exposure assessment calculations and the assumptions employed in the risk assessment model.

As mentioned in the introduction, the choice of fractions and indicator compounds should, apart from the above, be based on the performance characteristics of the possible analytical methods, and on the overall cost of the analysis in relation to the goal of the assessment to be carried out.

5 Relevant fractions and individual compounds

5.1 General

This clause summarizes the recommendations given with respect to relevant petroleum hydrocarbon fractions and individual compounds to measure and use in risk assessment, unless local or national regulations set other requirements. The recommendations are based on the arguments given in the following subclauses.

5.2 Fractions

Where a petroleum hydrocarbon fractionation approach is adopted, it is recommended that the fractions given in Table 1 should be used when measuring and assessing risk related to petroleum hydrocarbons. These fractions will ensure that the calculation of the exposure can be carried out using surrogate physico-chemical properties on the fractions that represent all compounds within the fraction reasonably well, and that toxicity of the compounds within the fractions will be reasonably similar, except for the specific compounds of significant toxicological potency that will have to be assessed also as individual compounds (see 5.3).

Surrogate physico-chemical properties can be set for each of the fractions suggested, either by using a single property for each fraction or by using a set of relevant indicator compounds representing the fraction by set percentages and then using their properties. The first method is the one utilised by Total Petroleum Hydrocarbon Criteria Working Group (TPHCWG)[26]. The other method is used, for instance, in the Danish exposure assessment tool for contaminated soils, JAGG[15]. Some jurisdictions may have specific requirements regarding the properties to be used in risk assessments. If not, it is recommended to use the properties listed in Annex A.

Table 1 — Petroleum hydrocarbon fractions for use in risk assessment related to human health and the environment, based on Equivalent Carbon (EC) number

Aliphatic fractions	Aromatic fractions
>5 to 6	>5 to 7
>6 to 8	>7 to 8
>8 to 10	>8 to 10
>10 to 12	>10 to 12
>12 to 16	>12 to 16
>16 to 35	>16 to 21
>35 to 44	>21 to 35
	>35 to 44
>44 to 70	

NOTE 1 Dependent on the available knowledge concerning the contaminant situation on the site in question, not all fractions can be relevant on a specific site.

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 11504:2017