

Safety of machinery — Permanent means of access to machinery —

Part 4: Fixed ladders

ICS 13.110

National foreword

This British Standard is the UK implementation of EN ISO 14122-4:2004+A1:2010. It is identical with ISO 14122-4:2004, incorporating amendment 1:2010. It supersedes BS EN ISO 14122-4:2004 which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by **A1** ~~A1~~.

The UK participation in its preparation was entrusted by Technical Committee B/208, Stairs and walkways, to Subcommittee B/208/1, Stairs and walkways — Industrial stairs.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

Examples of the trapdoors defined in **3.12** and specified in **4.7.3.3** are given in National Annex NA.

Recommendations on the design aspects of industrial type stairs, walkways, platforms, fixed ladders and companion way ladders not addressed by this standard can be found in BS 5395-3. Requirements for industrial type metal flooring, walkways and stair treads that are not addressed by this standard can be found in BS 4592-0 to -5, which covers the following:

- Part 0: *Common requirements* (in preparation);
- Part 1: *Specification for open bar gratings*;
- Part 2: *Specification for expanded metal grating panels*;
- Part 3: *Specification for cold formed planks*;
- Part 4: *Specification for glass reinforced plastics open bar gratings*;
- Part 5: *Specification for solid plates in steel, aluminium and glass reinforced plastics*.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 21 February 2006

© BSI 2010

Amendments/corrigenda issued since publication

Date	Comments
31 August 2010	Implementation of ISO amendment 1:2010 with its CENELEC endorsement A1:2010

ISBN 978 0 580 64147 3

English version

Safety of machinery - Permanent means of access to machinery
- Part 4: Fixed ladders (ISO 14122-4:2004+A1:2010)

Sécurité des machines - Moyens d'accès permanents aux machines - Partie 4: Echelles fixes (ISO 14122-4:2004+A1:2010)

Sicherheit von Maschinen - Ortsfeste Zugänge zu maschinellen Anlagen - Teil 4: Ortsfeste Steigleiter (ISO 14122-4:2004+A1:2010)

This European Standard was approved by CEN on 18 March 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 14122-4:2004) has been prepared by Technical Committee CEN/TC 114 "Safety of machinery", the secretariat of which is held by DIN, in collaboration with Technical Committee ISO/TC 199 "Safety of machinery".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2004, and conflicting national standards shall be withdrawn at the latest by August 2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative annex ZA, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Foreword to amendment A1

This document (EN ISO 14122-4:2004/A1:2010) has been prepared by Technical Committee ISO/TC 199 "Safety of machinery" in collaboration with Technical Committee CEN/TC 114 "Safety of machinery" the secretariat of which is held by DIN.

This Amendment to the European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2011, and conflicting national standards shall be withdrawn at the latest by January 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directives.

For relationship with EU Directives, see informative Annex ZA and ZB, which are integral parts of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 14122-4:2004/Amd 1:2010 has been approved by CEN as a EN ISO 14122-4:2004/A1:2010 without any modification.

INTERNATIONAL STANDARD

ISO
14122-4

First edition
2004-12-15

Safety of machinery — Permanent means of access to machinery —

Part 4: Fixed ladders



Reference number
ISO 14122-4:2004(E)

AVA **Documents**
Document Sharing Hub

Contents

	Page
Foreword.....	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Safety requirements	6
4.1 General requirements.....	6
4.2 Strength of fixed ladders	6
4.2.1 General requirements.....	6
4.2.2 Fixing elements.....	7
4.2.3 Platforms	8
4.3 Conditions for installation of an fall protection device	11
4.3.1 Conditions requiring the installation of an fall protection device	11
4.3.2 Choice of the suitable type of fall protection device	12
4.4 Ladder	13
4.4.1 Position of the rungs	13
4.4.2 Rungs.....	14
4.4.3 Devices against slipping-off.....	16
4.4.4 Spacing between the ladder and any permanent obstruction	16
4.5 Safety cage.....	16
4.6 Guided type fall arrester on a rigid anchorage line.....	16
4.7 Departure and arrival areas - Platforms	16
4.7.1 Departure areas.....	17
4.7.2 Arrival areas	18
4.7.3 Access openings	19
4.7.4 Climbing off and getting on to a fixed ladder safely	19
4.7.5 Platforms	21
5 Verification of safety requirements.....	22
5.1 General.....	22
5.2 Tests of fixed ladders with two stiles	23
5.3 Testing of the safety cage.....	23
5.4 Tests of fixed ladders with one stile.....	25
5.4.1 Strength and bending of a ladder element; Torsion of the rungs	25
5.4.2 Strength of the rungs	26
5.4.3 Strength of the stile	27
5.5 Test of the anchor points.....	27
5.5.1 Fixed ladders with two stiles without fall arrester	27
5.5.2 Fixed ladders with one stile.....	28
5.5.3 Fixed ladders with fall arrester	28
6 Assembly and operating instructions	29
6.1 Assembly instructions	29
6.2 Operating instructions for ladders with fall arrester.....	29
6.3 Marking at points of entry and exit	29
National Annex A (informative) Examples of trap doors	30
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 98/37/EC	33
Annex ZB (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	34
Bibliography	35

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14122-4 was prepared by the European Committee for Standardization (CEN) in collaboration with Technical Committee ISO/TC 199, *Safety of machinery*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Throughout the text of this document, read “...this European Standard...” to mean “...this International Standard...”.

ISO 14122 consists of the following parts, under the general title *Safety of machinery — Permanent means of access to machinery*:

- *Part 1: Choice of fixed means of access between two levels*
- *Part 2: Working platforms and walkways*
- *Part 3: Stairs, stepladders and guard-rails*
- *Part 4: Fixed ladders*

For the purposes of this part of ISO 14122, the CEN annex regarding fulfilment of European Council Directives has been removed.

Introduction

This is the fourth part of the standard "Safety of machinery — Permanent means of access to machinery". The parts of the standard are:

Part 1: Choice of a fixed means of access between two levels

Part 2: Working platforms and walkways

Part 3: Stairs, stepladders and guard-rails

Part 4: Fixed ladders.

A1 This part of EN ISO 14122 is a type-B standard as stated in EN ISO 12100-1. **A1**

A1 *Text deleted* **A1**

The provisions of this document can be supplemented or modified by a type C standard.

NOTE 1 For machines which are covered by the scope of a type C standard and which have been designed and built according to the provisions of that standard, the provisions of that type C standard will take precedence over the provisions of this type B standard.

NOTE 2 The use of materials other than metals (composite materials, so-called "advanced" materials, etc.) does not alter the application of the present standard.

1 Scope

This standard applies to all machinery (stationary and mobile) where fixed means of access are necessary.

The purpose of this standard is to define the general requirements for safe access to machines mentioned in EN ISO 12100-2. EN ISO 14122-1 gives advice about the correct choice of access means when the necessary access to the machine is not possible directly from the ground level or from a floor.

This standard applies to fixed ladders, which are a part of a machine.

This standard may also be applied to fixed ladders to that part of the building where the machine is installed, providing the main function of that part of the building is to provide a means of access to the machine.

NOTE 1 This standard may be used also for means of access which are outside the scope of this standard. In those cases the possible relevant national or other regulations should be taken into account.

A1 NOTE 2 For mobile machinery, alternative requirements can apply due to their dimensions and particular conditions of use. **A1**

This standard applies also to ladders which are not permanently fixed to the machine and which may be removed, moved to the side or pivoted (swivel-mounted) for some operations of the machine (e. g. changing tools in a large press).

For the significant hazards covered by this standard, see Clause 4 of EN ISO 14122-1.

This standard is not applicable to machinery which are manufactured before the date of publication of this standard by CEN.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 131-2:1993, *Ladders — Requirements, tests, markings*.

EN 353-1, *Personal protective equipment against falls from a height — Part 1: Guided type fall arresters including a rigid anchorage line*.

EN 363, *Personal protective equipment against falls from a height — Fall arrest systems*.

EN ISO 12100-1:2003, *Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)*

EN ISO 12100-2:2003, *Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles (ISO 12100-2:2003)*.

A1 EN ISO 14121-1, *Safety of machinery — Risk assessment — Part 1: Principles* **A1**

EN ISO 14122-1, *Safety of machinery — Permanent means of access to machinery — Part 1: Choice of a fixed means of access between two levels (ISO 14122-1:2001)*.

EN ISO 14122-2, *Safety of machinery — Permanent means of access to machinery — Part 2: Working platforms and walkways (ISO 14122-2:2001)*.

EN ISO 14122-3, *Safety of machinery — Permanent means of access to machinery — Part 3: Stairs, stepladders and guard-rails (ISO 14122-3:2001)*.

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN ISO 12100-1:2003, EN ISO 14122-1:2001 and the following apply.

The main terms used in the present standard are given as an example in Figures 1, 2, 3 and 4.

3.1

fixed ladder with two stiles

ladder, according to 3.1 of EN ISO 14122-1, which is stationary and where the rungs are arranged between and attached to the stiles. The stiles carry the load (see Figure 2)

3.2

fixed ladder with one stile

ladder, according to 3.1 of EN ISO 14122-1, which is stationary and where the rungs are attached to both sides of the stile. The stile carries the load alone (see Figure 3)

3.3

ladder flight

continuous part of the fixed ladder (see Figure 1):

- between arrival and departure area, in the case of ladders without platforms; or
- between the arrival area respectively departure area and the nearest platform; or
- between rest platforms following each other

3.4

climbing height H of a fixed ladder

total vertical distance between the walking surface of the arrival area at the top of the ladder(s) and the walking surface of the departure area at the base of the ladder(s) (see Figure 1)

3.5

height h of the ladder flight

vertical distance between the level at the beginning and the level at the end of each flight (see Figure 1)

3.6

fall protection

technical measure to prevent or reduce the risk of people falling from fixed ladders

NOTE Commonly used fall protection devices are defined in 3.6.1 and 3.6.2.

3.6.1

safety cage

assembly which serves to limit the risk of people falling from the ladder (see Figure 2)

3.6.2

guided type fall arrester on a rigid anchorage line

fall arrester

protective equipment fixed to ladder used in combination with personal protective equipment that everyone has available before being allowed to use the ladder. (See also definition in EN 353-1 and EN 363)

In the following text the abbreviation "fall arrester" will also be used for this type of fall protection device.

3.7

arrival level

upper level of the surroundings or of the intermediate platform to which, the person steps after the ascent (see Figure 1)

3.8

departure level

lower level of the surroundings or of the intermediate platform from which the person starts to climb the fixed ladder (see Figure 1)

3.9

intermediate platform

horizontal structure (platform) between two consecutive flights of a ladder (used with ladders having staggered flights) (see Figure 1 and 4b)

3.10

rest platform

area equipped with the required protective means designed so that the user of the ladder can have a physical rest (See Figures 1b, 10, 11 and 12)

3.11

access platform

horizontal structure at the arrival or departure area used by a person for means of access


3.12

trap door

normally closed device which can be opened to give access through a platform or through other similar horizontal structures

Position of the rest platforms

Dimensions in millimetres



$H_{\max} = 10000 \text{ mm}$

Figure 1.a : Ladder without rest platform
(single flight)




Figure 1.b : Ladder with staggered flights

Key

- 1 Arrival area
- 2 Departure area
- 3 Intermediate platform or rest platform
- 4 Ladder flight

Figure 1 — Height of flights and location of platforms