BS EN ISO 14978:2018

BSI Standards Publication

Geometrical product specifications (GPS) - General concepts and requirements for GPS measuring equipment

Documents
Document Sharing Hub

Full document details: BS EN ISO 14978:2018

National foreword

This British Standard is the UK implementation of EN ISO 14978:2018. It is identical to ISO 14978:2018. It supersedes BS EN ISO 14978:2006, which is withdrawn.

BS EN ISO 14978:2018 is meant to be read in conjunction with a number of international measurement standards, listed below. Where this standard provides general requirements, the forthcoming revised standards cover the specific requirements for individual measuring instruments.

Each international standard in this suite has a corresponding British National standard giving measurement information in Imperial units.

International GPS standard	Equivalent British National standard
BS EN ISO 463	BS 907
BS EN ISO 1938-1	BS 969
BS EN ISO 3611	BS 870
BS EN ISO 9493	BS 2795
BS EN ISO 13225	BS 1643
BS EN ISO 13385-1	BS 887
BS EN ISO 13385-2	BS 6365

The UK participation in its preparation was entrusted to Technical Committee TPR/1, Technical Product Realization.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 94160 3

ICS 17.040.40; 17.040.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2019.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS EN ISO 14978:2018

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 14978

December 2018

ICS 17.040.30

Supersedes EN ISO 14978:2006

English Version

Geometrical product specifications (GPS) - General concepts and requirements for GPS measuring equipment (ISO 14978:2018)

Spécification géométrique des produits (GPS) - Concepts et exigences généraux pour les équipements de mesure GPS (ISO 14978:2018)

Geometrische Produktspezifikation (GPS) - Allgemeine Begriffe und Anforderungen für GPS-Messeinrichtungen (ISO 14978:2018)

This European Standard was approved by CEN on 1 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2018 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN ISO 14978:2018 E

Documents
Document Sharing Hub

Full document details: BS EN ISO 14978:2018

Documents
Document Sharing Hub

Full document details: BS EN ISO 14978:2018

European foreword

This document (EN ISO 14978:2018) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 “Dimensional and geometrical product specification and verification” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 14978:2006.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 14978:2018 has been approved by CEN as EN ISO 14978:2018 without any modification.

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

Documents
Document Sharing Hub

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**
3.1 ISO/IEC Guide 99:2007 terms 2
3.2 Synonym terms to ISO/IEC Guide 99:2007 terms 2
3.3 ISO/IEC Guide 98-4:2012 terms 3
3.4 ISO 14253-5:2015 terms 3
3.5 Terms related to GPS measuring equipment 3

4 Abbreviations **10**

5 Design characteristics **10**
5.1 General 10
5.1.1 Importance of design characteristics 10
5.1.2 Standards for measuring equipment 11
5.1.3 Measuring equipment — Commerce 11
5.1.4 Measuring equipment — Internal use in a company 11
5.2 Design characteristics for indicating measuring instruments 11
5.3 Design characteristics for material measures 12

6 Metrological characteristics **13**
6.1 General 13
6.1.1 Importance of metrological characteristics 13
6.1.2 Standards for measuring equipment 13
6.1.3 Identification, definition and choice of metrological characteristics 13
6.1.4 Calibration and verification of measuring equipment 14
6.1.5 Calibration and verification methods 15
6.1.6 Measuring equipment — Commerce 17
6.1.7 Measuring equipment — Internal use in a company 17
6.2 Indicating measuring instruments 17
6.2.1 General 17
6.2.2 Scale interval — Resolution 18
6.2.3 Digital step 18
6.2.4 Error of indication 18
6.2.5 Temperature-related metrological characteristics 19
6.2.6 Characteristics related to measuring force 19
6.2.7 Geometry of contact element 19
6.2.8 Auxiliary equipment 19
6.3 Material measures 20
6.3.1 General 20
6.3.2 Scale interval — Resolution of reading 20
6.3.3 Form of feature characteristics 20
6.3.4 Orientation of feature characteristics 20
6.3.5 Temperature-related metrological characteristics 20
6.3.6 Geometrical stability 20
6.3.7 Other possible metrological characteristics 20

7 Specification and presentation of metrological characteristics **21**
7.1 General 21
7.2 Specification of metrological characteristics 21
7.2.1 General 21
7.2.2 Constant value MPE function 21
7.2.3 Proportional value MPE function 22
7.2.4 Proportional and maximum value MPE function 23

AVA Documents
Document Sharing Hub

© ISO 2018 – All rights reserved

Full document details: BS EN ISO 14978:2018

7.3 Presentation of characteristic curves ... 24
7.3.1 General ... 24
7.3.2 Presentation of characteristic curves – Reference point ... 24

8 Calibration of metrological characteristics ... 26
8.1 Manufacturer and supplier of measuring equipment ... 26
8.2 User of measuring equipment ... 26
8.3 Measurement uncertainty ... 26

9 Marking ... 27

10 GPS standards for specific measuring equipment ... 27

Annex A (normative) **General minimum requirements and guidance for clauses in GPS standards for specific measuring equipment ... 28**

Annex B (informative) **Data sheet for measuring equipment requirements ... 31**

Annex C (normative) **Common design characteristics ... 33**

Annex D (informative) **Test uncertainty ... 39**

Annex E (informative) **Relation to the GPS matrix model ... 41**

Bibliography ... 43

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee 213, *Dimensional and geometrical product specifications and verification*.

This second edition cancels and replaces the first edition (ISO 14978:2006), which has been technically revised. It also incorporates the Technical Corrigendum ISO 14978:2006/Cor. 1:2008.

The main changes compared to the previous edition are as follows:

— the terms and definitions have been updated relative to ISO/IEC Guide 99:2007;

— a number of design characteristics common in GPS measuring equipment have been added;

— an updated discussion of calibration and verification, including concepts from ISO 14253-5:2015, has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

Introduction

This document is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO 14638). It influences chain links F and G for measuring equipment and calibration in the general GPS matrix model (see Annex E).

The ISO/GPS matrix model given in ISO 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated; see ISO/TR 14253-6 for additional information on the selection of alternative decision rules.

For more detailed information of the relation of this document to other standards and the GPS matrix model, see Annex E.

This document contains guidance for writing the standards for specific GPS measuring equipment.

This document is intended to give the user a basic understanding of the use of ISO standards for GPS measuring equipment. This document presents and defines general concepts to be used in connection with GPS measuring equipment to avoid multiple repetitions in the ISO standards for specific GPS measuring equipment. This document is also intended as guidance for the manufacturer/supplier to evaluate and present specifications for characteristics for GPS measuring equipment.

This document is necessary when reading and using ISO standards for specific GPS measuring equipment.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

Geometrical product specifications (GPS) — General concepts and requirements for GPS measuring equipment

1 Scope

This document specifies the general requirements, calibration, terms and definitions of characteristics of GPS measuring equipment, for example micrometers, callipers, gauge blocks and rotary axis form measuring instruments. This document forms the basis for standards defining and describing the design characteristics and metrological characteristics for measuring equipment and gives guidance for the development and content of standards for GPS measuring equipment.

This document is intended to ease the communication between manufacturer/supplier and customer/user and to make the specification phase of GPS measuring equipment more accurate. This document is also intended as a tool to be used in companies in the process of defining and selecting relevant characteristics for measuring equipment.

This document includes terms which are frequently used in connection with the characterization of specific measuring equipment.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14253-1, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 1: Decision rules for verifying conformity or nonconformity with specifications*

ISO 14253-5:2015, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 5: Uncertainty in verification testing of indicating measuring instruments*

ISO/TR 14253-6, *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 6: Generalized decision rules for the acceptance and rejection of instruments and workpieces*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO/IEC Guide 98-4:2012, *Uncertainty of measurement — Part 4: Role of measurement uncertainty in conformity assessment*

ISO/IEC Guide 99:2007, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 99:2007, ISO/IEC Guide 98-4:2012, ISO 14253-1, ISO 14253-5:2015, ISO/TR 14253-6 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

3.1 ISO/IEC Guide 99:2007 terms

For the terms shown in Table 1, the definitions from ISO/IEC Guide 99:2007 specifically apply in the use of this document. This non-exhaustive list is included to avoid ambiguity with other possible terms and definitions.

Table 1 — ISO/IEC Guide 99:2007 terms applicable in the use of this document

Term	Terminological entry number
calibration	2.39
indicating measuring instrument	3.3
indication	4.1
material measure	3.6
maximum permissible measurement error maximum permissible error limit of error	4.26
measurand	2.3
measured quantity value measured value	2.10
measurement method	2.5
measurement repeatability repeatability	2.21
measurement result result of measurement	2.9
measurement standard	5.1
measurement uncertainty uncertainty of measurement uncertainty	2.26
measuring instrument	3.1
measuring system	3.2
quantity value value	1.19
rated operating condition	4.9
reference material	5.13
reference measurement standard reference standard	5.6
reference quantity value reference value	5.18
resolution	4.14
uncertainty budget	2.33
verification	2.44

3.2 Synonym terms to ISO/IEC Guide 99:2007 terms

The terms shown in Table 2, as used in this document, are synonyms for the ISO/IEC Guide 99:2007 terms as shown in the table. These synonym terms are used for consistency with previous versions of this document.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

Table 2 — Synonym terms to ISO/IEC Guide 99:2007 terms

Synonym term used in this document	Notes	ISO/IEC Guide 99:2007	
measuring range	See Figure 5	**measuring interval**	4.7
nominal range	See Figure 5	**nominal indication interval**	4.4
nominal span	See Figure 5	**range of a nominal indication interval**	4.5
error of indication indication error		**measurement error** error	2.16

3.3 ISO/IEC Guide 98-4:2012 terms

For the terms shown in Table 3, the definitions from ISO/IEC Guide 98-4:2012 specifically apply in the use of this document. This non-exhaustive list is included to avoid ambiguity with other possible terms and definitions.

Table 3 — ISO/IEC Guide 98-4:2012 terms applicable in the use of this document

Term	Terminological entry number
decision rule	3.3.12
specified requirement	3.3.3
tolerance limit specification limit	3.3.4

3.4 ISO 14253-5:2015 terms

For the terms shown in Table 4, the definitions from ISO 14253-5:2015 specifically apply in the use of this document. This non-exhaustive list is included to avoid ambiguity with other possible terms and definitions.

Table 4 — ISO 14253-5:2015 terms applicable in the use of this document

Term	Terminological entry number
test measurand	3.4
test protocol	3.5
test value	3.8
test value uncertainty test uncertainty	3.9

3.5 Terms related to GPS measuring equipment

3.5.1
measuring equipment
indicating measuring instrument, material measure, software, measurement standard, reference material or auxiliary equipment used in a measurement

Note 1 to entry: This definition is necessarily wider than that of a measuring instrument since it includes all the devices used in a measurement.

Note 2 to entry: Measuring equipment should not be confused with a measuring system, which is a set of measuring equipment used together for a specific measurement.

Note 3 to entry: See Figure 1.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018



Key

1 indicating measuring instrument (dial gauge)

2 material measure (gauge block)

3 auxiliary equipment (measuring stand)

Figure 1 — A measuring system composed of various pieces of measuring equipment

3.5.2
metrological characteristic
<measuring equipment> characteristic of measuring equipment, which may influence the results of measurement when using the measuring equipment

Note 1 to entry: The influence on the results of measurement is a contributor to measurement uncertainty (see Clause 6).

Note 2 to entry: The values of a metrological characteristic are expressed in numerical values or as a function and can be evaluated in units other than that of the measurement results.

Note 3 to entry: Measuring equipment usually has several metrological characteristics.

Note 4 to entry: Metrological characteristics can be subject to calibration and verification.

3.5.3
task-related calibration
<measuring equipment> calibration of only those metrological characteristics which influence the measurement uncertainty for the intended use

3.5.4
design characteristic
<measuring equipment> characteristic of measuring equipment which does not influence the measurement directly, but which may be of interest for other reasons when the measuring equipment is used

Note 1 to entry: Design characteristics can influence, for example, interchangeability, scale mark readability for a straight or circular scale, or wear resistance (see Clause 5).

Note 2 to entry: Some design characteristics can influence the equipment's long-term capacity to make measurements (influencing design characteristics), for example its wear resistance or its environmental resistance. Other design characteristics have no influence on measurements (non-influencing design characteristics).

Note 3 to entry: A design characteristic might be expressed as, for example, dimensions, material properties or interface protocols.

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

3.5.5
maximum permissible limit
MPL
tolerance limit for a metrological characteristic which is not an error of indication

Note 1 to entry: MPE, not MPL, should be used for metrological characteristics associated with errors of indication.

EXAMPLE 1 MPL for the measuring force for micrometers for external measurements.

EXAMPLE 2 MPL for the size of the gauge element of a plain limit gauge of linear size.

3.5.6
verification test
test
operation that, under specified conditions and with sufficient objective evidence, establishes that measuring equipment conforms or does not conform to stated specifications

Note 1 to entry: A verification test can be used as the calibration when both the first and second step in the definition of calibration are appropriately satisfied (see 6.1.4).

Note 2 to entry: This definition is consistent with the definition of a test in ISO 14253-5:2015, but is broader in scope as the concept of a test in ISO 14253-5:2015 is limited to indicating measuring instruments.

Note 3 to entry: The detailed specification of a verification test is defined in a test protocol.

Note 4 to entry: The specified conditions of a verification test are defined by relevant standards and by the stated rated operating conditions of the measuring equipment.

3.5.7
acceptance test
verification test (3.5.6) agreed upon by the measuring equipment manufacturer/supplier and the customer to verify that the performance of the measuring equipment is as stated by the manufacturer/supplier

Note 1 to entry: Acceptance tests are commonly used by the customer in the purchase of measuring equipment.

3.5.8
reverification test
verification test (3.5.6) to verify that the performance of the measuring equipment is as stated by the user

Note 1 to entry: The specifications chosen might or might not be the same as those used in the original acceptance test for the measuring equipment.

Note 2 to entry: Reverification tests are not used in the purchase of measuring equipment.

3.5.9
test point
specific point within the measuring range used in a verification test

Note 1 to entry: Test points are usually defined relative to a reference point.

3.5.10
reference point
setting point
point within the measuring range of measuring equipment where the error of indication is stated or adjusted to be zero whenever permitted by the design of the measuring equipment

Note 1 to entry: Depending on the measuring equipment, the reference point might or might not be considered fixed (established in a permanent manner) for the intended use of the equipment.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

3.5.11
hysteresis
property of measuring equipment, or a metrological characteristic, whereby the indication of the equipment or value of the metrological characteristic depends on the orientation of the preceding stimulus

3.5.12
digital step
smallest possible change in the least significant digit in a digital indicating device

Note 1 to entry: For a digital indicating device, the resolution is equal to the digital step.

3.5.13
scale division
space on a scale between any two successive scale marks

Note 1 to entry: See Figures 2 and 3.



Key

1 scale division
2 scale interval: in this example, 0,1 cm
3 scale spacing: in this example, 0,1 cm
4 scale length: in this example, 7 cm
5 scale range: in this example, 0 to 7 cm; scale span: in this example, 7 cm
6 units marked on the scale (in this example, cm)
7 scale face
8 scale numbering: in this example 0, 1,…,7
9 scale mark

Figure 2 — Terms related to an analogue straight scale

© ISO 2018 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018

3.5.14
scale interval
absolute value of the difference between the values corresponding to two successive scale marks, in the units marked on the scale

Note 1 to entry: Scale interval should not be confused with resolution, which is not necessarily equal to the scale interval.

Note 2 to entry: See Figures 2 and 3.

3.5.15
scale spacing
<analogue straight scale> distance between two successive scale marks

Note 1 to entry: See Figure 2.

3.5.16
scale spacing
<analogue circular scale> arc length between two successive scale marks of the circle passing through the centres of all the shortest scale marks

Note 1 to entry: See Figure 3.

3.5.17
scale length
<analogue straight scale> length between the first and the last scale marks

Note 1 to entry: See Figure 2.

3.5.18
scale length
<analogue circular scale> arc length of the circle passing through the centres of all the shortest scale marks

Note 1 to entry: See Figure 3.

3.5.19
scale range
set of values bounded by the extreme indications

Note 1 to entry: The lower limit of the scale range is not necessarily zero, for example in the case of an internal micrometer whose scale range starts at 5 mm.

Note 2 to entry: See Figures 2 and 3.

3.5.20
scale span
absolute value of the difference between the two limits of a scale range

Note 1 to entry: See Figures 2 and 3.

3.5.21
index
fixed or movable part of an analogue indicating device whose position with reference to the scale marks enables an indicated value to be determined

Note 1 to entry: For some measuring equipment, the index is called the “pointer”.

© ISO 2018 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS EN ISO 14978:2018