

**Implementation of
EN ISO/IEC 9646-1:1996**

Information technology — Open Systems Interconnection — Conformance testing methodology and framework —

Part 1: General concepts

The European Standard EN ISO/IEC 9646-1:1996 has the status of a British Standard

ICS 35.100

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee IST/21, Open Systems Interconnection, Data management and open distributed processing, upon which the following bodies were represented:

- British Computer Society
- British Telecommunications plc
- Department of Trade and Industry [IT Standards Unit (ITD6A)]
- Digital Equipment Co. Ltd.
- CCTA (The Government Centre for Information Systems)
- IBM United Kingdom Ltd.
- Joint Information Systems Committee
- International Computers Limited
- Level 7 Ltd.
- National Computing Centre Ltd.
- National Health Services
- Nine Tiles Computer Systems Ltd.
- PSC International Ltd.
- UKERNA
- Co-opted members

This British Standard, having been prepared under the direction of the Information Systems Technology Assembly, was published under the authority of the Standards Board and comes into effect on 15 June 1996

© BSI 12-1999

The following BSI references relate to the work on this standard:
Committee reference IST/21
Draft for comment 92/67560 DC
92/67842 DC

ISBN 0 580 25813 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	2
Foreword	iv
Text of ISO/IEC 9646-1	1

National foreword

This Part of BS EN ISO/IEC 9646 has been prepared by Technical Committee IST/21 and is the English language version of EN ISO/IEC 9646-1:1996 *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 1: General concepts*, published by the European Committee for Standardization (CEN). It supersedes BS EN 29646-1:1992 which is withdrawn.

This British Standard is published under the direction of the Information Systems Technology Assembly whose Technical Committee IST/21 has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE International and European Standards, as well as overseas standards, are available from Customer Services, BSI, 389 Chiswick High Road, London W4 4AL.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the EN ISO/IEC title page, page 2, the ISO/IEC title page, pages ii to iv, pages 1 to 48 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

English version

Information technology — Open Systems Interconnection —
Conformance testing methodology and framework —
Part 1: General concepts

(ISO/IEC 9646-1:1994)

Technologies de l'information — Interconnexion
de systèmes ouverts — Cadre général et
méthodologie des tests de conformité OSI —
Partie 1: Concepts généraux
(ISO/IEC 9646-1:1994)

Informationstechnik — Kommunikation
Offener Systeme — Methodik der
Konformitätsprüfung — Teil 1: Allgemeine
Konzepte
(ISO/IEC 9646-1:1994)

This European Standard was approved by CEN on 1996-01-25. CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword

The text of the International Standard from ISO/IEC/JTC 1 “*Information Technology*” of the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) has been taken over as a European Standard by CEN Technical Board.

This European Standard replaces EN 29646-1:1992.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 1996, and conflicting national standards shall be withdrawn at the latest by August 1996.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

INTERNATIONAL
STANDARD

ISO/IEC
9646-1

Second edition
1994-12-15

**Information technology — Open Systems
Interconnection — Conformance testing
methodology and framework —**

Part 1:
General concepts

*Technologies de l'information — Interconnexion de systèmes ouverts —
Cadre général et méthodologie des tests de conformité OSI —*

Partie 1: Concepts généraux



Contents

	Page
Foreword	iv
Introduction	1
1 Scope	2
2 Normative references	3
3 Definitions	4
3.1 Reference model definitions	4
3.2 Terms defined in other International Standards, ITU-T Recommendations and Technical Reports	4
3.3 Conformance testing definitions	5
4 Abbreviations	16
5 The meaning of conformance in OSI	17
5.1 Introduction	17
5.2 Conformance requirements	17
5.3 Static conformance requirements	17
5.4 Dynamic conformance requirements	17
5.5 Conformance requirements related to transfer syntaxes	18
5.6 Implementation Conformance Statements (ICSs)	18
5.6.1 Introduction	18
5.6.2 Protocol Implementation Conformance Statement (PICS)	18
5.6.3 Profile Implementation Conformance Statement (profile ICS)	18
5.6.4 System Conformance Statement (SCS)	18
5.7 A conforming system	19
5.8 Interworking and conformance	19
6 Conformance and testing	19
6.1 Objectives of conformance testing	19
6.1.1 Introduction	19
6.1.2 Basic Interconnection Tests	20
6.1.3 Capability tests	20
6.1.4 Behaviour tests	20
6.1.5 Conformance resolution tests	21
6.2 Extra information for testing	21
6.2.1 Implementation Extra Information for Testing (IXIT)	21
6.2.2 Protocol Implementation Extra Information for Testing (PIXIT)	21
6.2.3 Profile Implementation Extra Information for Testing (profile IXIT)	22
6.3 Conformance assessment process overview	22
6.4 Use of Basic Interconnection Tests and capability tests in the test campaign	24
6.5 Analysis of results	24
6.5.1 Test outcomes and test verdicts	24
6.5.2 Conformance test reports	24
6.5.3 Repeatability of results	25
6.5.4 Comparability of results	25
6.5.5 Auditability of results	25
7 Test methods	25
7.1 Introduction	25
7.2 Classification of real open systems and IUTs for conformance testing	25
7.2.1 Classification of SUTs	25
7.2.2 Identification of the IUT	27
7.3 Abstract testing methodology	27

	Page
7.3.1 General	27
7.3.2 Points of Control and Observation (PCOs)	29
7.4 Abstract testing functions	29
7.5 Overview of Abstract Test Methods	30
7.5.1 End-system IUTs in the Single-Party Testing context	30
7.5.2 The Local and Distributed test methods	30
7.5.3 The Coordinated and Remote test methods	30
7.5.4 Variants of abstract test methods	30
7.5.5 IUTs in the Multi-Party Testing context	30
7.6 Applicability of test methods to real open systems	31
7.7 Applicability of the test methods to OSI protocols and layers	32
8 Test suites	32
8.1 Structure	32
8.2 Abstract and executable test cases	32
8.3 Base specification conformance testing specifications	34
8.4 Profile Test Specifications (PTS)	34
9 Relationships between parts, concepts and roles	35
10 Compliance	35
Annex A (informative) Options	37
Annex B (informative) Index of parts 1, 2, 4, 5, 6 and 7	37
Figure 1 — Conformance assessment process overview	23
Figure 2 — Configuration 1: complete open system	26
Figure 3 — Configuration 2: partial open system	26
Figure 4 — Configuration 3: open-relay system	26
Figure 5 — Combination of complete and partial open systems	26
Figure 6 — Conceptual testing architecture	28
Figure 7 — Possible PCOs for testing	28
Figure 8 — Overview of Abstract Test Methods	31
Figure 9 — Test suite structure	33
Figure 10 — Relationships between parts, concepts and activities	36

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective Organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 9646-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee 21, *Open Systems Interconnection, data management and open distributed processing*.

This second edition cancels and replaces the first edition (ISO/IEC 9646-1:1991) which has been technically revised. It also consolidates Technical Corrigendum 1.

ISO/IEC 9646 consists of the following parts, under the general title *Information technology — Open Systems Interconnection — Conformance testing methodology and framework*:

- *Part 1: General concepts;*
- *Part 2: Abstract Test Suite specification;*
- *Part 3: The Tree and Tabular Combined Notation;*
- *Part 4: Test realization;*
- *Part 5: Requirements on test laboratories and clients for the conformance assessment process;*
- *Part 6: Protocol profile test specification;*
- *Part 7: Implementation conformance statements.*

Annex A and Annex B of this part of ISO/IEC 9646 are for information only.

Introduction

The objective of OSI will not be completely achieved until systems can be tested to determine whether they conform to the relevant protocol and profile specifications. The relevant ones can be OSI International Standards, ITU-T Recommendations or International Standardized Profiles.

Standardized Abstract Test Suites should be developed for each International Standard or ITU-T Recommendation which specifies an OSI protocol, for use by suppliers or implementors in self-testing, by users of OSI products, by telecommunications administrations and recognized private operating agencies, or by other third party testing organizations. Standardized Profile Test Specifications should be developed for each OSI profile defined in an International Standardized Profile, or in an International Standard or ITU-T Recommendation, to specify how to combine and select from these Abstract Test Suites for the purpose of testing conformance of systems to that profile. This should lead to comparability and wide acceptance of test results produced by different test laboratories, and thereby minimize the need for repeated conformance testing of the same system.

The standardization of test suites requires international definition and acceptance of a common testing methodology, together with appropriate testing methods and procedures. It is the purpose of ISO/IEC 9646 to define the methodology, to provide a framework for specifying conformance test suites, and to define the procedures to be followed during testing.

Conformance testing involves testing both the capabilities and behaviour of an implementation, and checking what is observed against the conformance requirements in the relevant International Standards or ITU-T Recommendations and if appropriate in the related International Standardized Profiles and against what the implementor states the implementation capabilities are.

Conformance testing does not include assessment of the performance nor the robustness or reliability of an implementation. It cannot give judgements on the physical realization of the Abstract Service Primitives, how a system is implemented, how it provides any requested service, nor the environment of the protocol implementation. It cannot, except in an indirect way, prove anything about the logical design of the protocol itself.

The purpose of conformance testing is to increase the probability that different OSI implementations are able to interwork. However it should be borne in mind that the complexity of most protocols makes exhaustive testing impractical on both technical and economic grounds. Also, testing cannot guarantee conformance to a specification since it detects errors rather than their absence. Thus conformance to a test suite alone cannot guarantee interworking. What it does do is give confidence that an implementation has the required capabilities and that its behaviour conforms consistently in representative instances of communication.

It should be noted that the OSI basic reference model [ISO 7498:1984 or CCITT X.200 (1984)] states (in 4.3):

“Only the external behaviour of Open Systems is retained as the standard of behaviour of real Open Systems”

This means that although aspects of both internal and external behaviour are described in OSI International Standards and ITU-T Recommendations, it is only the requirements on external behaviour that have to be met by real open systems. Although some of the methods defined in ISO/IEC 9646-2 do impose certain limitations on the implementor, for example that there be some means of realizing control and observation at one or more Service Access Points, it should be noted that other methods defined herein do not impose such limitations.

However, in the case of partial OSI end-systems which provide OSI protocols up to a specific layer boundary, it is desirable to test not only the external behaviour of the implemented protocol entities, but also the ability of those entities to support correct external behaviour in higher layers.

Detailed investigation of relative benefits, efficiency and limitations of all methods is addressed in various parts of ISO/IEC 9646. However, any organization contemplating the use of test methods defined in ISO/IEC 9646-2 in a context such as certification should carefully consider the limitations on their applicability and the benefits of each.

Testing is voluntary as far as ISO/IEC and ITU-T are concerned. Requirements for testing in procurement and other external contracts are not a matter for standardization.

This part of ISO/IEC 9646 is also to be published by ITU-T as Recommendation X.290 but not as identical text.

1 Scope

1.1 ISO/IEC 9646 is a multi-part International Standard which specifies a general methodology for testing the conformance of products to OSI specifications which the products are claimed to implement.

The methodology applies to testing conformance to

- a) the specification of an OSI protocol;
- b) the specification of a transfer syntax used in combination with a specific OSI protocol;
- c) the specification of an OSI protocol profile, including the testing of conformance to any specified information objects used in combination with one or more of the protocols, as specified in the profile;
- d) the specifications of a combination of OSI protocols, possibly used in combination with a specified transfer syntax and/or one or more specified information objects.

The OSI specification to which conformance is tested may be contained in an International Standard, an ITU-T Recommendation, or an International Standardized Profile.

1.2 ISO/IEC 9646 is in principle, applicable to conformance testing for Integrated Services Digital Network (ISDN).

1.3 ISO/IEC 9646 is applicable to conformance testing for those implementations of a protocol or set of protocols that require communication between two or more real open systems to achieve their purpose [e.g. Message Handling Service (MHS)], Directory Services, ISDN, Transaction Processing, Routeing, and Systems Management).

1.4 ISO/IEC 9646 is applicable to the different phases of the conformance testing process, these phases being characterized by three major activities. These activities are:

- a) the specification of Abstract Test Suites (ATSs) for particular OSI protocols and Profile Test Specifications (PTSs) for particular OSI profiles;
- b) realization of a Means of Testing (MOT) able to run an executable form of an Abstract Test Suite;
- c) the conformance assessment process carried out by a test laboratory for a specific client on the basis of an Implementation Conformance Statement (ICS), culminating in the production of a System Conformance Test Report (SCTR) and one or more Protocol Conformance Test Reports (PCTR), one for each ATS used; the results are given in terms of the relevant protocol specification(s) and test suite(s) used.

This part is applicable to all three activities, providing tutorial introductory material, together with definitions of common terms and concepts.

NOTE ISO/IEC 9646-2 deals with the requirements and guidance for the specification of ATSs, independent of test notation. ISO/IEC 9646-3 defines the recommended test notation. ISO/IEC 9646-4 deals with requirements and guidance for realization of the means of testing. ISO/IEC 9646-5 deals with requirements and guidance for test laboratories and their clients for the conformance assessment process. ISO/IEC 9646-6 deals with the requirements and guidance for PTSs based upon ATSs for each of the protocols involved. ISO/IEC 9646-7 deals with the requirements and guidance for ICSs, System Conformance Statements (SCSs), their proformas and Requirements Lists (RLs).

1.5 ISO/IEC 9646 specifies the requirements for and gives guidance on the procedures to be followed in OSI conformance testing.

1.6 ISO/IEC 9646 includes only such information as is necessary to meet the following objectives:

- a) to achieve an adequate level of confidence in the tests as a guide to conformance;
- b) to achieve comparability between the results of the corresponding tests on a particular OSI implementation applied in different places at different times;
- c) to facilitate communication between the parties responsible for the activities described in 1.4 above.

1.7 This part of ISO/IEC 9646 includes tutorial introductory material which provides

- a) an exposition of the meaning of conformance in the context of OSI;
- b) a description of the major categories of conformance tests;
- c) an introduction to the conformance assessment process;
- d) an introduction to the Abstract Test Methods and their applicability;
- e) an introduction to the concepts of test suite design.

In addition, this part describes the relationship between the other parts of ISO/IEC 9646 and the activities involved in conformance testing, and introduces the concept of compliance with respect to the other parts of ISO/IEC 9646.

1.8 The following are outside the scope of ISO/IEC 9646:

- a) certification, an administrative procedure which may follow conformance testing;
- b) requirements for procurement and contracts;
- c) testing by means of test methods which are specific to particular applications, protocols or systems;
- d) testing by means other than PDU exchange;

NOTE ISO/IEC 9646 does not apply fully to Physical layer protocols. Nevertheless, many of the concepts apply to all protocols.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 9646. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 9646 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 7498:1984, *Information processing systems — Open Systems Interconnection — Basic Reference Model*.
[See also CCITT Recommendation X.200 (1984)]

ISO/TR 8509:1987, *Information processing systems — Open Systems interconnection — Service conventions*.
[See also CCITT Recommendation X.210 (1988)]

ISO/IEC 8825:1990, *Information technology — Open Systems Interconnection — Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1)*.
[See also CCITT Recommendation X.209 (1988)]

ISO/IEC 9646-2:1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 2: Abstract Test Suite specification*.
(See also ITU-T Recommendation X.291-¹⁾)

ISO/IEC 9646-3:1992, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 3: The Tree and Tabular Combined Notation (TTCN)*.
[See also ITU-T Recommendation X.292 (1993)]

ISO/IEC 9646-3 Amd 1: —, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 3: The Tree and Tabular Combined Notation — Amendment 1: TTCN extensions*¹⁾.

ISO/IEC 9646-4:1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 4: Test realization*.
(See also ITU-T Recommendation X.293-¹⁾)

ISO/IEC 9646-5:1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 5: Requirements on test laboratories and clients for the conformance assessment process*.
(See also ITU-T Recommendation X.294-¹⁾)

ISO/IEC 9646-6:1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 6: Protocol profile test specification*.
(See also ITU-T Recommendation X.295-¹⁾).

ISO/IEC 9646-7: —, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 7: Implementation Conformance Statements*¹⁾.
(See also ITU-T Recommendation X.296-¹⁾).

ISO/IEC TR 10000-1:1990, *Information technology — Framework and taxonomy of International Standardized Profiles, Part 1 — Framework*.

¹⁾ To be published.

3 Definitions

3.1 Reference model definitions

This part of ISO/IEC 9646 is based upon the concepts developed in the Basic Reference Model for Open Systems Interconnection (ISO 7498/CCITT X.200), and makes use of the following terms defined in that International Standard:

- a) (N)-entity
- b) (N)-layer
- c) (N)-protocol
- d) (N)-protocol-data-unit
- e) (N)-relay
- f) (N)-service
- g) (N)-service-access-point
- h) Application layer
- i) Application-service-element
- j) Data Link layer
- k) Network layer
- l) Physical layer
- m) Presentation layer
- n) real open system
- o) real system
- p) (N)-service data unit
- q) Session layer
- r) subnetwork
- s) transfer syntax
- t) Transport layer

3.2 Terms defined in other International Standards, ITU-T Recommendations and Technical Reports

3.2.1 This part of ISO/IEC 9646 uses the following terms defined in the OSI Service Conventions (ISO/TR 8509 | CCITT X.210):

- a) service-user
- b) service-provider
- c) service primitive

3.2.2 This part of ISO/IEC 9646 uses the following term defined in the Specification of Basic Encoding Rules for Abstract Syntax Notation One (ASN.1) (ISO 8825 | CCITT X.209):

- encoding

3.2.3 This part of ISO/IEC 9646 uses the following terms defined in the Framework and Taxonomy of International Standardized Profiles (ISO/IEC TR 10000-1):

- a) International Standardized Profile
- b) profile
- c) base standard

NOTE 1 In ISO/IEC 9646 the term profile is used to mean “protocol profile” as defined in **3.3.82**.

NOTE 2 In ISO/IEC 9646 the more general term “base specification” is used with similar meaning to base standard but independent of the status of the specification, as defined in **3.3.10**.

3.3 Conformance testing definitions

For the purposes of this part of ISO/IEC 9646 the following definitions apply:

3.3.1

abnormal (test case) termination

the term used to describe the result of execution of an abstract test case when it has been prematurely terminated by the test system

3.3.2

abstract (N)-service-primitive [(N)-ASP]

an implementation-independent description of an interaction between a service-user and a service-provider at an (N)-service boundary, as defined in an OSI service definition

3.3.3

abstract test case

a complete and independent specification of the actions required to achieve a specific test purpose, defined at the level of abstraction of a particular Abstract Test Method, starting in a stable testing state and ending in a stable testing state. This specification may involve one or more consecutive or concurrent connections

NOTE 1 The specification should be complete in the sense that it is sufficient to enable a test verdict to be assigned unambiguously to each potentially observable test outcome (*i.e.* sequence of test events).

NOTE 2 The specification should be independent in the sense that it should be possible to execute the derived executable test case in isolation from other such test cases (*i.e.* the specification should always include the possibility of starting and finishing in the "idle" state).

3.3.4

abstract test case error

a test case error resulting from an error in the abstract test case

3.3.5

(abstract) test method [ATM]

the description of how an IUT is to be tested, given at an appropriate level of abstraction to make the description independent of any particular realization of a Means of Testing, but with enough detail to enable abstract test cases to be specified for this test method

3.3.6

abstract test suite [ATS]

a test suite composed of abstract test cases

3.3.7

abstract test suite [ATS] specification

a specification that contains a standardised ATS together with related information

3.3.8

abstract testing context

either a Multi-Party or Single-Party Testing context

3.3.9

abstract testing methodology

an approach to describing and categorizing Abstract Test Methods

3.3.10

base specification

a specification of a protocol, abstract syntax, encoding rules, or information object

3.3.11

basic interconnection test [BIT]

a test of an IUT which has limited scope to determine whether or not there is sufficient conformance to the relevant protocol(s) for interconnection to be possible, without trying to perform thorough testing

3.3.12

behaviour test

a test to determine the extent to which one or more dynamic conformance requirements are met by the IUT

3.3.13

capability (of an implementation)

a set of functions in the relevant protocol(s) which is supported by the implementation

3.3.14

capability test

a test to verify the existence of one or more claimed capabilities of an IUT

NOTE Capability testing involves checking all mandatory capabilities and those optional ones that are stated in the ICS as supported, but not checking those optional ones which are stated in the ICS as not supported by the IUT.

3.3.15

client (of a test laboratory)

an organization that submits a system or implementation for conformance testing

3.3.16

common (sub)profile

a profile or specified subset of a profile which is included by reference within one or more other profiles

3.3.17

comparability (of results)

characteristic of conformance assessment processes, such that their execution on the same IUT, in different testing environments, leads to the same overall summary of conformance for the specified IUT

3.3.18

comprehensive testing service

a service, offered to clients by a test laboratory, to perform the conformance assessment process for one or more OSI protocol(s), with a choice of test methods sufficient to make the service applicable to all real open systems that claim to implement the specified protocols

3.3.19

conformance assessment process

the complete process of accomplishing all conformance testing activities necessary to assess the conformance of an implementation or a system to one or more OSI specifications

3.3.20

conformance log

a human-readable record of information produced as a result of a test campaign, which is sufficient to record the observed test outcomes and verify the assignment of test results (including test verdicts)

3.3.21

conformance resolution test

a non-standardized, possibly system-specific test to fulfil a test purpose for which a standardized abstract test case is not defined, in order to investigate the behaviour of an OSI protocol implementation with respect to one or more particular conformance requirements

3.3.22

(conformance) test suite

a complete set of test cases, possibly combined into nested test groups, that is needed to perform dynamic conformance testing for one or more OSI protocols

NOTE It should cover both capability testing and behaviour testing. It may be qualified by the adjectives: abstract or executable, as appropriate. Unless stated otherwise, an "abstract test suite" is meant.

3.3.23

conformance testing

testing the extent to which an IUT is a conforming implementation

3.3.24

conformance testing specification

one or more specifications that contain a standardized ATS, together with its related TSS&TP, partial IXIT proforma, and TMP specification, if any

3.3.25**conforming implementation**

an IUT which satisfies both static and dynamic conformance requirements, consistent with the capabilities stated in the ICS(s)

3.3.26**conforming system**

a real system which satisfies both static and dynamic conformance requirements consistent with the capabilities stated in the ICS(s) referenced by the SCS

3.3.27**coordinated test method**

an Abstract Test Method in which the Upper Tester is within the SUT and for which a standardized TMP is defined for the TCP, enabling the control and observation to be specified solely in terms of the Lower Tester activity, including the control and observation of Test Management PDUs

3.3.28**distributed test method**

an Abstract Test Method in which the Upper Tester is within the SUT and there is a PCO at the upper service boundary of the IUT

3.3.29**dynamic conformance requirement**

one of the requirements which specifies what observable behaviour is permitted by the relevant specification(s) in instances of communication

3.3.30**embedded testing**

testing specified for a single-protocol within a multi-protocol IUT including the specification of the protocol activity above the one being tested, but without specifying control or observation at service boundaries within the multi-protocol IUT

NOTE This definition assumes that the protocols of the IUT are ordered in a continuous adjacent user/provider relationship.

3.3.31**executable test case**

a realization of an abstract test case

3.3.32**executable test case error**

a test case error in the realization of an abstract test case

3.3.33**executable test suite [ETS]**

a test suite composed of executable test cases

3.3.34**fail (verdict)**

a test verdict given when the observed test outcome either demonstrates nonconformance with respect to (at least one of) the conformance requirement(s) on which the test purpose of the test case is focused, or contains at least one invalid test event, with respect to the relevant specification(s)

3.3.35**foreseen test outcome**

an observed test outcome identified in the abstract test case

NOTE A foreseen test outcome may include an unidentified test event.

3.3.36**[ICS (proforma)] item**

a row in an ICS (proforma) table

3.3.37

[ICS (proforma)] question

the question to be answered in the intersection of an ICS item and either a support column (*i.e.* “Is this item supported in the context applying to this table and column?”) or supported values column (*i.e.* “What values are supported for this item in the context applying to this table and column?”) in an ICS proforma table

3.3.38

idle testing state

a stable testing state in which there is no established connection of the relevant protocol(s) and in which the state of the SUT is independent of any previously executed test cases

3.3.39

implementation conformance statement [ICS]

a statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS, profile ICS, profile specific ICS, and information object ICS

3.3.40

implementation conformance statement [ICS] proforma

a document, in the form of a questionnaire, which when completed for an implementation or system becomes an ICS

3.3.41

implementation extra information for testing [IXIT]

a statement made by a supplier or implementor of an IUT which contains or references all of the information (in addition to that given in the ICS) related to the IUT and its testing environment, which will enable the test laboratory to run an appropriate test suite against the IUT. An IXIT can take several forms: protocol IXIT, profile IXIT, profile specific IXIT, and information object IXIT, TMP implementation statement

3.3.42

implementation extra information for testing [IXIT] proforma

a document, in the form of a questionnaire, which when completed for an IUT or SUT becomes an IXIT

NOTE A complete IXIT proforma is developed in three stages. Firstly, the test suite specifier produces a “partial IXIT proforma” to accompany the test specification (ATS, PSTS, or PTS). Secondly, the test realizer augments the partial IXIT proforma to produce an “augmented partial IXIT proforma” for the Means of Testing. Thirdly, the test laboratory adds its own questions and information to produce the complete IXIT proforma for a test service. The terms “partial IXIT proforma” and “augmented partial IXIT proforma” are only used within ISO/IEC 9646 to distinguish the different stages of development.

3.3.43

implementation under test [IUT]

an implementation of one or more OSI protocols in an adjacent user/provider relationship, being that part of a real open system which is to be studied by testing

3.3.44

inconclusive (verdict)

a test verdict given when the observed test outcome is such that neither a pass nor a fail verdict can be given

3.3.45

information object implementation conformance statement [information object ICS]

an ICS for an implementation or system claimed to conform to a given information object specification

3.3.46

information object implementation extra information for testing [information object IXIT]

an IXIT for an implementation or system claimed to conform to a given information object specification

3.3.47

initial testing state

the testing state in which a test body starts

NOTE This may be either a stable testing state or a transient state.