

BRITISH STANDARD

**Properties of elastomeric
toroidal sealing rings
("O" rings)
manufactured from oil
resistant silicone rubber
material conforming to
BS F 153 –
Specification**

ICS 49.080

Confirmed December 2011

BSi
British Standards

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

Documents
Document Sharing Hub

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© BSI 2006

ISBN 0 580 49380 6

The following BSI references relate to the work on this standard:

Committee reference ACE/65

Draft for comment 05/30129999 DC

Publication history

First published October 2006

Amendments issued since publication

Amd. no.	Date	Text affected
-----------------	-------------	----------------------

Contents

Foreword *ii*

1	Scope	<i>1</i>
2	Normative references	<i>1</i>
3	Terms and definitions	<i>2</i>
4	Material	<i>2</i>
5	Properties	<i>2</i>
6	Test methods	<i>4</i>
7	Quality of material	<i>5</i>
8	Marking, labelling and packaging	<i>6</i>

List of tables

Table 1 – Tests as manufactured “O” rings *3*

Table 2 – Tests after immersion in fluid – Oil No. 1 *3*

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 to 6, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard was published by BSI and came into effect on 31 October 2006. It was prepared by ACE/65/-/25, *Rubbers, elastomers and sealants*, under the authority of Technical Committee ACE/65, *Inspection and testing requirements for non-metallic materials*. A list of organizations represented on this committee can be obtained on request to its secretary.

Information about this document

This document supersedes DTD 5605A March 1982, which was declared obsolescent by the Ministry of Defence from 1 April 1999. DTD 5605A Grade 90 has not been included in this standard.

Hazard warnings

WARNING. This British Standard calls for the use of substances and/or procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is “shall”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.