

Specification for

**Nickel-cobalt-  
chromium-  
molybdenum-  
aluminium-titanium  
heat-resisting alloy  
billets, bars, forgings  
and parts —**

**(Nickel base, Co 20, Cr 14.8, Mo 5, Al 4.7,  
Ti 1.2)**

UDC 629.7:669.245'25'26'28'71'295-4:669.018.4

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

**Compliance with a British Standard does not of itself confer immunity from legal obligations.**

**Summary of pages**

This document comprises a front cover, an inside front cover, pages i and ii, pages 1 and 2 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been approved by the Aerospace Industry Standards Committee, was published under the authority of the Executive Board of the Institution on 18 April 1972

© BSI 01-2000

The following BSI references relate to the work on this standard:  
Committee reference ACE/48  
Draft for comment 71/34527

ISBN 0 580 07091 3

**Amendments issued since publication**

| Amd. No. | Date | Comments |
|----------|------|----------|
|          |      |          |
|          |      |          |
|          |      |          |
|          |      |          |
|          |      |          |

# Contents

|                                    | Page |
|------------------------------------|------|
| 1 Inspection and testing procedure | 1    |
| 2 Manufacture                      | 1    |
| 3 Chemical composition             | 1    |
| 4 Condition                        | 2    |
| 5 Heat treatment                   | 2    |
| 6 Mechanical properties            | 2    |