

Electrical installations in ships —

**Part 503: Special features — A.C. supply
systems with voltages in the range
above 1 kV up to and including 11 kV**

ICS 47.020.60

National foreword

This British Standard reproduces verbatim IEC 60092-503:1975 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee JPEL/18, Electrical installations of ships and of mobile and fixed offshore units, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

From 1 January 1997, all IEC publications have the number 60000 added to the old number. For instance, IEC 27 has been renumbered as IEC 60027-1. For a period of time during the change over from one numbering system to the other, publications may contain identifiers from both systems.

Cross-references

The British Standards which implement international publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

This British Standard, having been prepared under the direction of the Electrotechnical Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 25 February 2002

Summary of pages

This document comprises a front cover, an inside front cover, the IEC title page, pages 2 and 10, an inside back cover and a back cover.

The BSI copyright date displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

© BSI 25 February 2002

ISBN 0 580 39033 0

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

(affiliée à l'Organisation Internationale de Normalisation — ISO)

NORME DE LA CEI

INTERNATIONAL ELECTROTECHNICAL COMMISSION

(affiliated to the International Organization for Standardization — ISO)

IEC STANDARD

Publication 92-503

Première édition — First edition

1975

Installations électriques à bord des navires
Caractéristiques spéciales
Réseaux d'alimentation en courant alternatif
aux tensions supérieures à 1 kV et inférieures ou égales à 11 kV

Electrical installations in ships
Special features
A. C. supply systems with voltages in the range above 1 kV up to and including 11 kV



Droits de reproduction réservés — Copyright - all rights reserved

Bureau Central de la Commission Electrotechnique Internationale

1, rue de Varembe

Genève, Suisse

CONTENTS

	Page
FOREWORD.....	3
PREFACE.....	3
INTRODUCTION	4
Clause	
1. Scope.....	5
SECTION ONE — GENERAL	
2. Voltage and frequency	5
3. Insulation level	5
SECTION TWO — ARRANGEMENT OF NETWORKS	
4. Distribution.....	5
4.1 Treatment of neutral point.....	6
4.2 Generator and transformer neutrals.....	6
4.3 Control voltage.....	6
SECTION THREE — A.C. GENERATORS AND MOTORS	
5 Enclosures.....	6
5.1 Performance	6
5.2 De-excitation.....	7
5.3 Mechanical characteristics.....	7
SECTION FOUR — TRANSFORMERS	
6. Scope.....	7
6.1 Construction	7
6.2 Transient voltage conditions	8
6.3 Current inrush	8
SECTION FIVE — SWITCH GEAR	
7. General.....	8
8. Enclosures	8
9. Circuit-breakers, switches and fuses — General	8
10. Earthing and short-circuiting	9
11. Protection against live parts.....	9
12. Auxiliary systems	9
SECTION SIX — ELECTRICAL PROTECTION	
13. General	9
14. Generator protection	9
15. Motor protection	9
16. Power transformer protection.....	9
17. Earth-fault monitoring.....	10
18. Voltage-transformer protection.....	10
SECTION SEVEN — CABLES, INSTALLATIONS, CONDUCTORS AND TERMINATIONS	
Cables, installations, conductors and terminations	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRICAL INSTALLATIONS IN SHIPS

SPECIAL FEATURES

**A.C. supply systems with voltages in the range above
1 kV up to and including 11 kV**

FOREWORD

- 1) The formal decisions or agreements of the IEC on technical matters, prepared by Technical Committees on which all the National Committees having a special interest therein are represented, express, as nearly as possible, an international consensus of opinion on the subjects dealt with.
- 2) They have the form of recommendations for international use and they are accepted by the National Committees in that sense.
- 3) In order to promote international unification, the IEC expresses the wish that all National Committees should adopt the text of the IEC recommendation for their national rules in so far as national conditions will permit. Any divergence between the IEC recommendation and the corresponding national rules should, as far as possible, be clearly indicated in the latter.
- 4) The IEC has not laid down any procedure concerning marking as an indication of approval and has no responsibility when an item of equipment is declared to comply with one of its recommendations.

PREFACE

This publication has been prepared by IEC Technical Committee No. 18, Electrical Installations in Ships.

Drafts were discussed at the meeting held in Munich in June 1973. As a result of this meeting, the draft, document 18(Central Office)448, was submitted to the National Committees for approval under the Six Months' Rule in March 1974.

The following countries voted explicitly in favour of publication:

Australia	Norway
Belgium	Poland
Canada	Romania
Denmark	Sweden
Germany	Turkey
Israel	United Kingdom
Japan	United States of America
Netherlands	

IEC Publication 92, Electrical Installations in Ships, is being rearranged as regards its presentation and numbering. In view of this rearrangement, the number 503 of the present publication does not follow the numbers 1 to 6 of the parts already published.