BS IEC 62862-5-2:2022

BSI Standards Publication

Solar thermal electric plants

Part 5-2: Systems and components — General requirements and test methods for large-size linear Fresnel collectors

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

National foreword

This British Standard is the UK implementation of IEC 62862-5-2:2022.

The UK participation in its preparation was entrusted to Technical Committee RHE/25, Solar Heating.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 02926 0

ICS 27.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

IEC 62862-5-2

Edition 1.0 2022-05

INTERNATIONAL STANDARD

colour inside

Solar thermal electric plants – Part 5-2: Systems and components – General requirements and test methods for large-size linear Fresnel collectors

IEC 62862-5-2:2022-05(en)

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2022 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Secretariat
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC Products & Services Portal - products.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 300 terminological entries in English and French, with equivalent terms in 19 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

IEC 62862-5-2

Edition 1.0 2022-05

INTERNATIONAL STANDARD

colour inside

Solar thermal electric plants –
Part 5-2: Systems and components – General requirements and test methods for large-size linear Fresnel collectors

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 27.160

ISBN 978-2-8322-0096-4

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

CONTENTS

FOREWORD 5
1 Scope 7
2 Normative references 7
3 Terms, definitions and symbols 7
3.1 Terms and definitions 7
3.2 Symbols 8
4 Testing requirements 9
5 Instrumentation 9
5.1 Solar radiation measurement 9
5.2 Flow rate measurement 9
5.3 Temperature measurements 9
5.4 Wind speed measurement 10
5.5 Data acquisition 10
5.6 Tracking accuracy measurement 10
6 Test procedure 10
6.1 General 10
6.2 Collector description 10
6.3 Test equipment 10
6.3.1 Performance test 10
6.3.2 Optical characterization for performance testing 11
6.3.3 Tracking error test 12
6.4 Measurement procedure 12
6.4.1 General 12
6.4.2 Cleanliness 12
6.4.3 Test conditions 13
6.5 Calculation and test results evaluation 13
6.5.1 General 13
6.5.2 Useful power 14
6.5.3 Incidence angle modifier (IAM) 15
6.5.4 Evaluation for the quasi-dynamic test method QDT 17
6.5.5 Evaluation for the dynamic test method DT 18
6.5.6 Validation performance test 19
6.5.7 Tracking error test (optional) 20
6.5.8 Uncertainty estimation 21
7 Reporting format 21
Annex A (informative) Linear Fresnel collector description 22
A.1 General description 22
A.1.1 Overview 22
A.1.2 Collector row structure 23
A.1.3 Support structure and foundation 24
A.1.4 Primary reflectors 24
A.1.5 Mirror support 24
A.1.6 Mirror drives 25
A.1.7 Receiver 25
A.1.8 Receiver tube 25
A.1.9 Receiver cavity 26

AVA Documents
Document Sharing Hub

A.1.10 Receiver support and casing ... 27
A.1.11 Tracking system ... 27
A.2 Operation modes ... 28
Annex B (normative) Documentation to be supplied by the collector manufacturer ... 29
B.1 General configuration of the linear Fresnel collector ... 29
B.1.1 Model and manufacturer ... 29
B.1.2 Axes and movements ... 29
B.1.3 Collector grouping ... 29
B.2 Geometric characterization of the linear Fresnel collector ... 29
B.3 Mechanical characterization of the linear Fresnel collector ... 29
B.4 Optical characterization of the linear Fresnel collector ... 30
B.5 Description of linear Fresnel collector operating modes ... 30
B.5.1 Design operating conditions ... 30
B.5.2 Normal operating conditions ... 30
B.5.3 Reduced weather/geological operating conditions (features to be reduced shall be defined (optical, thermal performance) and how much they are reduced) ... 30
B.5.4 Stow conditions ... 30
B.5.5 Survival conditions ... 30
B.6 Optical and tracking accuracy ... 30
B.6.1 Accuracy under normal operating conditions ... 30
B.6.2 Accuracy under reduced operating conditions ... 30
B.7 Linear Fresnel collector component information ... 30
B.7.1 Linear Fresnel collector structure ... 30
B.7.2 Receiver tube ... 31
B.7.3 Receiver cavity ... 31
B.7.4 Primary and secondary reflectors ... 31
B.7.5 Drive mechanism ... 31
Annex C (normative) Testing report ... 32
C.1 General ... 32
C.2 Collector characteristics ... 32
C.3 Linear Fresnel collector limitations ... 33
C.4 Description of the experimental setup ... 33
C.5 Results ... 33
Annex D (informative) Deflectometry mirror testing ... 35
D.1 Mirror shape quality ... 35
Annex E (informative) Tracking error testing ... 36
Bibliography ... 37

Figure 1 – Test equipment installation ... 11
Figure 2 – Sketch of one module of linear Fresnel collector as seen from above ... 15
Figure 3 – Incidence angles for a linear Fresnel collector ... 16
Figure 4 – Sketch of parameter identification procedure used for the DT method [3] ... 18
Figure A.1 – General view of a north-south axis Fresnel collector ... 22
Figure A.2 – General view of an asymmetric east-west axis Fresnel collector ... 23
Figure A.3 – Schematic drawing of individual drive a), group drive b) and field drive c) options ... 25

Documents
Document Sharing Hub
Full document details: BS IEC 62862-5-2:2022

Figure A.4 – Typical receiver cavity with secondary reflector and glass cover 26
Figure A.5 – Typical receiver cavity with secondary reflector and without glass cover 27
Figure A.6 – Typical receiver cavity with multiple parallel tubes 27

Table C.1 – Alternate tracking accuracy reporting template 33

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOLAR THERMAL ELECTRIC PLANTS –

Part 5-2: Systems and components – General requirements and test methods for large-size linear Fresnel collectors

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62862-5-2 has been prepared by IEC technical committee 117: Solar thermal electric plants. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
117/148/CDV	117/160/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

A list of all parts in the IEC 62862 series, published under the general title *Solar thermal electric plants*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

SOLAR THERMAL ELECTRIC PLANTS –

Part 5-2: Systems and components – General requirements and test methods for large-size linear Fresnel collectors

1 Scope

This part of IEC 62862 specifies the requirements and the test methods for the characterization of a large-size linear Fresnel collector.

This document covers the determination of optical and thermal performance of linear Fresnel collectors, and the tracking accuracy of the collector one-axis tracking system. This test method is for outdoor testing only.

This document applies to linear Fresnel collectors according to Annex A equipped with the manufacturer-supplied sun tracking mechanism.

The testing method in this document does not apply to any collector under operating conditions where phase-change of the fluid occurs. Although the principles of this document can be applied also to collectors with phases-change, however, the sensors (enthalpy, flow, temperatures) required for that are not described in this document.

This document applies to the whole collector field in-situ or as a minimum unit to be tested to an individual collector string (loop) connected to the main piping (flow, return flow) to and from a heat sink, covering the full temperature range of the field.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62862-1-1, *Solar thermal electric plants – Part 1-1: Terminology*

ISO/IEC Guide 98-3, *Uncertainty of measurement – Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

ISO 9488, *Solar energy – Vocabulary*

ISO 9806:2017, *Solar energy – Solar thermal collectors – Test methods*

3 Terms, definitions and symbols

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9488, ISO 9806:2017, IEC TS 62862-1-1, and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.2 Symbols

A_G	Gross collector aperture area (projected mirror area on the ground including the small gaps between facets and positioning of the mirrors for the sun in the zenith)	m^2
C_R	Geometric concentration ratio: gross collector aperture area A_G divided by the surface area of the receiver A_R	-
E_L	Long-wave infrared sky radiation	W/m^2
F_c	Ratio between the optical efficiency of the collector for normal incidence in a soiled state and a clean state.	-
f_{end}	Function describing the optical end loss of a collector with finite length when the sun is in the longitudinal collector plane	-
G	Solar irradiance	W/m^2
H_{rec}	Height of receiver above mirror plane	m
K_b	Incidence angle modifier for direct beam irradiation	-
K_d	Incidence angle modifier for diffuse irradiation	-
K_T	Incidence angle modifier for direct beam irradiation in the transversal plane	-
K_L	Incidence angle modifier for direct beam irradiation in the longitudinal plane	-
L_m	Length of primary mirror row in one collector module	m
L_{rec}	Length of receiver in one collector module	m
$\dot{Q}$	Thermal power net output of the collector	W
T_m	Mean fluid temperature	K
T_a	Ambient temperature	K
u	Wind speed	m/s
W_i	Project width of mirror row i on the horizontal	m
W_c	Collector width (Width of mirror field perpendicular to row orientation in one collector module)	m
ρ_{test}	specular reflectance of the soiled primary mirrors	-
ρ_{nom}	specular reflectance of the clean primary mirrors	-
θ_{LS}	Longitudinal solar incidence angle	°
θ_T	Transversal incidence angle	°
$\chi_{reflector}$	Ratio of specular reflectance of soiled and clean mirror material	-
η_{0b}	Collector optical efficiency for direct beam radiation at normal incidence	-

Indices

a	ambient
b	beam
dif	diffuse

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

L	longitudinal
n	normal
T	transversal
Tilt	tilted

4 Testing requirements

The linear Fresnel collector shall be equipped with all the components supplied by the manufacturer (such as support structure, primary reflectors, receiver casing and support, receiver tubes, actuator system and control) and mounted according to the manufacturer instructions.

The different component/elements (such as the receiver parts, reflectors, mirror drives, structure) should be previously tested separately by current testing methods or standards when available. The documentation to be fulfilled by the manufacturer shall be according to Annex B.

5 Instrumentation

5.1 Solar radiation measurement

Solar radiation measurement shall be performed using a pyrheliometer for direct irradiance according to 21.1 of ISO 9806:2017.

Incidence angles will be determined by calculation or with sun position sensors with accuracy equal or better than ± 0,1° with a resolution of 0,01°.

5.2 Flow rate measurement

Flow rate measurement shall be performed according to 21.4.1 of ISO 9806:2017.

5.3 Temperature measurements

Temperature measurements (inlet, outlet and ambient temperature) shall be performed according to ISO 9806:2017 with an accuracy better than 1 % of the temperature rise over the collector

The collector inlet and outlet positions shall be defined by the manufacturer and pairwise calibrated temperature sensors shall be installed at no more than 200 mm from this point. If due to constructional constraints it becomes necessary to position the sensor more than 200 mm away from the collector, then a test shall be made to verify that the measurement of fluid temperature is not affected.

The problems caused by the concentrated light on the sensors if the sensors are mounted in the focus zone shall be taken into consideration.

For piping diameters larger than 254 mm, 2 to 3 temperature sensors should be considered for each position to have a more representative average.

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022

5.4 Wind speed measurement

The mean wind speed in the horizontal plane shall be determined with a standard uncertainty < 0,5 m/s. The sensor shall be installed at (10 ± 0,1) m height from the ground. The sensor shall be installed within the collector field / solar plant. If there is no wind speed sensor close enough to the meteorological station of the plant, one temporary sensor should be added at a distance from the collector extremity (end support as shown in Figure A.1) not larger than 100 m away.

5.5 Data acquisition

Data acquisition shall be according to 23.5.3 of ISO 9806:2017.

5.6 Tracking accuracy measurement

Experimental tracking accuracy measurements can be obtained using inclinometers. Resolution of the inclinometers shall be at least 0,01° and accuracy shall be better than 0,1° over the whole range of tracking angles. Combination of two or more inclinometers often solves this requirement.

The true tracking angle is measured at two locations of the collector, one near the centre (where the drive system is usually located) another one at one collector end.

A more detailed tracking error testing is optional (see 6.3.3).

6 Test procedure

6.1 General

Performance testing includes at least the assessment of the heat power delivered by the collector under various operating and environmental conditions and the measurement of the dependence of the thermal performance on the incidence angle of the irradiation onto the collector. These two sets of parameters are required for the calculation of the collector heat output. If possible, an effective thermal capacity according to ISO 9806:2017 should be also determined. A minimum collector unit (Figure 1) as already stated in the scope may be a complete collector row, a loop or even a subfield, covering the whole temperature range of operation.

6.2 Collector description

The description of collector(s) should be supplied by the manufacturer according to Annex B.

All the components of the tested collector (reflectors, receiver, structure, etc.) shall be representative of the product. The components shall have been selected randomly from the production during the erection of the collector.

All the serial numbers and identification of those components should be reported in the testing report.

6.3 Test equipment

6.3.1 Performance test

The sensors shall be mounted according to ISO 9806:2017. A scheme of principle for the test installation is presented in Figure 1.

Documents
Document Sharing Hub

Full document details: BS IEC 62862-5-2:2022