

BS ISO 10110-6:2015



BSI Standards Publication

Optics and photonics — Preparation of drawings for optical elements and systems

Part 6: Centring tolerances

bsi.

...making excellence a habit.
AVA Documents™
Document Sharing Hub

National foreword

This British Standard is the UK implementation of ISO 10110-6:2015. It supersedes BS ISO 10110-6:1996 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CPW/172, Optics and Photonics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015. Published by BSI Standards Limited 2015

ISBN 978 0 580 80803 6

ICS 01.100.20; 37.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2015.

Amendments issued since publication

Date	Text affected
------	---------------

**Optics and photonics — Preparation
of drawings for optical elements and
systems —**

**Part 6:
Centring tolerances**

*Optique et photonique — Indications sur les dessins pour éléments et
systèmes optiques —*

Partie 6: Tolérances de centrage





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Specification of centring tolerances	8
4.1 General	8
4.2 Individual spherical surfaces	8
4.3 Individual aspheric surfaces	8
4.4 Individual circular cylindrical surfaces	8
4.5 Individual non-circular cylindrical surfaces	8
4.6 Individual non-symmetrical surfaces	8
4.7 Optical elements and subassemblies	9
4.8 Cement wedge in cemented optical assemblies	9
4.9 Surfaces without optical function	9
4.10 Field stops, reticles, etc	9
5 Indication in drawings	9
5.1 Datum axis	9
5.2 Datum point	9
5.3 Centring tolerance	10
5.4 Location	11
6 Examples	11
Bibliography	21

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#).

The committee responsible for this document is ISO/TC 172, *Optics and photonics*, Subcommittee SC 1, *Fundamental standards*.

This second edition cancels and replaces the first edition (ISO 10110-6:1996), which has been technically revised. It also incorporates ISO 10110-6:1996/Cor.1:1999.

ISO 10110 consists of the following parts, under the general title *Optics and photonics — Preparation of drawings for optical elements and systems*:

- *Part 1: General*
- *Part 2: Material imperfections — Stress birefringence*
- *Part 3: Material imperfections — Bubbles and inclusions*
- *Part 4: Material imperfections — Inhomogeneity and striae*
- *Part 5: Surface form tolerances*
- *Part 6: Centring tolerances*
- *Part 7: Surface imperfection tolerances*
- *Part 8: Surface texture; roughness and waviness*
- *Part 9: Surface treatment and coating*
- *Part 10: Table representing data of optical elements and cemented assemblies*
- *Part 11: Non-toleranced data*
- *Part 12: Aspheric surfaces*
- *Part 14: Wavefront deformation tolerance*

- *Part 17: Laser irradiation damage threshold*
- *Part 19: General description of surfaces and components*

Optics and photonics — Preparation of drawings for optical elements and systems —

Part 6: Centring tolerances

1 Scope

This International Standard specifies the presentation of design and functional requirements for optical elements and systems in technical drawings used for manufacturing and inspection.

This part of ISO 10110 specifies rules for indicating centring tolerances for optical elements, subassemblies, and assemblies.

This part of ISO 10110 applies to plano surfaces, rotationally invariant surfaces, circular cylindrical, non-circular cylindrical, and non-symmetrical surfaces (general surfaces). General surfaces are described using ISO 10110-19.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1101, *Geometrical product specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 5459, *Geometrical product specifications (GPS) — Geometrical tolerancing — Datums and datum systems*

ISO 10110-1, *Optics and photonics — Preparation of drawings for optical elements and systems — Part 1: General*

ISO 10110-10, *Optics and photonics — Preparation of drawings for optical elements and systems — Part 10: Table representing data of optical elements and cemented assemblies*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5459 and the following apply.

3.1

optical surface

optically effective surface which deflects the incident light by reflection or refraction

Note 1 to entry: Optical surfaces can be of different degrees of complexity. Correspondingly, the number of the degrees of freedom needed for describing the orientation and location of the surface increases with complexity.

3.2

optical element

part with one or more *optical surfaces* (3.1) providing an optical function and which has a mechanical interface to the superior system

EXAMPLE One optical surface (e.g. parabolic mirror), two optical surfaces (e.g. lens element), or more than two optical surfaces (e.g. cube corner prism).

3.3 subassembly

combination of one or more *optical elements* (3.2) or of an optical element and a mechanical element including a mechanical interface to the superior system

EXAMPLE Doublets, triplets, cube or colour beamsplitters, or a lens element fixed in a barrel.

3.4 assembly

combination of *optical elements* (3.2), *subassemblies* (3.3), and/or mechanical parts

3.5 optical system

complete system providing a function with defined optical performance

3.6 optical axis

<optical system> theoretical axis which is given by the optical design and represents the central path for the main function of the *optical system* (3.5)

3.7 axis of symmetry

axis that connects the nominal centres of curvature of a series of *optical elements* (3.2)

Note 1 to entry: In a typical symmetrical optical system, the axis of symmetry and the *optical axis* (3.6) are the same.

Note 2 to entry: A symmetrical optical system which is used off axis has an optical axis which is not the axis of symmetry.

3.8 datum feature

real (non-ideal) integral feature used for establishing a *datum* (3.9)

Note 1 to entry: A datum feature should be accessible and of sufficient size to permit its use (such as the outer edge of the lens cylinder or a spherical surface).

Note 2 to entry: As datum features are subject to manufacturing imperfections and variations, it could be necessary, where appropriate, to specify tolerances of form to them (see ISO 5459).

[SOURCE: ISO 5459:2011, 3.2, modified — Note 1 and Note 2 from ISO 5459:2011, 3.2, are irrelevant for the purposes of this part of ISO 10110 and potentially confusing and therefore, have been omitted. For the purposes of this part of ISO 10110, instead, Note 1 to entry and Note 2 to entry have been added.]

3.9 datum

theoretically exact geometric reference (such as points, axes, planes, straight lines, etc.) to which toleranced features are related

Note 1 to entry: Datums can be based on one or more *datum features* (3.8) of a part.

3.10 common datum

datum (3.9) established from two or more *datum features* (3.8) considered simultaneously

Note 1 to entry: The two or more features are of equal order of priority (see ISO 5459).

[SOURCE: ISO 5459:2011, 3.9, modified — The Note from ISO 5459:2011, 3.9 is irrelevant for the purposes of this part of ISO 10110 and potentially confusing and therefore, has been omitted. For the purposes of this part of ISO 10110, instead, Note 1 to entry has been added.]