

Pipes and fittings made of crosslinked polyethylene (PE-X) — Estimation of the degree of crosslinking by determination of the gel content

ICS 23.040.20; 23.040.45

National foreword

This British Standard is the UK implementation of ISO 10147:2004+A1:2008. It supersedes BS ISO 10147:2004 which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by A1 A1.

The UK participation in its preparation was entrusted by Technical Committee PRI/88, Plastics piping systems to Subcommittee PRI/88/4, Test methods.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 14 July 2005

© BSI 2009

ISBN 978 0 580 64435 1

Amendments/corrigenda issued since publication

Date	Comments
28 February 2009	Implementation of ISO amendment 1:2008

INTERNATIONAL STANDARD

**ISO
10147**

Second edition
2004-11-15

Pipes and fittings made of crosslinked polyethylene (PE-X) — Estimation of the degree of crosslinking by determination of the gel content

*Tubes et raccords en polyéthylène réticulé (PE-X) — Estimation du
degré de réticulation par le mesurage du taux de gel*



Reference number
ISO 10147:2004(E)

AVA Documents
Document Sharing Hub

