BS ISO 12176-1:2017

BSI Standards Publication

Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems

Part 1: Butt fusion

Documents
Document Sharing Hub

Full document details: BS ISO 12176-1:2017

National foreword

This British Standard is the UK implementation of ISO 12176-1:2017. It supersedes BS ISO 12176-1:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/88/2, Plastics piping for pressure applications.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 88602 7

ICS 23.040.20; 23.040.45; 75.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2017.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 12176-1:2017

INTERNATIONAL STANDARD

ISO 12176-1

Fourth edition
2017-06

Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems —

Part 1: Butt fusion

Tubes et raccords en matières plastiques — Appareillage pour l'assemblage par soudage des systèmes en polyéthylène —

Partie 1: Soudage bout à bout

Reference number
ISO 12176-1:2017(E)

Documents
Document Sharing Hub

© ISO 2017

Full document details: BS ISO 12176-1:2017

COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 12176-1:2017

Contents

Page

Foreword ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms and definitions ... **1**

4 Design configurations ... **2**
4.1 General ... 2
4.2 Configurations ... 2

5 Chassis and clamps ... **3**
5.1 General ... 3
5.2 Guide elements ... 3
5.2.1 General ... 3
5.2.2 Rigidity under pressure ... 4
5.2.3 Rigidity under bending ... 5
5.2.4 Re-rounding action ... 6

6 Interface force transmission ... **6**
6.1 General ... 6
6.2 Manual systems ... 7
6.3 Hydraulic and pneumatic systems ... 7
6.4 Electric systems ... 7
6.5 Performance ... 7

7 Planing tool ... **7**
7.1 General ... 7
7.2 Performance ... 8

8 Heating plate ... **8**
8.1 General ... 8
8.2 Dimensions ... 8
8.3 Materials and surface finish ... 9
8.4 Heating system ... 9
8.5 Performance ... 10

9 Power supply ... **10**

10 Test methods ... **10**
10.1 Chassis and clamps ... 10
10.1.1 Effectiveness of re-rounding (see Figure 3) ... 10
10.1.2 Clamp alignment ... 11
10.2 Planing tool and check of gap after planing ... 12
10.3 Heating plate ... 12
10.3.1 Roughness check ... 12
10.3.2 Temperature control system check ... 13
10.3.3 Heat transfer efficiency ... 14
10.3.4 Guide elements and work-holding fixtures ... 14

11 Auxiliary equipment ... **16**

12 Maintenance ... **16**

13 Marking on the butt fusion machine ... **17**

14 Other information to be provided by the manufacturer ... **17**

Annex A (normative) **Additional performance requirements for butt fusion machines with automatic controllers** ... **18**

Annex B (informative) **Type classification scheme** ... **19**

Documents
Document Sharing Hub

© ISO 2017 – All rights reserved

Full document details: BS ISO 12176-1:2017

Bibliography **22**

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 12176-1:2017

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of the standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by Technical Committee ISO/TC 138, *Plastics pipes, fittings and valves for the transport of fluids*, Subcommittee SC 4, *Plastics pipes and fittings for the supply of gaseous fuels*.

This fourth edition cancels and replaces the third edition (ISO 12176-1:2012), which has been technically revised so that it applies to larger pipe diameters.

The modifications are the following:

— increase of the wall thickness and diameter;

— various clarifications such as the guide elements and work-holding fixtures;

— editorial changes have been introduced.

A list of all parts in the ISO 12176- series can be found on the ISO website.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 12176-1:2017

Documents
Document Sharing Hub

Full document details: BS ISO 12176-1:2017

Plastics pipes and fittings — Equipment for fusion jointing polyethylene systems —

Part 1:
Butt fusion

1 Scope

This document specifies the general characteristics of, and performance requirements for, equipment for butt fusion jointing of polyethylene (PE) piping systems using electrically powered heater plates.

It is applicable to mechanical and pressure-activated equipment for butt fusion jointing of PE pipes and fittings either intended to be used for the supply of gaseous fuels, conforming to ISO 4437-2[1] and ISO 4437-3[2], or intended for the conveyance of water for human consumption (including raw water prior to treatment) and for the conveyance of water for general purposes, conforming to ISO 4427-2[3] and ISO 4427-3[4].

Butt fusion machines with an automatic controller are subject to additional requirements as given in Annex A.

NOTE This document is also applicable to butt fusion machines for larger nominal pipe diameters and nominal wall thicknesses than given in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 4287, *Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters*

ISO 11414, *Plastics pipes and fittings — Preparation of polyethylene (PE) pipe/pipe or pipe/fitting test piece assemblies by butt fusion*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at http://www.iso.org/obp

3.1
base framework
self-supporting entity composed of two or more guides and pipe clamps

Note 1 to entry: It provides the mechanism for heating and fusing the pipes and/or fittings.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 12176-1:2017

3.2
frictional resistance of the butt fusion machine
force necessary to overcome friction in the whole mechanism without pipe

Note 1 to entry: See 6.1.

3.3
nominal outside diameter
d_n
numerical designation of size which is common to all components in a thermoplastics piping system other than flanges and components designated by thread size

Note 1 to entry: It is a convenient round number for reference purposes.

3.4
nominal wall thickness
e_n
numerical designation of the wall thickness of a component

Note 1 to entry: It is a convenient round number approximately equal to the manufacturing dimension in millimetres.

3.5
drag compensation
ability of the butt fusion machine to overcome mechanical and frictional forces, as well as forces caused by operating on site, in order to achieve and maintain the fusion parameters specified for the pipe

3.6
standard dimension ratio
SDR
ratio of the nominal outside diameter, d_n, of a pipe to its nominal wall thickness, e_n

[SOURCE: ISO 4427-1:2007, 3.1.1.15]

4 Design configurations

4.1 General

The normal ambient temperature range in which the butt fusion machine is intended to operate is −10 °C to +40 °C. Use outside this temperature range shall be agreed upon between the user and the supplier of the machine.

4.2 Configurations

To conform to the requirements of this document, butt fusion machines may have different design configurations, as follows:

— a mechanical linkage system for force generation;

— a hydraulic hand-pump system for force generation;

— a semi-automatic externally powered system for force generation (manual pre-set of pressure);

— a semi-automatic system incorporating a device for monitoring and recording the fusion parameters;

— an automatic system that controls and records the fusion parameters.

Machines are generally designed for well-defined ranges of diameters, SDR ratios and fusion cycles.

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 12176-1:2017

Each component of the machine shall conform to relevant national safety regulations.

NOTE For example, the safety aspects for Europe are regulated in Reference [5].

Machines which record fusion data shall be capable of transferring the data for further use.

5 Chassis and clamps

5.1 General

The butt fusion machine shall be as maintenance-free as possible.

The base framework of the butt fusion machine shall provide rigidity and stability without unnecessary weight.

The butt fusion machine shall be sufficiently robust to withstand normal field use.

The chassis shall provide facilities for the alignment of and relative movement between pipes and/or fittings.

The butt fusion machine shall incorporate a facility for supporting the heating plate and planing tool when in use. This support shall not affect transmission of interface forces across the heating plate and shall not prevent proper alignment of the heating plate during the heating operation.

The butt fusion machine shall be capable of making satisfactory joints at ambient temperature and under normal worksite conditions with pipes and fittings at extremes of dimensional tolerances.

With butt fusion machines designed for use in narrow trenches, the design and construction of the clamps shall enable the butt fusion machine to be removed from the trench after fusion without damaging the PE pipe.

The base framework shall be fitted with a minimum of two clamps, one fixed and one moveable, to position the PE pipes during the fusion cycle. These clamps shall be designed to enable the pipes to be positioned or removed quickly.

The clamps shall grip the circumference of the pipes and fittings and shall be designed and dimensioned to avoid damage to the pipe or fitting surfaces.

To avoid human damage, the clamp jaws should preferably be designed so that they cannot close to less than a certain minimum distance apart.

No adjustment of the centreline of either pipe shall be required after changing the relevant parts to accommodate different pipe sizes. The clamps, inserts and liners shall not damage the pipe or fitting.

Clamps and/or liners for each pipe size should preferably be interchangeable between similar machines made by the same manufacturer.

The maximum number of removable clamping liners shall be three for machines for pipe diameters up to and including d_n = 400 mm, and four for machines for pipe diameters above d_n = 400 mm.

Operating instructions shall be available.

5.2 Guide elements

5.2.1 General

The sliding surfaces of the guide elements shall be protected from corrosion, e.g. by hard chromium plate.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 12176-1:2017