

Graphic technology — Process control for the production of half-tone colour separations, proof and production prints —

Part 2: Offset lithographic processes

ICS 37.100.01

Confirmed April 2008

National foreword

This British Standard is the UK implementation of ISO 12647-2:2004, incorporating amendment 1:2007. It supersedes BS ISO 12647-2:1996 which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags **A1** **A1**. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by **A1** **A1**.

The UK participation in its preparation was entrusted to Technical Committee PAI/43, Graphic technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2007

© BSI 2007

ISBN 978 0 580 59991 0

Amendments issued since publication

Amd. No.	Date	Comments
17324	28 September 2007	See national foreword

INTERNATIONAL STANDARD

ISO
12647-2

Second edition
2004-11-15

Graphic technology — Process control for the production of half-tone colour separations, proof and production prints —

Part 2: Offset lithographic processes

*Technologie graphique — Maîtrise des procédés pour la fabrication des
séparations de couleur en ton tramé, des épreuves et des tirages en
production —*

Partie 2: Procédés lithographiques offset



Contents		Page
Foreword.....		iv
Introduction		vi
1	Scope.....	1
2	Normative references	1
3	Terms and definitions	2
4	Requirements	2
5	Test methods — Tone value and tone-value increase of a print.....	12
6	Reporting of printing conditions	12
Annex A (informative) Methods for establishing the colour of a standard ink on the paper types		14
Annex B (informative) Dependence of the tone value increase of press prints on screen frequency		16
Annex C (informative) Grey balance		18
Bibliography		19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 12647 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 12647-2 was prepared by Technical Committee ISO/TC 130, *Graphic technology*.

This second edition cancels and replaces the first edition (ISO 12647-2:1996), which has been extensively revised. The revisions include the following:

- a) introduction of digital data as input;
- b) reduction of the tone value increase by roughly 3 %;
- c) changes in the colouration of the primary and secondary solids (Table 2);
- d) introduction of an additional measurement condition with a specified white backing;
- e) general clean-up.

In view of the misconceptions about the use of density and grey balance values, it was decided to move this information to an informative annex.

ISO 12647 consists of the following parts, under the general title *Graphic technology — Process control for the production of half-tone colour separations, proof and production prints*:

- *Part 1: Parameters and measurement methods*
- *Part 2: Offset lithographic processes*
- *Part 3: Coldset offset lithography and letterpress on newsprint*
- *Part 4: Publication gravure process*
- *Part 5: Screen printing*
- *Part 6: Flexographic printing*

Introduction

Part 1 of ISO 12647 serves to provide definitions, the general principles, the general order of the material to be covered in the subsequent parts 2 to 6, the definition of the data, the measurement conditions and the reporting style.

This part of ISO 12647 lists values or sets of values of the primary parameters specified in ISO 12647-1 and related technical properties of a half-tone offset lithographic print. Primary parameters include the screening parameters, the tone value increase, the colours of the solids and the print substrate. Conformance to the specified values in proof and production printing assure, in principle, a good visual match between specimens produced. Exceptions from this general observation are discussed in the following paragraph.

The purpose of a proof print is to simulate the visual characteristics of the finished print product as closely as possible. In order to visually match a particular print, off-press proofing processes often require values for solid-tone coloration and tone-value increase that are different from those of the printing process they are meant to simulate. This is caused by differences in phenomena such as gloss, light scatter (within the print substrate or the colorant), metamerism and transparency. Such differences are likely for those off-press proofing processes in which the print substrate, the colorants and the technology for applying them are significantly different from offset press printing. In such cases the user or the supplier needs to ensure that appropriate corrections are specified.

Another problem area is the matching of a digital off-press proof on an opaque substrate to a double-sided print on a less-than-opaque, lightweight printing paper as used in heat-set web printing. If the proof is made with colour management profiles based on measurements with white backing, there will be an unavoidable difference between proof and production prints, placed on a black backing in accordance with the specifications of this part of ISO 12647. The possible occurrence of such differences needs to be well communicated, in advance, to the parties concerned.

Graphic technology — Process control for the production of half-tone colour separations, proof and production prints —

Part 2: Offset lithographic processes

1 Scope

This part of ISO 12647 specifies a number of process parameters and their values to be applied when preparing colour separations for four-colour offset printing or when producing four-colour prints by one of the following methods: heat-set web, sheet-fed or continuous forms process printing, or proofing for one of these processes; or offset proofing for half-tone gravure.

The parameters and values are chosen in view of the complete process covering the process stages “colour separation”, “film setting”, “making of the printing forme”, “proof production”, “production printing” and “surface finishing”.

This part of ISO 12647 is

- directly applicable to proofing and printing processes that use colour separation films as input;
- directly applicable to proofing and printing from printing formes produced by filmless methods as long as direct analogies to film production systems are maintained;
- applicable to proofing and printing with more than four process colours as long as direct analogies to four-colour printing are maintained, such as for data and screening, for print substrates and printing parameters;
- applicable by analogy to line screens and non-periodic screens.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the reference document (including any amendments) applies.

ISO 5-3:1995, *Photography — Density measurements — Part 3: Spectral conditions*

ISO 8254-1:1999, *Paper and board — Measurement of specular gloss — Part 1: 75° gloss with a converging beam, TAPPI method*

ISO 12642:1996, *Graphic technology — Prepress digital data exchange — Input data for characterization of 4-colour process printing*

ISO 12647-1:2004, *Graphic technology — Process control for the production of half-tone colour separations, proof and production prints — Part 1: Parameters and measurement methods*