BS ISO 13373-9:2017

BSI Standards Publication

Condition monitoring and diagnostics of machines — Vibration condition monitoring

Part 9: Diagnostic techniques for electric motors

Documents
Document Sharing Hub

Full document details: BS ISO 13373-9:2017

National foreword

This British Standard is the UK implementation of ISO 13373-9:2017.

The UK participation in its preparation was entrusted to Technical Committee GME/21/7, Mechanical vibration, shock and condition monitoring - Condition monitoring.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 85770 6

ICS 17.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 13373-9:2017

INTERNATIONAL STANDARD

ISO 13373-9

First edition
2017-10-05

Condition monitoring and diagnostics of machines — Vibration condition monitoring —

Part 9: Diagnostic techniques for electric motors

Surveillance et diagnostic d'état des machines — Surveillance des vibrations —

Partie 9: Techniques de diagnostic pour moteurs électriques

Reference number
ISO 13373-9:2017(E)

Documents
Document Sharing Hub
© ISO 2017

Full document details: BS ISO 13373-9:2017

COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 13373-9:2017

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Measurements **3**
4.1 Vibration measurements 3
4.2 Machine operational parameter measurements 3
5 Initial analysis **3**
6 Motor specific analysis **3**
Annex A (normative) **Systematic approach to vibration analysis of electric motors** **4**
Annex B (informative) **Methodology for vibration diagnosis of faults in electric motors** **11**
Annex C (informative) **Examples of vibration problems in electric motors** **17**
Bibliography **23**

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*, Subcommittee SC 2, *Measurement and evaluation of mechanical vibration and shock as applied to machines, vehicles and structures*.

A list of all parts in the ISO 13373 series can be found on the ISO website.

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017

Introduction

This document has been developed as guideline for the procedures to be considered when carrying out vibration diagnostics of electric motors. It is intended to be used by vibration practitioners, engineers and technicians and it provides them with useful diagnostic tools. These tools include the use of diagnostic flowcharts and process tables and fault tables. The material contained in this document presents the most basic, logical, and intelligent steps that should be taken when diagnosing problems associated with these particular types of machines.

The ISO 7919 (rotating shafts), ISO 10816 (non-rotating parts) and ISO 20816 (both rotating shafts and non-rotating parts) series of International Standards contain acceptable vibration and zones for various types and sizes of machines, ranging from new and well-running machines to machines that are in danger of failing.

ISO 13373-1 presents the basic procedures for vibration narrow-band signal analysis. It includes the types of transducers used, their ranges, and their recommended locations on various types of machines; online and periodic vibration monitoring systems; and, potential machinery problems.

ISO 13373-2 includes descriptions of the signal conditioning equipment that is required, time and frequency domain techniques, and the waveforms and signatures that represent the most common machinery operating phenomena or machinery faults that are encountered when performing vibration signature analysis.

ISO 13373-3 provides some procedures to determine the causes of vibration problems common to all types of rotating machines. It includes systematic approaches to characterize vibration effects, the diagnostic tools available, which tools are needed for particular applications, and recommendations on how the tools are to be applied to different machine types and components. However, this does not preclude the use of other diagnostic techniques.

It should be noted that ISO 17359 indicates that diagnostics

— can be started as a succeeding activity after detection of an anomaly during monitoring, or

— can be executed synchronous with monitoring from the beginning.

The present document considers only the former in which diagnostics is performed after an anomaly has been detected. Moreover, this document focuses mainly on the use of flowcharts and process tables as diagnostic tools, as well as fault tables, since it is felt that these are the tools that are most appropriate for use by practitioners, engineers and technicians in the field.

The flowchart and diagnostic process table methodology presents a structured procedure for a person in the field to diagnose a fault and find its cause. This step-by-step procedure should be able to guide the practitioner in the vibration diagnostics of the machine anomaly in order to reach the probable root cause of this anomaly.

The fault tables present a list of the most common faults in machinery, as well as their manifestations in the vibration data. When used with the flowcharts, the tables assist with the identification of machinery faults.

When approaching a machinery problem that manifests itself as a high or erratic vibration signal, the diagnosis of the problem should be done in a well-thought out systematic manner. This document together with ISO 13373-3 achieve that purpose by providing to the analyst guidance on the selection of the proper measuring tools, the analysis tools and their use, and the step-by-step recommended procedures for the diagnosis of problems associated with various types of electric motors.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017

This page deliberately left blank

Documents
Document Sharing Hub

Full document details: BS ISO 13373-9:2017

INTERNATIONAL STANDARD **ISO 13373-9:2017(E)**

Condition monitoring and diagnostics of machines — Vibration condition monitoring —

Part 9: Diagnostic techniques for electric motors

1 Scope

This document specifies procedures to be considered when carrying out vibration diagnostics of various types of electric motors. The four motor types covered by this document are squirrel-cage induction, wound-rotor induction, salient-pole and DC motors.

NOTE The first two types are defined in ISO 20958 .

This document is mostly applicable to motors with power above 15 kW.

This document is intended to be used by condition monitoring practitioners, engineers and technicians and provides a practical step-by-step vibration-based approach to fault diagnosis. In addition, it gives a number of examples for a range of machine and component types and their associated fault symptoms.

The procedures presented in this document can, in some cases, be applied to other types of electrical machines, such as generators, but there can be other specific techniques associated with such machines that are not included in this document.

The use of non-vibration quantities, such as voltage and current, to identify and analyse vibration-related faults in electric motors is outside the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2041 , *Mechanical vibration, shock and condition monitoring — Vocabulary*

ISO 13372 , *Condition monitoring and diagnostics of machines — Vocabulary*

ISO 20958 , *Condition monitoring and diagnostics of machine systems — Electrical signature analysis of three-phase induction motors*

ISO 21940-2, *Mechanical vibration — Rotor balancing — Part 2: Vocabulary*

IEC 60050, *International Electrotechnical Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 2041 , ISO 13372 , ISO 20958 , ISO 21940-2, IEC 60050 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— IEC Electropedia: available at http://www.electropedia.org/

— ISO Online browsing platform: available at http://www.iso.org/obp

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017

3.1
DC armature
shaft with laminated, slotted core into which a two-layer winding is installed and connected to a commutator which is supplied with DC power via brushes

3.2
salient-pole rotor
shaft with solid or laminated poles having a winding on each pole

Note 1 to entry: The pole windings are connected together and to sliprings or a brushless exciter from which the required DC power supply is applied.

3.3
supply frequency
frequency of the power supply connected to AC motors

Note 1 to entry: The supply frequency is also called line frequency.

3.4
slip frequency
<induction motors> difference between the synchronous rotational speed and rotor rotational speed frequencies

3.5
number of stator poles
integer which is defined by the following formula:

$$\frac{2\,n_{\mathrm{syn}}}{60\,f_{\mathrm{supp}}}$$

where

n_{syn} is the synchronous rotational speed, in r/min;

f_{supp} is the supply frequency, in Hz.

Note 1 to entry: The number of pole pairs is the number of poles divided by 2.

3.6
pole passing frequency
<induction motors> rotor slip frequency times the number of poles

3.7
stator slot passing frequency
number of stator slots times the rotor rotational speed

3.8
rotor slot passing frequency
number of rotor slots times the rotor rotational speed

3.9
rotor bar passing frequency
number of bars in a squirrel-cage rotor times the rotor rotational speed

© ISO 2017 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017

4 Measurements

4.1 Vibration measurements

Vibration measurements may be obtained using two main categories of transducers:

— non-contacting, e.g. inductive, capacitive and eddy current probes used on rotating shafts;

— seismic transducers, e.g. accelerometers or velocity transducers used on non-rotating parts, such as bearing housings.

International Standards are available to help assess the vibration severity for the described types of measurement, in particular, ISO 7919, ISO 10816 and ISO 20816.

It is important to recognize that the appropriate transducer, signal conditioning, measurement and analysis system should be used for the diagnosis of faults considering specific situations in electric motors. For example, to detect rotor bar problems, high resolution in the spectrum is required to detect the slip frequency. In many cases, it is required to consider the grounding and electrical field of the machine before taking any measurement.

The description of transducer and measurement systems, as well as specification of techniques, are given in ISO 13373-1 and ISO 13373-2 , which shall be considered for appropriate selection.

4.2 Machine operational parameter measurements

These are operational parameters, e.g. rotational speed, load, motor orientation (vertical or horizontal), mounting configuration (solid or flexible support arrangement) and temperatures, that can have an influence on the machine vibration characteristics and are therefore important to acquire in order to arrive at an appropriate diagnosis. For a given machine, these parameters can be associated with a range of steady-state and transient operating conditions.

5 Initial analysis

An initial analysis should be performed using the guidelines given in ISO 13373-3:2015, Annex A. This analysis should identify safety concerns, the presence of high vibration, and if so, its vibration severity, past history, effects of operating parameters, consequences of not taking corrective actions and the need for a motor shutdown. Also, other factors such as motor mounting configuration, vibration from driven machinery, position relative to other rotating machines, building structure, environment, etc. should be considered during an initial analysis. See also ISO 13373-3:2015, Annexes B to D, for common faults such as from installation and bearing defects.

6 Motor specific analysis

Electric motors are used as drivers in many industrial applications such as pumps, fans and compressors. This document covers vibration diagnosis information for the most common types of electric motors. Symptoms of the most prevalent motor defects that cause excessive vibration magnitudes are given in Annex A which shall be considered. However, Annex A does not cover motor vibration from inadequate motor mounting, hydrodynamic bearing problems, or rolling element bearing problems which are addressed in ISO 13373-3:2015, Annexes B, C and D, respectively.

The methodology for vibration diagnosis of electric motors is given in Annex B, while case studies illustrating the methodology are provided in Annex C. The techniques used in vibration diagnosis of electric motors include visual inspections, vibration magnitudes, spectral analysis, time waveform analysis, phase analysis and operational deflection shape (ODS) analysis. The use of these techniques is described in B.2.

© ISO 2017 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 13373-9:2017