BS ISO 14404-4:2020

BSI Standards Publication

Calculation method of carbon dioxide emission intensity from iron and steel production

Part 4: Guidance for using the ISO 14404 series

Documents
Document Sharing Hub

Full document details: BS ISO 14404-4:2020

National foreword

This British Standard is the UK implementation of ISO 14404-4:2020.

The UK participation in its preparation was entrusted to Technical Committee ISE/1, Iron and steel standards co-ordinating committee.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 04425 6

ICS 13.020.40; 77.080.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2021.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 14404-4:2020

INTERNATIONAL STANDARD

ISO 14404-4

First edition
2020-12

Calculation method of carbon dioxide emission intensity from iron and steel production —

Part 4: Guidance for using the ISO 14404 series

Méthode de calcul de l'intensité de l'émission de dioxyde de carbone de la production de la fonte et de l'acier —

Partie 4: Lignes directrices pour l'utilisation de la série de normes ISO 14404

Reference number
ISO 14404-4:2020(E)

Documents
Document Sharing Hub
© ISO 2020

Full document details: BS ISO 14404-4:2020

COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2020 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 14404-4:2020

Contents

Page

Foreword ..... **v**

Introduction ..... **vi**

1 Scope **1**

2 Normative references **1**

3 Terms and definitions **1**
3.1 Emissions 2
3.2 Gas fuel 2
3.3 Liquid fuel 3
3.4 Solid fuel 3
3.5 Auxiliary material 4
3.6 Energy carriers 5
3.7 Ferrous containing materials 6
3.8 Alloys 6
3.9 Product and by-product 7
3.10 Others 7

4 Symbols **9**

5 Principles **9**
5.1 General 9
5.2 Relevance 9
5.3 Completeness 9
5.4 Consistency 10
5.5 Accuracy 10
5.6 Transparency 10

6 Characteristic features of the ISO 14404 series **10**

7 Guidance for applying the ISO 14404 series to all types of steel plants **10**
7.1 General 10
7.2 Application of the ISO 14404 series for steel plants not covered in ISO 14404-1, ISO 14404-2 and ISO 14404-3 13
7.2.1 Steel Plants with iron making processes other than BF and on-site production of DRI 13
7.2.2 Steel Plants with multiple process routes 13
7.2.3 Steel plants which purchase pig iron from outside 13
7.2.4 Steel plants which purchase all or part of semi-finished steel product from outside 13
7.3 Guideline for making comparisons using the ISO 14404 series 14

8 Calculation using the Universal Calculation Sheet **15**
8.1 General 15
8.2 Calculation procedure 17
8.2.1 Data collection of crude steel production (or final steel production) 17
8.2.2 Data collection of direct and/or upstream CO_2 emission sources 17
8.2.3 Data collection of credit CO_2 emissions sources 18
8.2.4 Calculation 20

9 Additional guidance to the entire ISO 14404 series **24**
9.1 Evaluation of slag 24
9.2 Explanation of emission factors for by-product gases 24
9.2.1 General 24
9.2.2 Explanation of emission factors based on world average electricity equivalent 25
9.2.3 Explanation of emission factors based on natural gas equivalent 26
9.2.4 Evaluation of stock 27
9.3 Selection of calorific values and emission factors for electricity and fuel 27

© ISO 2020 – All rights reserved

AVA Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

Annex A (informative) **Calculation of energy consumption and intensity** 28
Annex B (informative) **Application of the ISO 14404 series** 31
Annex C (informative) **Universal Calculation Sheet** 32
Annex D (informative) **Example of template for using different emission factors or emission sources from Table 7** 34
Annex E (Informative) **Boundary calculation for a steel plant which produces crude steel and uses purchased semi-finished steel products** 36
Bibliography 40

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 17, *Steel.*

A list of all parts in the ISO 14404 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2020 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

Introduction

The steel industry recognizes the urgent need to take actions concerning climate change. Slowing and halting global warming requires reductions in GHG emissions on a global scale. To play a part in achieving these reductions, it is necessary for steel plants to identify the amount of CO_2 emitted during the production of steel products, in order to identify next opportunities for reduction of CO_2.

As the calculation methods for CO_2 emission and intensity in iron and steel industry, ISO 14404-1 (for steel plants with blast furnace) and ISO 14404-2 (for steel plants with electric arc furnace) were published in 2013, and ISO 14404-3 (for steel plants with electric arc furnace and coal-based or gas-based direct reduction iron facility) was published in 2017.

The ISO 14404 series specifies calculation methods for the carbon dioxide (CO_2) intensity of a steel plant from the amounts of the major inputs (purchased items) and outputs (sold items), such as natural resources, intermediate products, and energy. The concept is shown in Figure 1.



Figure 1 — Conceptual diagram of calculation method in the ISO 14404 series

This calculation method only uses basic imports and exports that are commonly measured and recorded by the plants; thus, the method requires neither the measurement of the specific efficiency of individual equipment or processes nor dedicated measurements of the complex flow and recycling of materials and waste heat. In this way, the calculation method ensures its simplicity and universal applicability without requiring steel plants to install additional dedicated measuring devices or to collect additional dedicated data other than commonly used data in the management of plants.

In addition, the ISO 14404 series provides the guidance to consider the activities in the boundary that are located outside of the site boundary by considering the upstream emissions of the intermediate products produced in such “outsourced steel production activities”. The conceptual diagram of boundary and site boundary is shown in Figure 2.

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020



Figure 2 — Conceptual diagram of boundary and site boundary

Intermediate products with possibilities of considering upstream emissions include the following:

— Electricity / steam;

— Substances produced in the basic activities existing in the target process route (e.g. purchased coke used in the BF - BOF route);

— Substances that substitute the iron source of the process route even if they do not exist in the target process route (e.g. purchased DRI used in the BF - BOF route).

The ISO 14404 series is based on "CO_2 Emissions Data Collection User Guide" established by the World Steel Association (worldsteel), which consists more than 161 major steel companies in 60 countries and regions of the world. Actual data collection among worldsteel members has been conducted yearly based upon this guide since 2007. While the ISO 14404 series of standards and worldsteel "CO_2 Emissions Data Collection User Guide" share the same concept, they have different characteristics where the worldsteel's User Guide provides the method suitable for collecting data from steel plants across the world in a uniform way, and the ISO 14404 series provide methods suitable for the evaluation of CO_2 intensity of steel plant for each process route (i.e. combination of iron source and steelmaking process).

Therefore, while worldsteel method applies common boundary and CO_2 emission factors to all steelworks regardless of their process routes, the ISO 14404 series defines the boundary, CO_2 emission factors and intermediate products for which upstream emissions are considered for each of the process routes, such as BF-BOF (14404-1), Scrap-EAF (14404-2) and DRI-EAF (14404-3).

This document provides the guidance for calculating the CO_2 intensity at all types of steel plants, including steel plants with process routes not covered in ISO 14404-1, ISO 14404-2 and ISO 14404-3 (steel plants with process routes other than BF - BOF, Scrap - EAF, DRI - EAF) as well as steel plants with multiple process routes, by defining the boundary, CO_2 emission factors and the intermediate products for which upstream emissions are considered for each of all types of steel plants. This document also includes Universal Calculation Sheet, which covers all relevant emission sources from ISO 14404-1, ISO 14404-2 and ISO 14404-3 to assist the calculation of CO_2 emissions.

© ISO 2020 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

Moreover, this document provides additional guidance to the entire ISO 14404 series for the following topics, which have not been covered by ISO 14404-1, ISO 14404-2 and ISO 14404-3.

a) Evaluation of exported slags

b) Evaluation of by-product gas

c) Evaluation of stock

d) Selection of calorific values and emission factors for electricity and fuel

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

Calculation method of carbon dioxide emission intensity from iron and steel production —

Part 4: Guidance for using the ISO 14404 series

1 Scope

This document provides guidance for calculating the CO_2 intensity at steel plants with all types of process routes, by defining the boundary, CO_2 emission factors and the intermediate products for which upstream emissions are considered for all types of process routes. In particular, this document provides guidance applicable to the ISO 14404 series to the types of steel plants listed below. This document also includes the Universal Calculation Sheet, which covers all relevant emission sources from ISO 14404-1, ISO 14404-2 and ISO 14404-3 to assist the calculation of CO_2 emissions.

i. Steel plants with different process routes from ISO 14404-1, ISO 14404-2 and ISO 14404-3 (7.2.1)

ii. Steel plants with more than one process route (7.2.2)

iii. Steel plants purchasing pig iron from the outside (7.2.3)

iv. Steel plants and rerollers purchasing part or all of crude steel from outside (7.2.4)

Moreover, this document provides additional guidance to the entire ISO 14404 series for the following topics.

a) Evaluation of exported slags

b) Evaluation of by-product gas

c) Evaluation of stock

d) Selection of calorific values and emission factors for electricity and fuel

Conversion to energy consumption and to consumption efficiency can be obtained using Annex A.

While the use of the calculation result is outside the scope of this document, appropriate applications and inappropriate application are recommended in Annex B.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at http://www.electropedia.org/

© ISO 2020 – All rights reserved

Documents Document Sharing Hub
Full document details: BS ISO 14404-4:2020

3.1 Emissions

3.1.1
emission source
process emitting CO_2 during the production of steel products

Note 1 to entry: There are three categories of CO_2 emission sources: direct, upstream and credit. Examples of emission sources that are subject to this document are given in *direct CO2 emission* (3.1.2), *upstream CO2 emission* (3.1.3) and *credit CO2 emission* (3.1.4).

[SOURCE: ISO 14404-1:2013, 2.1.1]

3.1.2
direct CO_2 emission
CO_2 emissions from steel production activity inside the *boundary* (3.10.2)

Note 1 to entry: Direct CO_2 emission is categorized as "direct GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.2]

3.1.3
upstream CO_2 emission
CO_2 emissions from imported material related to outsourced steel production activities outside the *site boundary* (3.10.3) and from imported *electricity* (3.6.1) and *steam* (3.6.2) into the *site boundary* (3.10.3)

Note 1 to entry: CO_2 emissions from imported material in this term are categorized as "other indirect GHG emissions" in ISO 14064-1.

Note 2 to entry: CO_2 emissions from imported *electricity* (3.6.1) and *steam* (3.6.2) in this term are categorized as "energy indirect GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.3, modified — *boundary* (3.10.2) is changed to *site boundary* (3.10.3)]

3.1.4
credit CO_2 emission
CO_2 emission that corresponds to exported material and *electricity* (3.6.1) or *steam* (3.6.2)

Note 1 to entry: Credit CO_2 emission is categorized as "direct GHG emissions" in ISO 14064-1.

[SOURCE: ISO 14404-1:2013, 2.1.4]

3.2 Gas fuel

3.2.1
natural gas
mixture of gaseous hydrocarbons, primarily methane, naturally occurring in the earth and used principally as a fuel

[SOURCE: ISO 14404-1:2013, 2.2.1]

3.2.2
coke oven gas
COG
gas recovered from *coke* (3.4.6) oven

[SOURCE: ISO 14404-1:2013, 2.2.2]

3.2.3
blast furnace gas
BFG
gas recovered from blast furnace

[SOURCE: ISO 14404-1:2013, 2.2.3]

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

3.2.4
BOF gas
LDG
gas recovered from basic oxygen furnace (Linz Donawitz converter)

Note 1 to entry: BOF: basic oxygen furnace

[SOURCE: ISO 14404-1:2013, 2.2.4]

3.2.5
town gas
fuel gas manufactured for domestic and industrial use

[SOURCE: ISO 14404-2:2013, 2.2.2]

3.2.6
COREX gas
gas recovered from COREX

3.2.7
other gas
gas other than *natural gas* (3.2.1), *coke oven gas* (3.2.2), *blast furnace gas* (3.2.3), *BOF gas* (3.2.4), *town gas* (3.2.5), and *COREX gas* (3.2.6)

3.3 Liquid fuel

3.3.1
heavy oil
No. 4 to No.6 fuel oil defined by ASTM

Note 1 to entry: ASTM: American Society for Testing and Materials

[SOURCE: ISO 14404-1:2013, 2.3.1]

3.3.2
light oil
No. 2 to No.3 fuel oil defined by ASTM

[SOURCE: ISO 14404-1:2013, 2.3.2]

3.3.3
kerosene
paraffin (oil)

[SOURCE: ISO 14404-1:2013, 2.3.3]

3.3.4
LPG
liquefied petroleum gas

[SOURCE: ISO 14404-1:2013, 2.3.4]

3.4 Solid fuel

3.4.1
coking coal
coal for making *coke* (3.4.6), including anthracite

[SOURCE: ISO 14404-1:2013, 2.4.1]

© ISO 2020 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

3.4.2
BF injection coal
pulverized coal injection (PCI) coal, including anthracite

Note 1 to entry: BF: blast furnace

[SOURCE: ISO 14404-1:2013, 2.4.2]

3.4.3
sinter coal
BOF coal
coal for *sinter* (3.7.2)/BOF, including anthracite

[SOURCE: ISO 14404-1:2013, 2.4.3]

3.4.4
EAF coal
coal used for an *electric arc furnace (EAF)* (3.10.5), including anthracite

[SOURCE: ISO 14404-2:2013, 2.4.1, modified — "EAF" is changed to "electric arc furnace (EAF)". Note 1 to entry is deleted.]

3.4.5
steam coal
boiler coal for producing *electricity* (3.6.1) and *steam* (3.6.2), including anthracite

[SOURCE: ISO 14404-1:2013, 2.4.4]

3.4.6
coke
solid carbonaceous material

[SOURCE: ISO 14404-1:2013, 2.4.5]

3.4.7
charcoal
devolatilized or coked carbon neutral materials

EXAMPLE Trees, plants.

[SOURCE: ISO 14404-1:2013, 2.4.6]

3.4.8
SR/DRI coal
coal used for smelting reduction (SR, including COREX)/ direct reduction iron (DRI), including anthracite

[SOURCE: ISO 14404-2:2013, 2.4.5, modified — Note 1 to entry is integrated into the definition]

3.4.9
other coal
coal other than *steam coal* (3.4.5), *coking coal* (3.4.1), *BF injection coal* (3.4.2), *sinter coal* (3.4.3), *EAF coal* (3.4.4), *coke* (3.4.6), *charcoal* (3.4.7) and *SR/DRI coal* (3.4.8)

3.5 Auxiliary material

3.5.1
limestone
calcium carbonate
$CaCO_3$

[SOURCE: ISO 14404-1:2013, 2.5.1]

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

3.5.2
burnt lime
CaO

[SOURCE: ISO 14404-1:2013, 2.5.2]

3.5.3
crude dolomite
calcium magnesium carbonate
$CaMg(CO_3)_2$

[SOURCE: ISO 14404-1:2013, 2.5.3]

3.5.4
burnt dolomite
$CaMgO_2$

[SOURCE: ISO 14404-1:2013, 2.5.4]

3.5.5
electric arc furnace graphite electrodes
EAF graphite electrodes
net use of *EAF* (3.10.5) graphite electrodes or attrition loss

[SOURCE: ISO 14404-2:2013, 2.5.5]

3.5.6
nitrogen
$\mathbf{N_2}$
inert gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.5.5, modified — the definition is simplified]

3.5.7
argon
Ar
inert gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.5.6, modified — the definition is simplified]

3.5.8
oxygen
$\mathbf{O_2}$
gas separated from air at an *oxygen plant* (3.10.8), imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.5.7, modified — the definition is simplified]

3.6 Energy carriers

3.6.1
electricity
electrical energy imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.6.1, modified — the definition is simplified]

© ISO 2020 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020

3.6.2
steam
pressurized water vapour imported from/exported to outside the *boundary* (3.10.2)

[SOURCE: ISO 14404-1:2013, 2.6.2]

3.7 Ferrous containing materials

3.7.1
pellets
agglomerated spherical iron ore calcinated by rotary kiln

[SOURCE: ISO 14404-1:2013, 2.7.1]

3.7.2
sinter
bulk iron ore sintered by baking mixture of fine iron ore, *coke* (3.4.6) breeze and pulverized lime

[SOURCE: ISO 14404-1:2013, 2.7.2]

3.7.3
hot metal
intermediate liquid iron products containing 30 g/kg to 50 g/kg by mass carbon produced by smelting iron ore with equipment such as blast furnace

[SOURCE: ISO 14404-1:2013, 2.7.3, modified — “3 %, 5 %” is replaced with “30 g/kg, 50 g/kg”]

3.7.4
cold iron
solidified *hot metal* (3.7.3) as an intermediate solid iron product

[SOURCE: ISO 14404-1:2013, 2.7.4]

3.7.5
scrap
used steel available for reprocessing

[SOURCE: ISO 14404-2:2013, 2.7.4]

3.7.6
gas-based DRI
direct reduced iron (DRI) reduced by a reducing gas such as reformed *natural gas* (3.2.1)

[SOURCE: ISO 14404-1:2013, 2.7.5]

3.7.7
coal-based DRI
direct reduced iron (DRI) reduced by coal

[SOURCE: ISO 14404-1:2013, 2.7.6]

3.8 Alloys

3.8.1
ferro-nickel
alloy of iron and nickel

[SOURCE: ISO 14404-1:2013, 2.8.1]

© ISO 2020 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 14404-4:2020