



BSI Standards Publication

Automation systems and integration — Physical device control — Data model for computerized numerical controllers

Part 14: Process data for sink electrical discharge machining (sink-EDM)

National foreword

This British Standard is the UK implementation of [ISO 14649-14:2013](#).

The UK participation in its preparation was entrusted to Technical Committee AMT/4, Industrial data and manufacturing interfaces.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 580 66974 3

ICS 25.040.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 March 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
14649-14

First edition
2013-03-01

Automation systems and integration — Physical device control — Data model for computerized numerical controllers —

Part 14: Process data for sink electrical discharge machining (sink-EDM)

*Systèmes d'automatisation et intégration — Commande des
dispositifs physiques — Modèle de données pour les contrôleurs
numériques informatisés —*

*Partie 14: Données de procédé pour l'usinage de baisse électrique
(baisse EDM)*



Reference number
ISO 14649-14:2013(E)

AVA **Documents**
Document Sharing Hub
© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Process data for sink-EDM	2
4.1 Header and references	2
4.2 Manufacturing features for sink-EDM.....	2
4.2.1 General.....	2
4.2.2 Sink-EDM volumetric pocket.....	2
4.3 Machining operation for sink-EDM	3
4.3.1 General.....	3
4.3.2 Sink-EDM machining operation.....	3
4.3.3 Sink-EDM technology	4
4.3.4 Sink-EDM machining functions	4
4.3.5 Sink-EDM machining strategy	5
4.3.6 Sink-EDM tool.....	6
4.3.7 Approach retract strategy	7
Annex A (informative) EXPRESS listing	13
Annex B (informative) EXPRESS-G	16
Bibliography	26

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is Technical Committee ISO/TC 184, *Automation systems and integration*, Subcommittee SC 1, *Physical device control*.

[ISO 14649](#) consists of the following parts, under the general title *Automation systems and integration — Physical device control — Data model for computerized numerical controllers*:

- *Part 1: Overview and fundamental principles*
- *Part 10: General process data*
- *Part 11: Process data for milling*
- *Part 12: Process data for turning*
- *Part 13: Process data for wire electrical discharge machining (wire-EDM)*
- *Part 14: Process data for sink electrical discharge machining (sink-EDM)*
- *Part 111: Tools for milling machines*
- *Part 121: Tools for turning machines*
- *Part 201: Machine tool data for cutting processes* [Technical Specification]

Gaps in numbering were intentionally left in order to allow further additions. ISO 14649-10 is the [ISO 10303](#) Application Reference Model (ARM) for process-independent data. [ISO 10303](#) ARMs for specific technologies are added after ISO 14649-10. ISO 14649 is harmonized with [ISO 10303](#) in the common field of Product Data over the whole life cycle. [ISO 14649-1](#) describes the different fields of standardization between [ISO 14649](#), [ISO 10303](#) and CNC manufacturers with respect to implementation and software development.

Introduction

ISO 14649-10 describes the general process data for numerical controlled machining and includes its schema. The subject of this schema (called `machining_schema`) is the definition of data types, which are generally relevant for different technologies (e.g. milling, turning, sink-EDM). It includes the definition of the workpiece, a feature catalogue containing features, which might be referenced by several technologies, the general executables and the basis for an operation definition. Not included in this schema are geometric items and presentations, which are referenced from the generic resources of [ISO 10303](#), and the technology-specific definitions, which are defined in separate parts of [ISO 14649](#).

ISO 14649-10 is not a stand-alone standard. Its implementation needs at least one additional technology-specific part (e.g. [ISO 14649-11](#) for milling). This part of [ISO 14649](#) describes sink Electrical Discharging Machining (sink-EDM) and it defines technology-specific data types representing the machining process for sink-EDM.

The main text of this part of [ISO 14649](#) provides definitions and explanations of the data entities needed to provide control data information to an EDM controller.

The EXPRESS forms of the entities are given again in [Annex A](#) without the explanatory text for information.

[Annex B](#) provides an alternative view of these entities, with the different figures showing graphical representations of different elements. These figures are purely informative: a detailed explanation of the entities in the figures is given in the corresponding text definitions.

In addition, the schema uses machining features similar to ISO 10303-224. The description of process data is carried out using EXPRESS language as defined in [ISO 10303-11](#). The encoding of the data is carried out using [ISO 10303-21](#).

This page deliberately left blank

Automation systems and integration — Physical device control — Data model for computerized numerical controllers —

Part 14: Process data for sink electrical discharge machining (sink-EDM)

1 Scope

This part of [ISO 14649](#) specifies the technology-specific data element needed as process data for sink-EDM. Together with the general process data described in ISO 14649-10, it describes the interface between computerized numerical controller and the programming system (i.e. CAM system or shop-floor programming system) for sink-EDM. It can be used for sink-EDM operations on this kind of machine.

The scope of this part of [ISO 14649](#) does not include tools for any other technologies (e.g. turning, grinding). Tools for these technologies are described in other parts of [ISO 14649](#).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14649-10, *Industrial automation systems and integration — Physical device control — Data model for computerized numerical controllers — Part 10: General process data*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14649-10 and the following apply.

3.1

roughing

machining operation used to cut a part

Note 1 to entry: While the aim of roughing is to remove large quantities of material in a short time, the surface quality is usually not important.

Note 2 to entry: The roughing operation is usually followed by the *finishing* ([3.2](#)) operation.

3.2

finishing

machining operation whose aim is to reach the tolerance of the feature required

Note 1 to entry: The finishing operation is usually preceded by the *roughing* ([3.1](#)) operation and followed by the *surface finishing* ([3.3](#)) operation.

3.3 surface finishing

machining operation whose aim is to reach the required surface quality

Note 1 to entry: The surface finishing operation is usually preceded by the *finishing* (3.3) operation.

4 Process data for sink-EDM

4.1 Header and references

The following listing gives the header and the list of entities which are referenced within this schema.

```
SCHEMA sink_edm_schema;
(*
Version 3 of Jan 13, 2002
Author: Gabor Erdos
Your email contact: Gabor Erdos <gabor.erdos@epfl.ch>
*)
REFERENCE FROM machining_schema (*ISO 14649-10*)
(
length_measure,
bounding_geometry_select,
machine_functions,
machining_operation,
machining_tool,
material,
property_parameter,
technology,
toleranced_length_measure,
machining_feature,
plane_angle_measure,
axis1_placement,
machining_strategy,
bounded_curve,
rot_speed_measure,
pressure_measure,
advanced_brep_shape_representation,
direction,
rot_direction,
radial_direction,
toolpath,
toolpath_type,
toolpath_speedprofile,
toolpath_list
);
```

4.2 Manufacturing features for sink-EDM

4.2.1 General

The sink-EDM features defined in this subclause are the features that are specific for sink-EDM technology, and are not defined in ISO 14649-10. The base class for all sink-EDM features is the *machining_feature*, defined in ISO 14649-10.

4.2.2 Sink-EDM volumetric pocket


The *sink_edm_volumetric_pocket* describes a special sink-EDM cavity feature. This feature is created by orbiting the reference point of the tool axis within closed volume. The final shape of the pocket is defined by the outline shape of the tool. The closed volume is defined as a revolved feature, where the *feature_boundary* curve is revolved around the axis.

```
ENTITY sink_edm_volumetric_pocket
SUBTYPE OF (machining_feature);
feature_boundary: bounded_curve;
```

axis: axis1_placement;
END_ENTITY;

feature_boundary: Defines the cross section of the revolved feature. The feature_boundary lies within the features xz-plane (see [Figure 1](#)) IF "x_+3" "<Tbl_no_borders>" ""<Tbl_no_borders> IF "x_+3" "<Tbl_no_borders>" "" <Tbl_no_borders>IF "x_-3" "</Tbl_no_borders>" ""</Tbl_no_borders> IF "x_-3" "</Tbl_no_borders>" "" </Tbl_no_borders>

axis: Specifies the axis of the revolving operation. The axis lies within the features xz-plane (see [Figure 1](#))



Key

- 1 axis
- 2 feature_boundary

Figure 1 — Sink_edm_volumetric_pocket

4.3 Machining operation for sink-EDM

4.3.1 General

This subclause introduces all the machining operations and technology-specific data that are needed for sink-EDM.

4.3.2 Sink-EDM machining operation

The sink_edm_machining_operation classes define the machining process for a limited area of the workpiece, i.e. the contents of a machining workingstep. This entity is inherited by the machining_workingstep class defined in ISO 14649-10. This class defines additional information needed by the sink-EDM machining. It is a subtype of entity machining_operation defined in ISO 14649-10.

```
ENTITY sink_edm_machining_operation
SUBTYPE OF (machining_operation);
first_depth: OPTIONAL length_measure;
depth_of_step: OPTIONAL length_measure;
approach: OPTIONAL approach_retract_strategy;
retract: OPTIONAL approach_retract_strategy;
END_ENTITY;
```