



BSI Standards Publication

Ships and marine technology — Low-location lighting (LLL) on passenger ships — Arrangement

National foreword

This British Standard is the UK implementation of ISO 15370:2021+A1:2023. It supersedes BS ISO 15370:2021, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by A1 A1.

The UK participation in its preparation was entrusted to Technical Committee SME/32, Ships and marine technology - Steering committee.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 18047 3

ICS 47.020.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2021.

Amendments/corrigenda issued since publication

Date	Text affected
30 April 2023	Implementation of ISO amendment 1:2023

Ships and marine technology — Low-location lighting (LLL) on passenger ships — Arrangement

National foreword

This British Standard is the UK implementation of ISO 15370:2021. It supersedes BS ISO 15370:2010, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee SME/32, Ships and marine technology - Steering committee.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 580 95240 1

ICS 47.020.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2021.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
15370

Third edition
2021-01-08

Ships and marine technology — Low- location lighting (LLL) on passenger ships — Arrangement

*Navires et technologie maritime — Éclairage situé en bas sur les
navires à passagers — Disposition*



Reference number
ISO 15370:2021(E)
Documents
Document Sharing Hub
© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Performance requirements	3
4.1 General	3
4.2 Phosphorescent systems	4
4.3 Electrically powered systems	5
5 Technical product documentation	6
6 Installation on board	6
6.1 General	6
6.2 Corridors	7
6.3 Doors	8
6.4 Stairways	8
6.5 Signs and escape route signs	8
7 Approval of the installation	9
8 Maintenance	10
Annex A (normative) Testing of phosphorescent low-location lighting materials	11
Annex B (normative) Assessment of installations on board	12
Annex C (informative) Measurement record for phosphorescent materials	13
Annex D (normative) Minimum width and required luminance	14
Annex E (normative) Testing of electrically powered low-location lighting systems	15
Annex F (normative) Corridor recess and stairway arrangement diagrams	18
Annex G (informative) LLL installation and arrangement examples	20
Bibliography	30

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 1, *Maritime safety*.

This third edition cancels and replaces the second edition (ISO 15370:2010), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the Introduction has been clarified to better explain the purpose of the system;
- in [Clause 2](#), the normative references have been updated;
- in [Clause 3](#), definitions have been added, and some of the existing ones have been clarified;
- in [Clause 4](#), performance requirements for LLL system components have been reviewed and updated;
- in [Clause 6](#), clarification on how and where escape routes shall be marked by the LLL system has been made;
- in [6.5](#), further details have been provided for the LLL signage system for both arrangement and characteristics;
- in [Clause 8](#) and in [Annexes A](#), [B](#), and [E](#), maintenance and testing procedures have been clarified;
- in [Annexes F](#) and [G](#), the examples of installation have been reviewed; and
- in the Bibliography, the informative references have been updated.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document is intended to supplement International Maritime Organization (IMO) requirements for low-location lighting used on passenger ships complying with the 1974 *Safety of Life at Sea Convention* (SOLAS 74), as amended.

The LLL system was made mandatory on passenger ships by IMO Resolution MSC.24(60), adopted on 10 April 1992, and by Resolution MSC.27(61), adopted on 11 December 1992, following the fire that occurred on the passenger ship *Scandinavian Star*, in 1990. Both resolutions require that the means of escape relevant to passenger and crew accommodation areas – including stairways and exits – be marked by lighting or phosphorescent strip indicators placed not more than 0,3 m above the deck. Following IMO Res. A.752(18), adopted on 4 November 1993, provided for relevant guidelines for its application.

The purpose of such a system is given by IMO resolutions A.752(18) and SOLAS regulation II-2/13.3.2.5: i.e. it shall enable passengers and crew to clearly identify the routes of escape and the relevant exits when the normal emergency lighting is less effective due to smoke.

This extensive revision of the standard has been prepared in order to provide more details and clarifications on the arrangement and performance of the LLL system so to better assist designers and manufacturers, as well as the representatives of the competent authority who are requested to verify the compliance of the on board system with this document.

This page deliberately left blank

Ships and marine technology — Low-location lighting (LLL) on passenger ships — Arrangement

1 Scope

This document specifies the requirements for the approval, installation and maintenance of low-location lighting systems as defined in Chapter II-2, Regulation 13.3.2.5.1 of the *International Convention for the Safety of Life at Sea, 1974 (SOLAS 74)*, as amended in 2000, and detailed in Chapter 11 of the *International Code for Fire Safety Systems (FSS Code)*.

2 Normative references

The following referenced documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2919:2012, *Radiological protection — Sealed radioactive sources — General requirements and classification*

ISO 3795, *Road vehicles, and tractors and machinery for agriculture and forestry — Determination of burning behaviour of interior materials*

ISO 16069:2017, *Graphical symbols — Safety signs — Safety way guidance systems (SWGS)*

ISO 24409-1, *Ships and marine technology — Design, location and use of shipboard safety signs, fire control plan signs, safety notices and safety markings — Part 1: Design principles*

ISO 24409-2, *Ships and marine technology — Design, location, and use of shipboard safety signs, fire control plan signs, safety notices and safety markings — Part 2: Catalogue of shipboard safety signs and fire control plan signs*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 60598-2-22, *Luminaires — Part 2-22: Particular requirements — Luminaires for emergency lighting*

IEC 60945, *Marine navigation and radiocommunication equipment and systems — General requirements — Methods of testing and required test results*

IMO, *International Convention for the Safety of Life at Sea, 1974 (SOLAS 74)*, as amended

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 accommodation spaces

passenger and crew spaces used for public spaces, cabins, offices, hospitals, cinemas, lounges, barber shop, pantries containing no cooking appliances, corridors, toilets and similar spaces

Note 1 to entry: This definition is consistent with the one given by IMO SOLAS II-2/3.1.

3.2 approval

formal acceptance of the product and arrangement issued by the *competent authority* ([3.4](#))

3.3 assembly station

distinct and designated internal or external space for mustering and marshalling passengers and crew arranged in the vicinity of, and permitting ready access for the passengers and crew to, the embarkation stations

Note 1 to entry: The assembly station can also be the embarkation station.

3.4 competent authority

administration whose flag the ship is entitled to fly, or an organization authorized by that administration to perform functions required by this document

3.5 dead-end corridor

corridor, or part of a corridor, whose depth is greater than its width, and from which there is only one *escape route* ([3.7](#))

3.6 EP system

electrically powered system
LLL system ([3.12](#)) that requires electrical power for its operation, such as systems using incandescent bulbs, light-emitting diodes, electroluminescent strips or lamps, electrofluorescent lamps, or other electrically powered light-emitting material

3.7 escape route

designated route, principally along corridors, stairways and through exits, by which people can be directed to an *assembly station* ([3.3](#)) and/or to a lifesaving appliances embarkation station

Note 1 to entry: The escape routes are shown on the approved escape plan.

3.8 excitation

effect of UV and visible light in the absorption spectrum that allows the materials to be activated and store energy

3.9 exit

egress along the *escape route* ([3.7](#)) that can lead into a safe space, or to another escape route, not affected by smoke

3.10 fire-fighting equipment

fixed or portable manually operated equipment that can be used to suppress fire

Note 1 to entry: Smoke detectors and fire-fighters' outfit are not part of the fire-fighting equipment for the purposes of this document.

EXAMPLE Fire hydrants and hoses, portable fire extinguishers.

3.11

installation plan

plan consisting of a ship's general arrangement showing the layout of the *LLL system* (3.12) using different kinds of lines, colours, and various symbols

3.12

LLL system

low-location lighting system

electrically powered lighting or phosphorescent guidance lines or indicators and relevant *signs* (3.17) placed as continuous as practicable along the *escape routes* (3.7) relevant to passenger and crew *accommodation spaces* (3.1) to readily identify such routes when the normal or the emergency light is less effective due to smoke

3.13

luminance

luminous intensity per unit area of phosphorescent materials

Note 1 to entry: The luminance is measured in millicandelas per square metre.

3.14

maintenance

measures for the preservation and/or restoration of the original conditions of the technical elements of a system as well as all measures for the determination and evaluation of the actual conditions

3.15

PL system

phosphorescent lighting system

LLL system (3.12) based on material incorporating phosphors that, if excited by UV or visible radiation, store energy that is emitted as light over a period of time

3.16

phosphorescent

PL

photoluminescent delayed by storage of energy in an intermediate energy level

Note 1 to entry: SOLAS 74 (as amended), Chapter II-2, Regulation 13.3.2.5.1, uses the word "photoluminescent". In this document, the word phosphorescent is used in place of photoluminescent and should be considered synonymous for the purpose of applying this standard to SOLAS 74, as amended.

3.17

sign

safety sign used in conjunction with *LLL systems* (3.12), indicating the *escape routes* (3.7) to the *assembly stations* (3.3) and/or to embarkation stations, and the location of the *fire-fighting equipment* (3.10)

Note 1 to entry: These safety signs are defined in ISO 24409-1 and ISO 24409-2.

3.18

visible delineation

identification of the boundaries of the *escape route* (3.7) by a series of conspicuous, continuous lighting lines

4 Performance requirements

4.1 General

4.1.1 The competent authority shall ensure that LLL systems and their components meet the requirements set out in this document, as verified through the presentation of relevant documents issued by laboratories recognized by the competent authority.