

Practice for use of a radiochromic liquid dosimetry system

ICS 17.240

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard reproduces verbatim ISO 15565:1998 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee NCE/2, Health physics instrumentation, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the ISO title page, pages ii to iv, pages 1 to 8, an inside back cover and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 August 1999

© BSI 03-2000

ISBN 0 580 32904 6

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	iii
Text of ISO 15565	1

INTERNATIONAL STANDARD

**ISO
15565**

First edition
1998-12-15

Practice for use of a radiochromic liquid dosimetry system

Pratique de l'utilisation d'un système dosimétrique radiochromique liquide



Contents

	Page
Foreword	iii
1 Scope	1
2 Referenced Documents	1
3 Terminology	2
4 Significance and Use	3
5 Apparatus	4
6 Performance Check of Instrumentation	5
7 Preparation of Dosimeters	5
8 Calibration of Dosimeters	5
9 Use of Dosimetry Systems	6
10 Minimum Documentation Requirements	8
11 Precision and Bias	8
12 Keywords	8
Reference	Inside back cover
Figure 1 — Calibration Curve of a Typical Radiochromic Solution Dosimeter [2 mM HHEVC in a Mixture of 85 % TEP and 15 % DMSO (by Volume), Containing 68 mmol L ⁻¹ Acetic Acid and 500 ppm Nitrobenzoic Acid and 10 % PVB (by Weight)], in Terms of $\Delta A_{608\text{ nm}}$ Versus D (15)	7
Figure 2 — A Series of Absorption Spectra for a Typical Dosimeter Solution Irradiated to Various Absorbed Doses by Gamma Rays from a ⁶⁰ Co Source	7
Table 1 — Three Available Radiochromic Leuco Dyes, Their Formulae, Molecular Weight, and Values of ϵ_m and Color Index Numbers of the Parent Dyes (17, 19)	3
Table 2 — Selected Radiochromic Solution Formulations and the Radiation Chemical Yields of Dye Cations in Solution	4