BS ISO 15638-14:2014

BSI Standards Publication

Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV)

Part 14: Vehicle access control

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: BS ISO 15638-14:2014

National foreword

This British Standard is the UK implementation of ISO 15638-14:2014. It supersedes PD ISO/TS 15638-14:2013 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/278, Intelligent transport systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2014. Published by BSI Standards Limited 2014

ISBN 978 0 580 80888 3

ICS 03.220.20; 35.240.60

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2014.

Amendments issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 15638-14:2014

INTERNATIONAL STANDARD

ISO 15638-14

First edition
2014-07-15

Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) —

Part 14: Vehicle access control

Systèmes intelligents de transport — Cadre pour applications télématiques collaboratives pour véhicules réglementés (TARV) —

Partie 14: Contrôle de l'accès des véhicules

Reference number
ISO 15638-14:2014(E)

Documents
Document Sharing Hub
© ISO 2014

Full document details: BS ISO 15638-14:2014

COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 15638-14:2014

Contents

Page

Foreword ... **iv**
Introduction ... **vi**
1 Scope ... **1**
2 Conformance ... **1**
3 Normative references ... **1**
4 Terms and definitions ... **2**
5 Symbols and abbreviated terms ... **7**
6 General overview and framework requirements ... **9**
7 Requirements for services using generic vehicle data ... **9**
8 Application services that require data in addition to basic vehicle data ... **9**
8.1 General ... 9
8.2 Quality of service requirements ... 9
8.3 Test requirements ... 9
8.4 Marking, labelling and packaging ... 10
9 Common features of regulated TARV application services ... **10**
9.1 General ... 10
9.2 Common role of the jurisdiction, approval authority, service provider, and user ... 11
9.3 Common characteristics for instantiations of regulated application services ... 11
9.4 Common sequence of operations for regulated application services ... 11
9.5 Quality of service ... 11
9.6 Information security ... 12
9.7 Data naming content and quality ... 12
9.8 Software engineering quality systems ... 12
9.9 Quality monitoring station ... 12
9.10 Audits ... 12
9.11 Data access control policy ... 12
9.12 Approval of IVSs and service providers ... 12
10 Vehicle access control (VAC) ... **12**
10.1 TARV VAC service description and scope — VAC use cases ... 12
10.2 Concept of operations for vehicle access control ... 13
10.3 Sequence of operations for TARV VAC ... 26
10.4 Generic TARV VAC data naming content and quality ... 28
10.5 Specific TARV VAC data naming content and quality ... 28
10.6 TARV VAC application service specific provisions for quality of service ... 28
10.7 TARV VAC application service specific provisions for test requirements ... 29
10.8 TARV VAC application specific rules for the approval of IVSs and 'service providers' ... 29
11 Declaration of patents and intellectual property ... **29**
Annex A (informative) **ASN.1 modules for ISO 15638-14 data concepts** ... **30**
Annex B (informative) **Independent testing of the protocols defined in this part of ISO 15638** ... **32**
Bibliography ... **48**

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

This first edition cancels and replaces ISO/TS 15638-14:2013.

ISO 15638 consists of the following parts, under the general title *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV)*:

— *Part 1: Framework and architecture*

— *Part 2: Common platform parameters using CALM*

— *Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

— *Part 5: Generic vehicle information*

— *Part 6: Regulated applications*

— *Part 7: Other applications*

— *Part 8: Vehicle access management and monitoring*

— *Part 9: Remote electronic tachograph monitoring (RTM)*

— *Part 10: Emergency messaging system/eCall (EMS)*

— *Part 11: Driver work records*

— *Part 12: Vehicle mass monitoring*

— *Part 14: Vehicle access control*

— *Part 15: Vehicle location monitoring*

— *Part 16: Vehicle speed monitoring*

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

— *Part 17: Consignment and location monitoring*

— *Part 18: ADR (Dangerous Goods) transport monitoring (ADR)*

— *Part 19: Vehicle parking facilities (VPF)*

The following parts are under preparation:

— *Part 4: System security requirements*

— *Part 13: 'Mass' information for jurisdictional control and enforcement*

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

Introduction

Many ITS technologies have been embraced by commercial transport *operators (4.36)* and freight owners, in the areas of fleet management, safety and security. *Telematics (4.48)* applications have also been developed for governmental use. Such regulatory services in use or being considered vary from *jurisdiction (4.32)* to *jurisdiction*, but include electronic on-board recorders, digital *tachograph (4.47)*, on-board *mass (4.34)* monitoring, 'mass' penalties and levies, vehicle *access (4.1) methods*, *hazardous goods (4.22)* tracking, and e-call. Additional applications with a regulatory impact being developed include, fatigue management, speed monitoring, and heavy vehicle penalties imposed based on location, distance, and time.

In such an emerging environment of regulatory and *commercial applications (4.17)*, it is timely to consider an overall *architecture (4.12)* (business and functional) that could support these functions from a single platform within a commercial freight vehicle that operate within such regulations. International Standards will allow for a speedy development and *specification (4.46)* of new applications that build upon the functionality of a generic specification platform. A suite of standards deliverables is required to describe and define the *framework (4.28)* and requirements so that the on board equipment and back office systems can be commercially designed in an open market to meet common requirements of *jurisdictions (4.32)*.

This International Standard addresses and defines the *framework (4.28)* for a range of cooperative *telematics (4.48)* applications for *regulated commercial freight vehicles (4.40)* [such as *access methods (4.3)*, driver fatigue management, speed monitoring, on-board *mass (4.34)* monitoring, penalties and levies]. The overall scope includes the concept of operation, legal and regulatory issues, and the generic cooperative provision of services to *regulated vehicles*, using an on-board ITS platform. The *framework* is based on a (multiple) *service provider (4.44)* oriented approach with provisions for the *approval (4.9)* and *auditing (4.13)* of *service providers*.

This International Standard will

— provides the basis for future development of cooperative *telematics (4.48)* applications for *regulated vehicles (4.40)*. Many elements to accomplish this are already available. Existing relevant standards will be referenced, and the *specifications (4.46)* will use existing standards (such as *CALM*) wherever practicable,

— allows for a powerful platform for highly cost-effective delivery of a range of *telematics* applications for *regulated vehicles*,

— provide a business *architecture (4.12)* based on a (multiple) *service provider (4.44)* oriented approach, and

— addresses legal and regulatory aspects for the *approval (4.9)* and *auditing (4.13)* of *service providers.*

This International Standard is timely as many governments (Europe, North America, Asia, and Australia/New Zealand) are considering the use of *telematics (4.48)* for a range of regulatory purposes. Ensuring that a single in-vehicle platform can deliver a range of services to both government and industry through open standards and competitive markets is a strategic objective.

This part of ISO 15638 provides *specifications (4.46)* for vehicle access control.

NOTE 1 The definition of what comprises a "regulated commercial freight vehicle" is regarded as an issue for national decision, and may vary from *jurisdiction (4.32)* to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of how they define a *regulated vehicle (4.40)*.

NOTE 2 The definition of what comprises a "regulated" service is regarded as an issue for national decision, and may vary from *jurisdiction (4.32)* to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of which services for *regulated vehicles (4.40) jurisdictions* will require, or support as an option, but will provide standardized sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where implemented.

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

INTERNATIONAL STANDARD ISO 15638-14:2014(E)

Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) —

Part 14: Vehicle access control

1 Scope

This part of ISO 15638 addresses the provision of *"vehicle access control"* and specifies the form and content of such data required to support such systems, and *access methods (4.3)* to that data.

The scope of this part of ISO 15638 is to provide *specifications (4.46)* for common communications and data exchange aspects of the *application service (4.6)* vehicle access control that a regulator may elect to require or support as an option, including

a) high-level definition of the service that a *service provider (4.44)* has to provide, [The service definition describes common service elements; but does not define the detail of how such an *application service (4.6)* is instantiated, not the acceptable value ranges of the data concepts defined.],

b) means to realize the service, and

c) application data, naming content and quality that an *IVS (4.29)* has to deliver.

The definition of what comprises a "regulated" service is regarded as an issue for National decision, and may vary from *jurisdiction (4.32)* to *jurisdiction*. This International Standard does not impose any requirements on nations in respect of which services for *regulated commercial freight vehicles (4.40) jurisdictions* will require, or support as an option, but provides standardized sets of requirements descriptions for identified services to enable consistent and cost efficient implementations where instantiated.

This International Standard has been developed for use in the context of *regulated commercial freight vehicles (4.40)*. There is nothing however to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

2 Conformance

Requirements to demonstrate conformance to any of the general provisions or specific *application services (4.6)* described in this part of ISO 15638 shall be within the regulations imposed by the *jurisdiction (4.32)* where they are instantiated. Conformance requirements to meet the provisions of this International Standard are therefore deemed to be under the control of, and to the specification of, the *jurisdiction* where the *application service*(s) is/are instantiated.

The protocols defined in this part of ISO 15638 have been independently tested. Annex B provides results of these tests. In any conformance assurance process undertaken by candidate systems, where appropriate, the results may be used as part of its process of conformance compliance.

3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

© ISO 2014 – All rights reserved

AVA Documents Document Sharing Hub

Full document details: BS ISO 15638-14:2014

ISO 15638-1, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 1: Framework and architecture*

ISO 15638-2, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 2: Common platform parameters using CALM*

ISO 15638-3, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 3: Operating requirements, 'Approval Authority' procedures, and enforcement provisions for the providers of regulated services*

ISO 15638-4:—[1], *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) — System security requirements*

ISO 15638-5, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 5: Generic vehicle information*

ISO 15638-6, *Intelligent transport systems — Framework for collaborative telematics applications for regulated commercial freight vehicles (TARV) — Part 6: Regulated applications*

ISO 15638-8, *Intelligent transport systems — Framework for cooperative telematics applications for regulated vehicles (TARV) — Part 8: Vehicle access management*

4 Terms and definitions

For the purposes of this document, the following terms and definitions given in ISO 15638-1 and the following apply.

4.1
access
admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

4.2
access control
procedures and measures to control admittance, entry, permit to use the road network and/or associated infrastructure (bridges, tunnels etc.)

4.3
access methods
procedures and protocols to provision and retrieve data

4.4
access monitoring
observation and recording of vehicle related data when using the road network and/or associated infrastructure (bridges, tunnels etc.)

4.5
app
small (usually) Java™[2] applets, organized as software bundles, that support *application services (4.6)* by keeping the *data pantry (4.23)* of the *IVS (4.29)* provisioned with up-to-date data

4.6
application service
service provided by a *service provider (4.44)* enabled by accessing data from the *IVS (4.29)* of a *regulated vehicle (4.40)* via a wireless communications network

1) To be published.

2) This information is given for the convenience of users of this document and does not constitute an endorsement by ISO.

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

4.7
application service provider
ASP
party that provides an *application service (4.6)*

4.8
app library
separately secure area of memory in *IVS (4.29)* where apps are stored (with different access controls to *data pantry (4.23)*)

4.9
approval
formal affirmation that an applicant has satisfied all the requirements for appointment as an *application service provider (4.7)* or that an *application service (4.6)* delivers the required service levels

4.10
approval agreement
written agreement made between an *approval authority (regulatory) (4.11)* and a *service provider (4.44)*

Note 1 to entry: *Approval authority (regulatory) (4.11)* approval agreement recognizes the fact that a *service provider (4.44)*, having satisfied the *approval authority's* requirements for appointment as a *service provider*, is appointed in that capacity, and sets out the legal obligations of the parties, with respect to the on-going role of the *service provider*.

4.11
approval authority (regulatory)
organization (usually independent) which conducts *approval (4.9)* and ongoing *audit (4.13)* for *service providers (4.44)* on behalf of a *jurisdiction (4.32)*

4.12
architecture
formalized description of the design of the structure of *TARV* and its *framework (4.28)*

4.13
audit
auditing
review of a party's capacity to meet, or continue to meet, the initial and on-going *approval agreements (4.10)* as a *service provider (4.44)*

4.14
basic vehicle data
data that shall be maintained/provided by all *IVS (4.29)* regardless of *jurisdiction (4.32)*

4.15
BigBubble
zones, such as metropolitan area, which include within them several *sensitive/restricted zones (4.42)*

4.16
communications access for land mobiles
CALM
layered solution that enables continuous or quasi continuous communications between vehicles and the infrastructure, or between vehicles, using such (multiple) wireless telecommunications media that are available in any particular location, and which have the ability to migrate to a different available media where required and where media selection is at the discretion of *user (4.49)* determined parameters, by using a suite of International Standards based on ISO 21217 (*CALM* architecture) and ISO 21210 (*CALM* networking), that provide a common platform for a number of standardized media using *ITS-stations (4.31)* to provide wireless support for applications, such that the application is independent of any particular wireless medium

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

4.17
commercial application(s)
ITS applications in *regulated vehicles (4.40)* for commercial (non-regulated) purposes

EXAMPLE Asset tracking, vehicle and engine monitoring, cargo security, driver management, etc.

4.18
consignment and load monitoring
monitoring of shipment of goods/cargo throughout or at specific points of a journey to a destination

4.19
controlled zone
controlled access zone
defined physical area which the *jurisdiction (4.32)* or controlled zone manager determines require *access control (4.2)* for *regulated vehicles (4.40)*

4.20
cooperative ITS
C-ITS
ITS applications for both regulatory and commercial purposes that require the exchange of data between uncontracted parties using multiple *ITS-stations (4.31)* communicating with each other and sharing data with other parties with whom they have no direct contractual relationship to provide one or more *ITS services (4.29)*

4.21
core data
basic vehicle data (4.14) plus any additional data required to provide an implemented *regulated application service (4.39)*

4.22
dangerous goods
hazardous goods
HAZMAT
substances or articles which are potentially hazardous (for example, poisonous to humans, harmful to the environment, explosive, flammable, or radioactive) that require regulatory control when transported

4.23
data pantry
secure area of memory in *IVS (4.29)* where data values are stored with different access controls to *app library (4.8)*

4.24
driver
person driving the *regulated vehicle (4.40)* at any specific point in time

4.25
driver work records
DWR
collection, collation, and transfer of *driver (4.24)* work and rest hours data from an *in-vehicle system (4.29)* to an *application service provider (4.7)*

4.26
emergency message system
EMS
collection, collation, and transfer of emergency message data from an *in-vehicle system (4.29)* to an *application service provider (4.7)*

4.27
facilities
layer that sits on top of the communication stack and helps to provide data interoperability and reuse, and to manage applications and enable dynamic real time loading of new applications

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

4.28
framework
particular set of beliefs, ideas referred to in order to describe a scenario or solve a problem

4.29
in-vehicle system
IVS
ITS-station (4.31) and connected equipment on board a vehicle

4.30
ITS service
communication functionality offered by an *ITS-station (4.31)* to an *ITS-station* application

4.31
ITS-station
ITS-s
entity in a communication network, comprised of application, *facilities (4.27)*, networking, and access layer components specified in ISO 21217 that operate within a bounded secure management domain

4.32
jurisdiction
government, road, or traffic authority which owns the r*egulatory applications (4.38)*

EXAMPLE Country, state, city council, road authority, government department (customs, treasury, transport), etc.

4.33
local data tree
LDT
frequently updated data concept stored in the on-board *data pantry (4.23)* containing a collection of data values deemed essential for either a) *TARV regulated application service (4.39)*, or b) *cooperative intelligent transport systems (4.20)*

4.34
mass
mass of a given heavy vehicle as measured by equipment affixed to the *regulated vehicle (4.40)*

4.35
'mass' information for jurisdictional control and enforcement
MICE
MRC
collection, collation, and transfer of vehicle *mass (4.34)* data from an *in-vehicle system (4.29)* to an *application service provider (4.7)* to enable data provision to *jurisdictions (4.32)* for the control and management of equipped vehicles based on the *mass* of the *regulated vehicle (4.40)*, or use of such data to enable compliance with the provisions of regulations

4.36
operator
fleet manager of a *regulated vehicle (4.40)*

4.37
prime service provider
service provider (4.44) who is the first contractor to provide *regulated application services (4.39)* to the *regulated vehicle (4.40)*, or a nominated successor on termination of that initial contract; the prime service provider is also responsible to maintain the installed *IVS (4.29)*; if the *IVS* was not installed during the manufacture of the vehicle the prime service provider is also responsible to install and commission the *IVS*

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

4.38
regulated application
regulatory application
application arrangement using TARV utilized by *jurisdictions (4.32)* for granting certain categories of commercial vehicles rights to operate in regulated circumstances subject to certain conditions, or indeed to permit a vehicle to operate within the *jurisdiction*; may be mandatory or voluntary at the discretion of the *jurisdiction*

4.39
regulated application service
TARV application service (4.6) to meet the requirements of a regulated application that is mandated by a regulation imposed by a *jurisdiction (4.32)*, or is an option supported by a *jurisdiction*

4.40
regulated commercial freight vehicle
regulated vehicle
vehicle that is subject to regulations determined by the *jurisdiction (4.32)* as to its use on the road system of the *jurisdiction* in regulated circumstances, subject to certain conditions, and in compliance with specific regulations for that class of regulated vehicle; at the option of *jurisdictions*; this may require the provision of information via *TARV* or provide the option to do so

4.41
remote tachograph monitoring
RTM
collection, collation, and transfer of data from an on-board electronic *tachograph (4.47)* system to an *application service provider (4.7)*

4.42
sensitive/restricted zone
defined physical area which the *jurisdiction (4.32)* or sensitive/restricted zone manager determines require special monitoring (e.g. urban pedestrian areas, school and hospital surroundings, ...), freight villages, ports, road sensitivity infrastructure (bridges, tunnels, ...)., weight restricted areas, width restricted areas, areas where there has been an accident or incident, etc.

4.43
sensitive/restricted zone management
monitoring and management of *regulated vehicles (4.40)* in additional to normal traffic management, as specified by the *jurisdiction (4.32)* or its agents to apply to *regulated vehicles*

4.44
service provider
party which is approved by an approval *authority (regulatory) (4.11)* as suitable to provide regulated or commercial ITS *application services (4.6)*

4.45
session
wireless communication exchange between the *ITS-station (4.31)* of an *IVS (4.29)* and the *ITS-station* of its *application service provider (4.7)* to achieve data update, data provision, upload apps, or otherwise manage the provision of the *application service (4.6)*, or a wireless communication provision of data to the *ITS-station* of an *IVS (4.29)* from any other *ITS-station*

4.46
specification
explicit and detailed description of the nature and functional requirements and minimum performance of equipment, service, or a combination of both

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

4.47
tachograph
sender unit mounted to a vehicle gearbox, a tachograph head, and a digital driver card, which records the *regulated vehicle (4.40)* speed and the times at which it was driven and aspects of the *driver's (4.24)* activity selected from a choice of modes

4.48
telematics
use of wireless media to obtain and transmit (data) from a distant source

4.49
user
individual or party that enrols in and operates within a regulated or *commercial application (4.17)* service

EXAMPLE *Driver (4.24)*, transport *operator (4.36)*, freight owner, etc.

4.50
vehicle access control
VAC
control of *regulated commercial freight vehicles (4.40)* ingress to and egress from controlled areas and associated penalties and levies

4.51
vehicle access management
VAM
monitoring and management of *regulated vehicles (4.40)* approaching or within sensitive and controlled areas

4.52
vehicle location monitoring
VLM
collection, collation, and transfer of vehicle location data from an *in-vehicle system (4.29)* to an *application service provider (4.7)*

4.53
vehicle mass monitoring
VMM
collection, collation, and transfer of vehicle *mass (4.34)* data from an *in-vehicle system (4.29)* to an *application service provider (4.7)*

4.54
vehicle parking facility
VPF
system for booking and *access (4.1)* to and egress from a vehicle parking facility (VPF)

4.55
vehicle speed monitoring
VSM
collection, collation, and transfer of vehicle speed data from an *in-vehicle system (4.29)* to an *application service provider (4.7)*

5 Symbols and abbreviated terms

AA *approval authority (regulatory) (4.11)*

ADR *Accord Européen relatif au transport international des marchandises Dangereuses par Route* [*dangerous goods (4.22)*]

app applet (Java™a application or similar) *(4.5)*

© ISO 2014 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

AS	application service
ASP	*application service provider (4.7)*
CALM	*communications access for land mobiles (4.16)*
C-ITS	*cooperative intelligent transport systems (4.20)*
CZM	*controlled access zone (4.19)* management/manager
Dr	*driver (4.24)*
DWR	*driver work records (4.25)*
EMS	*emergency message system (4.26)*
ID	identity
IP	internet protocol
ITS-S	*ITS station (4.31)*
IVS	*in-vehicle system (4.29)*
J	*jurisdiction (4.32)*
Java™[a]	object-oriented open-source operating language developed by SUN systems
LDT	*local data tree (4.33)*
MICE/ MRC	*'Mass' information for jurisdictional control and enforcement (4.35)/'Mass' regulation and control*
Op	*operator (4.36)*
PSP	*prime service provider (4.36)*
RTM	*remote tachograph monitoring (4.40)*
SE	service element
SPF	secure parking facility
SZM	*sensitive/restricted zone management (4.43)*/manager
TARV	*telematics (4.48)* applications for *regulated vehicles (4.40)*
VAC	*vehicle access control (4.50)*
VAM	*vehicle access management (4.51)*
VLM	*vehicle location monitoring (4.52)*
VMM	*vehicle mass monitoring (4.53)*
VPF	*vehicle parking facilities (4.54)*
VSM	*vehicle speed monitoring (4.55)*

[a] This information is given for the convenience of users of this document and does not constitute an endorsement by ISO.

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014

6 General overview and framework requirements

ISO 15638-1 provides a *framework (4.28)* and *architecture (4.12)* for *TARV*. It provides a general description of the roles of the actors in *TARV* and their relationships.

To understand clearly the *TARV* framework, *architecture (4.12)*, and detail and *specification (4.46)* of the roles of the actors involved, the reader is referred to ISO 15638-1.

ISO 15638-6 provides the core requirements for all regulated applications. To understand clearly the general context in to which the provision of this application service, the reader is referred to ISO 15638-6.

In order to be compliant with this part of ISO 15638, the overall architecture employed shall comply with ISO 15638-1.

In order to be compliant with this part of ISO 15638, the communications employed shall comply with ISO 15638-2.

In order to be compliant with this part of ISO 15638, the operating requirements employed shall comply with ISO 15638-3.

In order to be compliant with this part of ISO 15638, the security employed shall comply with ISO 15638-4.

In order to be compliant with this part of ISO 15638, the basic vehicle data shall comply with ISO 15638-5.

In order to be compliant with this part of ISO 15638, the generic conditions for this application service shall comply with ISO 15638-6.

This International Standard has been developed for use in the context of regulated commercial freight vehicles [hereinafter referred to as '*regulated vehicles*' *(4.40)*]. There is nothing, however, to prevent a jurisdiction extending or adapting the scope to include other types of regulated vehicles, as it deems appropriate.

7 Requirements for services using generic vehicle data

The means by which the access commands for generic vehicle information specified in ISO 15638-5 can be used to provide all or part of the data required in order to support a *regulated application service (4.39)* shall be as defined in ISO 15638-6.

8 Application services that require data in addition to basic vehicle data

8.1 General

Application services that require data in addition to basic vehicle data shall be conducted as defined in ISO 15638-6.

8.2 Quality of service requirements

This part of ISO 15638 contains no general requirements concerning quality of service. Such aspects shall be determined by a *jurisdiction (4.32)* as part of its *specification (4.46)* for any particular *regulated application service (4.39)*. However, where a specified *regulated application service (4.39)* has specific quality of service requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10.

8.3 Test requirements

This part of ISO 15638 contains no general requirements concerning test requirements. Such aspects shall be determined by a *jurisdiction (4.32)* as part of its *specification (4.46)* for any particular *regulated application service (4.39)*, and issued as a formal test requirements *specification (4.46)* document.

AVA Documents
Document Sharing Hub

© ISO 2014 – All rights reserved

Full document details: BS ISO 15638-14:2014

However, where a specified *regulated application service (4.39)* has specific test requirements essential to maintain interoperability, these aspects shall be as specified in Clause 10 relating to this *regulated application service,* or in a separate standards deliverable referenced within that clause. Where multiple *jurisdictions* recognize a benefit to common test procedures for a specific *regulated application service,* this shall be the subject of a separate standards deliverable.

8.4 Marking, labelling and packaging

This part of ISO 15638 has no specific requirements for marking labelling or packaging.

However, where the privacy of an individual can be potentially or actually compromised by any instantiation based on this International Standard, the contracting parties shall make such risk explicitly known to the implementing *jurisdiction (4.32)* and shall abide by the privacy laws and regulations of the implementing *jurisdiction* and shall mark up or label any contracts specifically and explicitly drawing attention to any loss of privacy and precautions taken to protect privacy. Attention is drawn to ISO/TR 12859 in this respect.

9 Common features of regulated TARV application services

9.1 General

The details of the instantiation of *regulated application service (4.39)* are as designed by the application service system to meet the requirements of a particular *jurisdiction (4.32)* and are not defined herein. ISO 15638-6 specifies the generic roles and responsibilities of actors in the systems, and instantiations that claim compliance with this part of ISO 15638 shall also be compliant with the requirements of ISO 15638-6.

The means by which data are provisioned into the *data pantry (4.23)*, and the means to obtain the *TARV LDT (4.33)* and *core data (4.21)* are described in ISO 15638-6, Clause 8 (esp. 8.3).

In order to minimize demand on the *IVS (4.29)* [which it is assumed will be performing multiple *application services (4.6)* simultaneously, as well as supporting general safety related cooperative vehicle systems], and because national requirements and system offerings will differ, a 'cloud' approach has been taken in defining *TARV regulated application services (4.39)*.

The *TARV* approach is for the on-board *app (4.5)* supporting the application service to collect and collate the relevant data, and at intervals determined by the *app,* or on demand from the *application service provider (ASP) (4.7),* pass that data to the *ASP.* All of the actual application service processing shall occur in the mainframe system of the *ASP* (in the 'cloud').

For further information see ISO 15638-6, Clause 9.

At a conceptual level, The *TARV* system is therefore essentially simple, as shown in Figure 1. The process is similar to that for `CoreData`, but data are supplied to a different on-board file in the *data pantry (4.23)*.

© ISO 2014 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 15638-14:2014