



BSI Standards Publication

Indoor air

Part 43: Standard method for assessing the reduction rate of culturable airborne fungi by air purifiers using a test chamber

National foreword

This British Standard is the UK implementation of ISO 16000-43:2025.

The UK participation in its preparation was entrusted to Technical Committee EH/2/5, Emissions to internal environments.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2025
Published by BSI Standards Limited 2025

ISBN 978 0 539 16700 9

ICS 13.040.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2025.

Amendments/corrigenda issued since publication

Date	Text affected



International Standard

ISO 16000-43

Indoor air —

Part 43: Standard method for assessing the reduction rate of culturable airborne fungi by air purifiers using a test chamber

Air intérieur —

*Partie 43: Méthode normalisée d'évaluation du taux
d'abattement de champignons cultivables aéroportés par des
purificateurs d'air en chambre d'essai*

**First edition
2025-02**

Reference number
ISO 16000-43:2025(en)

Full document details: BS ISO 16000-43:2025

© ISO 2025  **Documents**
Document Sharing Hub



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus and materials	2
5.1 Apparatus	2
5.2 Materials	5
5.2.1 Test fungi	5
5.2.2 Culture media and reagents	5
6 Preparation of the stock cultures and working cultures of the test fungi	6
6.1 Preparation and maintenance of stock culture	6
6.2 Preparation and maintenance of working cultures of the test fungi on agar plates	6
6.3 Preparation of working culture suspensions	6
7 Procedure	6
7.1 General	6
7.2 Step 1 — Measurement of the concentration of culturable test fungi, C_i , without operating the air purifier	6
7.2.1 General	6
7.2.2 Preparation of the air purifier and the test chamber	7
7.2.3 Measurement of fungal background concentration in the test chamber	7
7.2.4 Nebulizing test fungal suspension	7
7.2.5 Measurement of the initial concentration of culturable fungi inside the test chamber after nebulizing	7
7.2.6 Measurement of the concentration of culturable fungi inside the test chamber after a defined time	8
7.2.7 Post-test actions	8
7.3 Step 2 — Measurement of the concentration of culturable test fungi, C_p , after operating the air purifier	8
8 Calculation and expression of results	8
8.1 Calculation of the concentration of airborne culturable fungi	8
8.2 Conditions for a valid test	9
8.3 Reduction rate of fungi	9
9 Test report	9
10 Quality assurance	10
Annex A (informative) Test chamber	11
Annex B (informative) Natural decay rate depending on the operating mode of the air purifier	13
Annex C (informative) Homogeneity	15
Annex D (informative) Test procedure diagram	16
Bibliography	17

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 6, *Indoor air*.

A list of all parts in the ISO 16000 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

An indoor microbial environment is important to the health of occupants, particularly with regard to increased time spent indoors.

Air purifiers are used to reduce the concentration of microorganisms in indoor air.

The efficiency of such air purifiers to reduce airborne microorganisms can be investigated in test chambers at constant temperature and relative air humidity.

