

Photography — Spatial resolution measurements of electronic scanners for photographic images —

Part 1: Scanners for reflective media

ICS 37.040.99

National foreword

This British Standard reproduces verbatim ISO 16067-1:2003 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee CPW/36, Photography, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii to v, a blank page, pages 1 to 19 and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 21 October 2004

© BSI 21 October 2004

INTERNATIONAL STANDARD

ISO
16067-1

First edition
2003-11-15

Photography — Spatial resolution measurements of electronic scanners for photographic images —

Part 1: Scanners for reflective media

*Photographie — Mesurages de résolution spatiale de scanners
électroniques pour images photographiques —*

Partie 1: Scanners pour milieux réfléchissants



Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Test chart	4
4.1 General	4
4.2 General characteristics	4
4.3 Test chart elements	6
5 Test conditions	7
5.1 General	7
5.2 Temperature and relative humidity	7
5.3 Luminance and colour measurements	8
5.4 Linearization	8
5.5 Scanner settings	8
6 Measuring the scanner OECF	8
7 Limiting visual resolution and its relation to SFR	8
8 Edge SFR test measurement	9
9 Presentation of results	9
9.1 General	9
9.2 Scanner OECF	10
9.3 Resolution measurements	11
Annex A (normative) Scanner OECF Test Patches	13
Annex B (normative) SFR algorithm	14
Annex C (informative) Using slanted edge analysis for colour spatial registration measurement	17
Bibliography	19

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 16067-1 was prepared by Technical Committee ISO/TC 42, *Photography*.

ISO 16067 consists of the following parts, under the general title *Photography — Spatial resolution measurements of electronic scanners for photographic images*:

- *Part 1: Scanners for reflective media*
- *Part 2: Film scanners*

Introduction

One of the most important characteristics of an electronic print scanner is the ability to capture the fine detail found in the original print. This ability to resolve detail is determined by a number of factors, including the performance of the scanner lens, the number of addressable photoelements in the image sensor(s) used in the scanner, and the electrical circuits in the scanner. Different measurement methods can yield different metrics that quantify the ability of the scanner to capture fine details.

This part of ISO 16067 specifies methods for measuring the limiting visual resolution and spatial frequency response calculated from a slanted edge (Edge SFR) imaged by a print scanner. The scanner measurements described in this part of ISO 16067 are performed in the digital domain, using digital analysis techniques. A test chart of appropriate size and characteristics is scanned and the resulting data analysed. The test chart described in this part of ISO 16067 is designed specifically for the evaluation of continuous tone print scanners. It is not designed for evaluating electronic still picture cameras, video cameras or bi-tonal document scanners.

The edge SFR measurement method described in this part of ISO 16067 uses a computer algorithm to analyse digital image data from the print scanner. Pixel values near slanted vertical and horizontal edges are used to compute the SFR values. The use of a slanted edge allows the edge gradient to be measured at many phases relative to the image sensor photoelements, so that the SFR can be determined at spatial frequencies higher than the half-sampling frequency, sometimes called the Nyquist limit. This technique is mathematically equivalent to a moving knife edge measurement.

Photography — Spatial resolution measurements of electronic scanners for photographic images —

Part 1: Scanners for reflective media

1 Scope

This part of ISO 16067 specifies methods for measuring and reporting the spatial resolution of electronic scanners for continuous tone photographic prints. It is applicable to both monochrome and colour print scanners.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5 (all parts), *Photography — Density measurements*

ISO 554, *Standard atmospheres for conditioning and/or testing — Specifications*

ISO 12231, *Photography — Electronic still-picture cameras — Terminology*

ISO 14524:1999, *Photography — Electronic still-picture cameras — Methods for measuring opto-electronic conversion functions (OECFs)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12231 and the following apply.

3.1

addressable photoelements

number of active photoelements in an image sensor equal to the number of active lines of photoelements, multiplied by the number of active photoelements per line

3.2

aliasing

output image artefacts that occur in a sampled imaging system for input images having significant energy at frequencies higher than the Nyquist frequency of the system

NOTE These artefacts usually manifest themselves as moiré patterns in repetitive image features or as jagged “stairstepping” at edge transitions.