



BSI Standards Publication

Film for wrapping rubber bales

Part 2: Natural rubber

National foreword

This British Standard is the UK implementation of ISO 20299-2:2017.

The UK participation in its preparation was entrusted to Technical Committee PRI/50, Raw materials (including latex) for use in the rubber industry.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017

Published by BSI Standards Limited 2017

ISBN 978 0 580 85579 5

ICS 83.040.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

**Film for wrapping rubber bales —
Part 2:
Natural rubber**

*Emballage des balles en caoutchouc —
Partie 2: Caoutchouc naturel*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Material	1
5 Physical properties	1
5.1 Thickness and specific gravity.....	1
5.2 Thermal properties.....	2
5.2.1 General.....	2
5.2.2 Vicat softening temperature.....	2
5.2.3 Differential scanning calorimeter - peak melting temperature.....	2
6 Marking	2
7 Test report	2