BS ISO 20712-3:2024

BSI Standards Publication

Water safety signs and beach safety flags

Part 3: Guidance for use

Documents
Document Sharing Hub

Full document details: BS ISO 20712-3:2024

National foreword

This British Standard is the UK implementation of ISO 20712-3:2024. It supersedes BS ISO 20712-3:2020, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PH/8/1, Graphical Symbols - Safety Signs.

A list of organizations represented on this committee can be obtained on request to its committee manager.

The UK committee draws users' attention to National Annex NA, which provides further guidance to assist users in the application of this standard.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2024
Published by BSI Standards Limited 2024

ISBN 978 0 539 24996 5

ICS 01.080.10; 97.220.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2024.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 20712-3:2024

International Standard

ISO 20712-3

Fourth edition
2024-05

Water safety signs and beach safety flags —

Part 3:
Guidance for use

Signaux de sécurité relatifs à l'eau et drapeaux de sécurité pour les plages —

Partie 3: Lignes directrices pour l'utilisation

Reference number
ISO 20712-3:2024(en)

© ISO 2024

Documents
Document Sharing Hub

Full document details: BS ISO 20712-3:2024

COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

Contents

Page

Foreword ... **v**
Introduction ... **vi**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Guidance for selection and siting of signs and flags ... **2**
4.1 Guidance for risk assessment ... 2
4.2 Siting ... 3
4.2.1 Water safety signs and multiple signs ... 3
4.2.2 Beach safety flags ... 3
5 Water safety signs ... **3**
5.1 General recommendations for aquatic environments ... 3
5.1.1 General ... 3
5.1.2 Mounting height ... 4
5.1.3 Lighting ... 4
5.1.4 Sign height and maximum viewing distance ... 4
5.1.5 Use of supplementary text ... 5
5.1.6 Construction: durability and suitability ... 6
5.1.7 Servicing and maintenance ... 6
5.2 Specific recommendations for the swimming pool environment ... 6
6 Beach safety flags ... **7**
6.1 General ... 7
6.2 Application of specific beach safety flags ... 7
6.2.1 Red flag BF.01 ... 7
6.2.2 Yellow flag BF.02 ... 7
6.2.3 Red/yellow flag BF.03 ... 7
6.2.4 Black/white flag BF.04 ... 8
6.2.5 Red/white flag BF.05 ... 8
6.2.6 Truncated orange cone ... 8
6.3 Materials for beach safety flags ... 8
6.4 Operation of flags ... 8
6.4.1 Mounting position ... 8
6.4.2 Size of flag ... 8
6.4.3 Hoisting and taking down of flags ... 8
6.5 Flagpole ... 9
6.6 Inspection and maintenance of flags and flagpoles ... 9
6.7 Storage of flags ... 9
7 Multiple signs ... **9**
7.1 General recommendations ... 9
7.2 Presentation of information ... 9
7.2.1 General ... 9
7.2.2 Typeface ... 9
7.2.3 Type size ... 9
7.2.4 Colour ... 10
7.2.5 Use of symbols ... 10
7.2.6 Terminology and language ... 10
7.3 Types of multiple sign ... 10
7.3.1 Approach signs ... 10
7.3.2 Primary access signs ... 11
7.3.3 Secondary access signs ... 12
7.3.4 Directional signs ... 13
Annex A (informative) **Distance factor** *z* ... **15**

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

Annex B (informative) **Examples of signing — swimming pools** **16**
Annex C (informative) **Examples of positioning — beach safety flags** **18**
Annex D (informative) **Typeface for text** **20**
Bibliography **22**

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 145, *Graphical symbols*, Subcommittee SC 2, *Safety identification, signs, shapes, symbols and colours*.

This fourth edition cancels and replaces the third edition (ISO 20712-3:2020), which has been technically revised.

The main changes are as follows:

— Clause 8 and Annex E have been deleted, as tsunami specifications have been incorporated into ISO 22578;

— minor editorial changes have been made throughout.

A list of all parts in the ISO 20712 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

Introduction

This document reflects good practice in the use of water safety signs and beach safety flags. The figures show examples of the selection and location of water safety signs and beach safety flags designed to provide information about aquatic hazards and the action necessary to avoid those hazards.

A standardized method of signing with the use of appropriate supplementary text throughout the working and public environment assists the process of education and instruction on the meaning of water safety signs and beach safety flags, and the appropriate actions to take. The intention of this document is to ensure a uniformity of application of water safety signs and beach safety flags which leads to increased familiarity, and therefore improved safety, for users, including visitors, and for the general public.

The figures within this document are based on assumptions that some people could be unfamiliar with the features of indoor or outdoor swimming pools or the beach. The figures are not intended to cover every potentially hazardous situation and they should be interpreted as recommendations and not as minimum requirements.

The use of water safety signs and beach safety flags does not replace the need for proper working methods and safety instruction or for training in accident prevention and the actions to be taken in the event of an emergency, or for the provision of lifeguards.

NOTE 1 The statutory regulations of some countries can differ in some respects from the recommendations given in this document.

NOTE 2 Some countries can differ in regard to the recommendations given in this document for the use of the diamond geometric shape for warning signs.

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

Water safety signs and beach safety flags —

Part 3:
Guidance for use

IMPORTANT — The colours represented in the electronic file of this document can be neither viewed on screen nor printed as true representations. For the purposes of colour matching see ISO 3864-4, which provides colorimetric and photometric properties together with, as a guideline, references from colour order systems.

1 Scope

This document gives guidance for the selection and use of water safety signs as specified in ISO 7010 and beach safety flags as specified in ISO 20712-2 in aquatic environments. It provides guidance on their location, mounting positions, lighting and maintenance. It also provides guidance on the design and location of multiple signs.

This document does not apply to traffic signs for use on the public highway or maritime signalling. It is not applicable to flags for use on firing ranges or to flags used to indicate water quality. It does not cover means of escape signs or their possible illumination.

NOTE This document refers to water safety signs which were originally specified in ISO 20712-1.[1)] These water safety signs have been integrated in ISO 7010, but are not specifically identified as water safety signs.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
beach
area forming a shoreline or sloping bank at the edge of the sea or a river estuary or lake

[SOURCE: ISO 20712-2:2007, 3.1]

3.2
beach safety flag
material that gives a particular safety message by means of a combination of one or more colours and a geometric shape, and is attached by one end to a pole or rope

Note 1 to entry: A flag can have additional support, for example a horizontal support.

1) Cancelled and replaced by ISO 7010.

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

[SOURCE: ISO 20712-2:2007, 3.2]

3.3
factor of distance
distance factor
z
relationship between the height, *h*, of a sign and the observation distance, *l*, used to determine observation distances of signs

$$z = l/h$$

[SOURCE: ISO 3864-1:2011, 3.2, modified — "distance factor" has been added as an admitted term.]

3.4
multiple sign
two or more *safety signs* (3.7) or associated supplementary information or both on the same carrier

3.5
pool basin
water tank where water-related activities can take place

3.6
pool surround
area around a *pool basin* (3.5) for entry and exit to the pool basin and general circulation space

3.7
safety sign
sign which gives a general safety message, obtained by a combination of a colour and geometric shape and which, by the addition of a graphical symbol, gives a particular safety message

[SOURCE: ISO 3864-1:2011, 3.12]

3.8
sign height
diameter of a circular geometric shape or height of a rectangular or triangular geometric shape of the type of *safety sign* (3.7)

Note 1 to entry: Any outer border to the safety sign is excluded. See ISO 3864-1.

4 Guidance for selection and siting of signs and flags

4.1 Guidance for risk assessment

Selection and use are determined following the results of a risk assessment. The risk assessment should take into account the following specific issues:

a) hazards and associated risks of the aquatic environment;

b) regulations or legislation;

c) operation and management of the aquatic environment;

d) users and their foreseeable behaviour.

In specific situations, other issues will possibly have to be considered in a risk assessment.

NOTE The users could be in unfamiliar environments, not wearing their normal sight-correction lenses or in bare feet.

As the result of the risk assessment, a comprehensive statement of requirements should be prepared and used as the basis for the detailed design and specification for the selection and use of signs and flags.

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024

4.2 Siting

4.2.1 Water safety signs and multiple signs

The siting of water safety signs and multiple signs should allow users to recognize hazards and take appropriate action to avoid them.

The following matters (issues, factors) should be considered:

a) location of hazards and their signage;

b) location of entrances or access to facilities;

c) location of any other signs;

d) location of architectural features, decor, structures, vegetation or people that could conceal or divert attention from signs;

e) lighting level and characteristics under both normal and mains-failure conditions;

f) appropriate supplementary text to water safety signs;

g) appropriate information on multiple signs.

4.2.2 Beach safety flags

The siting of beach safety flags should allow users to recognize hazards and take appropriate action to avoid them.

The following matters (issues, factors) should be considered:

a) nature and location of hazards and their relevant signage;

b) zoning or boundaries of aquatic activities;

c) location of structures, beach furniture or vegetation that could conceal or divert attention from flags;

d) location of flagpoles;

e) appropriate information on multiple signs, such as an explanation of the meaning of flags and the presence or otherwise of a lifeguard service.

5 Water safety signs

5.1 General recommendations for aquatic environments

5.1.1 General

The system designer should identify the locations of the hazards.

Safety signs should conform to ISO 7010. Safety signs should conform with the colorimetric and photometric requirements given in ISO 3864-4.

The required sign height of the safety sign should be determined from the maximum viewing distance under different external illumination conditions and the relevant distance factor, *z*, according to Table A.1.

The following principles should be taken into account when planning water safety signage. Signs should:

a) be sited conspicuously within the normal field of vision;

b) contrast with their surroundings;

© ISO 2024 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 20712-3:2024