BS ISO 21442:2022

BSI Standards Publication

Space systems — General requirements for control engineering

Documents
Document Sharing Hub

Full document details: BS ISO 21442:2022

National foreword

This British Standard is the UK implementation of ISO 21442:2022.

The UK participation in its preparation was entrusted to Technical Committee ACE/68, Space systems and operations.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 15357 6

ICS 49.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2022.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 21442:2022

INTERNATIONAL STANDARD

ISO 21442

First edition
2022-05

Space systems — General requirements for control engineering

Systèmes spatiaux — Exigences générales relatives aux techniques de régulation

Reference number
ISO 21442:2022(E)

Documents
Document Sharing Hub

© ISO 2022

Full document details: BS ISO 21442:2022

COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 21442:2022

Contents

Page

Foreword ... **v**
Introduction ... **vi**
1 Scope ... **1**
2 Normative references ... **1**
3 Terms and definitions ... **1**
4 Abbreviated terms ... **5**
5 Control engineering ... **5**
5.1 The general control structure ... 5
5.2 Project phases ... 6
5.3 Control engineering process ... 7
5.4 Control engineering tasks per project phase ... 10
6 Control engineering process requirement ... **16**
6.1 Control engineering management ... 16
6.1.1 General ... 16
6.1.2 Organization and planning of control engineering activities ... 16
6.1.3 Management of interfaces with other disciplines ... 16
6.1.4 Contribution to human factors engineering ... 16
6.1.5 Budget and margin philosophy for control ... 16
6.1.6 Assessment of control technology and cost effectiveness ... 17
6.1.7 Risk management ... 17
6.1.8 Support to control components procurement ... 17
6.1.9 Change control and configuration management ... 17
6.1.10 Control engineering capability assessment and resource management ... 17
6.1.11 System safety ... 17
6.1.12 Dependability management ... 17
6.1.13 Quality assurance ... 17
6.2 Requirements definition ... 17
6.2.1 General ... 17
6.2.2 Generation of control requirements ... 18
6.2.3 Allocation of control requirements to control components ... 18
6.3 Analysis ... 21
6.3.1 General ... 21
6.3.2 Analysis models, analysis methods and analysis tools ... 21
6.3.3 Requirements analysis ... 23
6.3.4 Control system performance analysis ... 24
6.4 Design ... 24
6.4.1 Control system architecture design ... 24
6.4.2 Control system functional design ... 25
6.4.3 Control system interface design ... 25
6.4.4 Control algorithm design ... 25
6.4.5 Control system software design ... 26
6.4.6 Control system configuration design ... 26
6.4.7 Control system implementation and operational design ... 26
6.5 Production ... 27
6.6 Verification and validation ... 27
6.6.1 General ... 27
6.6.2 Definition of control verification strategy ... 27
6.6.3 Preliminary verification of performance ... 28
6.6.4 Final functional and performance verification ... 28
6.6.5 In-flight validation ... 28
6.7 Operation ... 29
6.8 Maintenance ... 29

AVA Documents
Document Sharing Hub

© ISO 2022 – All rights reserved

Full document details: BS ISO 21442:2022

6.8.1 Equipment maintenance 29
6.8.2 Software maintenance 29
6.9 Disposal 29
Annex A (informative) **Tailoring guidelines** **30**
Bibliography **34**

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

Introduction

The development of control systems applied to space systems requires cooperation among multi-disciplinary technology fields. A control system is often comprised of a large system integration of these technology fields. The development also requires cooperation with higher-level systems and the systems engineering method.

The purpose of this document is to provide general requirements for the entire life cycle in control systems development including the systems engineering method required for developing control systems applicable to space systems. Control engineering refers to systematic activities using systems engineering methods to realize the control system. The concepts, methods and models of system engineering are also applicable to control engineering. This document focuses on the special requirements of control engineering.

The development of a control system involves important aspects of system engineering, electrical and electronic engineering, mechanical engineering, software engineering, communications, ground systems and operations – all of which have their own dedicated standards. This document does not intend to duplicate them.

This document focuses on the specific issues involved in control engineering and is intended to be used as a structured set of systematic engineering provisions, referring to the specific standards and handbooks of the discipline where appropriate. For this and given the very rapid progress of control component technologies and associated “de facto” standards, this document does not go to the level of describing equipment or interfaces. Specific project or program standards are prepared for these purposes.

This document is not intended to replace textbook material on control systems theory or technology; and such material is intentionally avoided. The users of this document are assumed to possess general knowledge of control systems engineering and its applications to space missions.

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

Space systems — General requirements for control engineering

1 Scope

This document deals with control systems developed as part of a space project. It is applicable to all the elements of a space control system, including the space segment, the ground segment and the launch service segment.

This document establishes general principles for all technical activities of space control engineering, including control engineering management, requirements definition, analysis, design, production, verification and validation, operation, maintenance, and disposal. It also provides requirements to progressively refine and manage control system realizations in space systems including multiple control systems.

The requirements of this document can be tailored for each specific space program application.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 14300-1, *Space systems — Programme management — Part 1: Structuring of a project*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
activity
set of cohesive *tasks* (3.26) of a *process* (3.21)

[SOURCE: ISO/IEC/IEEE 15288:2015, 4.1.3]

3.2
actuator
component that performs the moving function of a mechanism

Note 1 to entry: An actuator can be either an electric motor, or any other mechanical (e.g. spring) or electric component or part providing the torque or force for the motion of the mechanism.

[SOURCE: ISO 26871:2020, 3.1.1]

3.3
control
purposeful action on or in a *process* (3.21) to meet specified objectives

Note 1 to entry: Control includes function of the *controller* (3.14) to derive *control commands* (3.4) to match the current or future estimated state with the desired state.

© ISO 2022 – All rights reserved

AVA Documents Document Sharing Hub
Full document details: BS ISO 21442:2022

[SOURCE: IEC 60050-351:2013, 351-42-19, modified — The original notes to entry has been replaced by a new note 1 to entry.]

3.4
control command
output of the *controller* (3.14) to the *actuators* (3.2) and the *sensors* (3.24)

Note 1 to entry: This definition is applicable in case of sensors with command interfaces.

3.5
control component
element of the *control system* (3.12) which is used in part or in total to achieve the *control objectives* (3.9)

3.6
control engineering
systematic *activities* (3.1) using systems engineering methods to realize the *control system* (3.12)

3.7
control function
group of related *control* (3.3) actions (or *activities* (3.1)) contributing to achieving some of the *control objectives* (3.9)

Note 1 to entry: A control function describes what the *controller* (3.14) does, usually by specifying the necessary inputs, boundary conditions and expected outputs.

3.8
control mode
temporary operational configuration of *control systems* (3.12) implemented through a unique set of *sensors* (3.24), *actuators* (3.2) and *controller* (3.14) algorithms acting upon a given *controlled plant* (3.11) configuration

3.9
control objective
goal that the *controlled system* (3.13) is supposed to achieve

Note 1 to entry: Control objectives are issued as requests to the *controller* (3.14), to give the *controlled plant* (3.11) a specified *control performance* (3.10) despite the disturbing influences of the environment. Depending on the complexity of the control problem, control objectives can range from very low-level commands to high-level mission goals.

3.10
control performance
quantified capabilities of a *controlled system* (3.13)

Note 1 to entry: The control performance is usually the quantified output of the *controlled plant* (3.11).

Note 2 to entry: The control performance is shaped by the *controller* (3.14) through *sensors* (3.24) and *actuators* (3.2).

3.11
controlled plant
plant
physical system, or one of its parts, which is the target of the control problem

Note 1 to entry: The control problem is to modify and shape the intrinsic behaviour of the controlled plant such that it yields the *control performance* (3.10) despite its (uncontrolled other) interactions with its environment.

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

3.12
control system
part of a *controlled system* (3.13) which is designed to give the *controlled plant* (3.11) the specified *control objectives* (3.9)

Note 1 to entry: This includes all relevant functions of *controllers* (3.14), *sensors* (3.24) and *actuators* (3.2).

3.13
controlled system
control (3.3) relevant part of a system to achieve the specified *control objectives* (3.9)

Note 1 to entry: This includes the *control system* (3.12) and the *controlled plant* (3.11).

3.14
controller
control component (3.5) designed to give the *controlled plant* (3.11) a specified *control performance* (3.10)

Note 1 to entry: The controller interacts with the controlled plant through *sensors* (3.24) and *actuators* (3.2). In its most general form, a controller can include hardware, software, and human operations. Its implementation can be distributed over the space segment and the ground segment.

3.15
dependability
<of an item> ability to perform as and when required

Note 1 to entry: Its main components are *reliability* (3.22), availability and *maintainability* (3.17).

Note 2 to entry: The extent to which the fulfilment of a required function can be justifiably trusted.

Note 3 to entry: Dependability shall be considered in conjunction with *safety* (3.23).

Note 4 to entry: Dependability is used as a collective term for the time-related quality characteristics of an item.

[SOURCE: ISO 10795:2019, 3.80]

3.16
guidance
function of the *controller* (3.14) to define the current or future desired state

Note 1 to entry: This term is used as in guidance and *navigation* (3.18) *control system* (3.12) (GNC).

Note 2 to entry: GNC and attitude and orbit control systems (AOCS) or are often decomposed as two separate subsystems.

3.17
maintainability
<of an item> ability to be retained in, or restored to a state in which it can perform as required, under given conditions of use and maintenance

Note 1 to entry: Given conditions of use may include storage.

Note 2 to entry: Given conditions of maintenance include the procedures and resources for use.

Note 3 to entry: Maintainability may be quantified using such measures as mean time to restoration, or the probability of restoration within a specified period of time.

[SOURCE: ISO 10795:2019, 3.144]

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

3.18
navigation
function of the *controller* (3.14) to determine the current or future estimated state from the measured state

Note 1 to entry: This term is used as in *guidance* (3.16) and navigation *control system* (3.12) (GNC).

3.19
operability
feature of the spacecraft itself that enables a specified ground segment to operate the space segment during the complete mission lifetime of the spacecraft

[SOURCE: ISO 14950:2004, 3.1.7, modified — Note 1 to entry has been removed.]

3.20
pointing control
function of determining the direction of the *controlled plant* (3.11), turning toward a target, and remaining fixed on that target

3.21
process
set of interrelated or interacting *activities* (3.1) that use inputs to deliver an intended result

[SOURCE: ISO 9000:2015, 3.4.1, modified — Notes to entry have been removed.]

3.22
reliability
ability of an item to perform a required function under given conditions for a given time interval

[SOURCE: ISO 10795:2019, 3.198, modified — Notes to entry have been removed.]

3.23
safety
state where an acceptable level of risk is not exceeded

Note 1 to entry: Risk relates to:

— fatality,

— injury or occupational illness,

— damage to launcher hardware or launch site facilities,

— damage to an element of an interfacing crewed flight system,

— the main functions of a flight system itself,

— pollution of the environment, atmosphere or outer space, and

— damage to public or private property.

[SOURCE: ISO 10795:2019, 3.210, modified — "manned" has been changed to "crewed".]

3.24
sensor
device that measures states of the *controlled plant* (3.11) and provides them as feedback inputs to the *controller* (3.14)

3.25
simulation
use of a similar or equivalent system to imitate a real system, so that it behaves like or appears to be the real system

[SOURCE: ISO 16781:2021, 3.1.9]

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022

3.26
task
required, recommended, or permissible action, intended to contribute to the achievement of one or more outcomes of a *process* (3.21)

[SOURCE: ISO/IEC/IEEE 15288:2015, 4.1.50]

4 Abbreviated terms

CE	control engineering
EGSE	electrical ground support equipment
FDIR	fault detection, isolation and recovery
H/W	hardware
ICD	interface control document
SE	system engineering
S/W	software
V&V	verification and validation
TM/TC	telemetry-telecommand
TRL	technology readiness levels
TT&C	telemetry, tracking and control

5 Control engineering

5.1 The general control structure

To illustrate and delineate the scope of CE, Figure 1 shows a general control structure.

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022



Figure 1 — General control structure

CE, as applied to control system development, in which performance and functional requirements and trade-offs are allocated aspects of top-level systems design, performs in close cooperation with systems engineering as specified in ISO 18676. CE aims at hands-on guidelines for developing the control system, while SE is common for any technical field.

The controlled system can be realized as multiple instantiations of the general control structure. Control engineering activities specified in this document are implemented for developing a control system controlling each controlled target, and those activities are integrated within the controlled system development.

Control system always includes some kind of feedback loop. The intrinsic behaviour and output of the controlled plant do not meet the expectations without being modified and shaped. For space applications, the controlled plant can be:

a) satellite (its attitude, orbit) or a cluster of satellites;

b) spacecraft during re-entry, landing, rendezvous or docking;

c) pointing control system;

d) robot arm system;

e) rover;

f) automation of payload and experiment facility;

g) launch vehicle;

h) any other technical system involving feedback control.

5.2 Project phases

As defined in ISO 14300-1, to minimize the technical, scheduling and economical risk of the project, and to make the progress of the project being controlled, the product life cycle shall be divided into distinct phases which are interlinked.

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 21442:2022