

Rubber compounding ingredients — Carbon black — Determination of high-temperature loss on heating by thermogravimetry

ICS 83.040.20

Confirmed August 2008

National foreword

This British Standard reproduces verbatim ISO 21870:2005 and implements it as the UK national standard.

The UK participation in its preparation was entrusted to Technical Committee PRI/50, Rubber — raw, natural and synthetic, including latex and carbon black, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international publications referred to in this document may be found in the *BSI Catalogue* under the section entitled “International Standards Correspondence Index”, or by using the “Search” facility of the *BSI Electronic Catalogue* or of British Standards Online.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, the ISO title page, pages ii and iii, a blank page, pages 1 to 4, an inside back cover and a back cover.

The BSI copyright notice displayed in this document indicates when the document was last issued.

Amendments issued since publication

Amd. No.	Date	Comments

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 1 February 2005

© BSI 1 February 2005

ISBN 0 580 45395 2

INTERNATIONAL STANDARD

ISO
21870

First edition
2005-01-15

Rubber compounding ingredients — Carbon black — Determination of high-temperature loss on heating by thermogravimetry

*Ingrédients de mélange du caoutchouc — Noir de carbone —
Détermination de la perte à la chaleur à haute température par
thermogravimétrie*



