

Titanium and titanium alloys — Determination of oxygen — Infrared method after fusion under inert gas

ICS 77.120.50

National foreword

This British Standard is the UK implementation of ISO 22963:2008.

The UK participation in its preparation was entrusted to Technical Committee NFE/35, Light metals and their alloys.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 May 2008

© BSI 2008

ISBN 978 0 580 57636 2

Amendments/corrigenda issued since publication

Date	Comments

INTERNATIONAL STANDARD

ISO
22963

First edition
2008-01-15

Titanium and titanium alloys — Determination of oxygen — Infrared method after fusion under inert gas

*Titane et alliages de titane — Dosage de l'oxygène — Méthode
par infrarouge après fusion sous gaz inerte*



Reference number
ISO 22963:2008(E)



Documents

Document Sharing Hub

Contents

Page

Foreword.....	iv
1 Scope	1
2 Principle	1
3 Reagents	1
4 Apparatus	2
5 Sample	3
6 Procedure	3
7 Precision	6