BS ISO 23992:2022



BSI Standards Publication

Soil quality — Framework for detailed recording and monitoring of changes in dynamic soil properties

bsi.

Documents
Document Sharing Hub

Full document details: BS ISO 23992:2022

National foreword

This British Standard is the UK implementation of ISO 23992:2022.

The UK participation in its preparation was entrusted to Technical Committee EH/4, Soil quality.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 12839 0

ICS 13.080.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2023.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO 23992:2022

INTERNATIONAL STANDARD

ISO 23992

First edition
2022-07

Soil quality — Framework for detailed recording and monitoring of changes in dynamic soil properties

Qualité du sol — Cadre pour l'enregistrement détaillé et la surveillance des modifications des propriétés dynamiques du sol

Reference number
ISO 23992:2022(E)

Documents
Document Sharing Hub
© ISO 2022

Full document details: BS ISO 23992:2022



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO 23992:2022

Contents

Page

Foreword ..... **iv**
Introduction ..... **v**
1 Scope **1**
2 Normative references **1**
3 Terms and definitions **1**
4 Principle **1**
5 Methodology **3**
5.1 Obtaining data 3
5.1.1 General 3
5.1.2 Level 0 — Metadata 3
5.1.3 Level 1 — Soil formation processes and horizon number 3
5.1.4 Level 2 — Soil structure and bulk density 4
5.1.5 Level 3 — Organic carbon 6
5.1.6 Level 4 — pH and electrical conductivity 6
5.1.7 Level 5 — Soil and landscape contextual data 6
5.2 Generating a soil fingerprint code 7
5.2.1 General 7
5.2.2 Populating soil fingerprint code levels 7
6 Reporting **12**
Annex A (informative) **List of recommended codes with descriptions** **13**
Annex B (informative) **Concordance table of soil description system coding for soil structure types** **20**
Annex C (informative) **Printable field observation templates for recording field observations at the study site** **21**
Annex D (informative) **Printable field reference sheets for use at the study site** **24**
Annex E (informative) **Example of the application of the framework** **30**
Bibliography **32**

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022

Introduction

Since it is not an absolute concept, even within a single purpose that soil can serve (e.g. natural habitat, recreational land, agriculture, ecosystem services), soil quality is difficult to define and quantify. Surface soil (also referred to as the surface A horizon or topsoil) with good quality is characterized by improved soil structure, greater water retention, nutrient cycling and aeration, and enhanced biological diversity[1]. Surface soil provides the major portion of nutrients, water and air for supporting plant and microbial growth, and is dynamic both spatially and temporally with respect to soil processes and properties. In the face of increasing global degradation of soil resources there is a growing need to describe dynamic soil properties related to soil function, along with dynamic and static conditions that influence function, in order to, for example, track effects of land management (e.g. remediation, agricultural practices) on soil quality (e.g. crop yield, drought resilience) or develop dynamic soil properties databases to enhance existing soil survey databases for estimation of carbon stocks in soils, sustainable agriculture, etc. ISO 25177 standardizes soil description for use in pedological, environmental or other studies in the field at site and plot scales. When combined with the precise system of recording needed to monitor and track changes in surface soils described in this document, data collected is optimally used, for example to identify trends due to changes in land use or land management.

This document is a framework to integratively record and monitor changes in physical, chemical and biological soil properties in surface soils as well as to systematically document landscape conditions and land use management practices. The framework records and facilitates the monitoring of soil surface horizon characteristics that represent dynamic soil properties (e.g. soil structure, organic carbon) inherent soil properties (e.g. soil texture), and landscape features (e.g. slope), land use (e.g. crop type) and land management activities (e.g. tillage practices). Collecting “contextual” data in addition to data on dynamic and static soil properties allows for comparative interpretations of soil quality change and the ability to identify trends due to changes in management practices or remediation efforts among different soils, or the same soils under different conditions or at different times.

The criteria chosen and used in the framework for soil descriptions were field-tested with the goal of maximizing information necessary for making soil quality interpretations and for designing decision models for assessing the state of soil quality. The soil quality description framework has been field-tested at sites in eastern Canada (Ontario)[2] and western Canada (British Columbia)[3] as well as in northern (Osnabrück) and eastern (Müncheberg) Germany. The framework has also been used in field studies to determine its ability to characterize surface soil in agricultural soils in Russia (Siberia).[4] In this study, differences in soil fingerprint codes were statistically compared using hierarchical cluster analyses.

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022

Documents
Document Sharing Hub

Full document details: BS ISO 23992:2022

Soil quality — Framework for detailed recording and monitoring of changes in dynamic soil properties

1 Scope

This document provides a framework for the detailed assessment and monitoring of dynamic soil properties related to soil function with concomitant recording of in-situ static soil properties, landscape, land use and soil management practices that influence function at the time the data were collected. It is applicable to the assessment of soil quality in agricultural landscapes, contaminated sites and natural soil ecosystems at plot, field and landscape spatial scales. It can also be applied in the development of dynamic properties databases to enhance existing soil survey databases for estimation of carbon stocks in soils, sustainable agriculture, landscape management etc.

Although the soil quality description framework has been developed to describe surface soils, the same principles can be applied to adapt the framework to describe subsurface soil horizons.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11074, *Soil quality — Vocabulary*

ISO 25177, *Soil quality — Field soil description*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11074 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

— ISO Online browsing platform: available at https://www.iso.org/obp

— IEC Electropedia: available at https://www.electropedia.org/

3.1
soil fingerprint code
single line of soil and environmental information compiled using a system of formatting and syntax that is unique to an individual soil sample

Note 1 to entry: A soil fingerprint code developed in accordance with this document is considered metadata.

4 Principle

The soil quality description framework uses a system of formatting and syntax to record various soil and environmental information about a soil sample in a single line that is unique to a soil sample at the time the data were collected. This single line, or code, is analogous to the generation of a genetic code or "soil fingerprint" for a soil sample. The framework is designed with specific formatting and syntax so that each level of description is easily identifiable in the recorded soil fingerprint code. The symbols used to generate the soil fingerprint codes were developed using elements from several national and global soil description systems (including the Food Agriculture Organization of the United Nations

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022

(FAO), Canada, Germany, Australia, New Zealand and the United States) as well from field observations to address knowledge gaps identified during field assessments.

NOTE The framework does not attempt to recreate any particular international or national soil description, or try to use only one system or standard for its terminology. The framework stands outside traditional soil description terminology, which is primarily used for enabling the classification of soils. The framework has borrowed from many systems in order to maximize the ability to record what is observed in the field/landscape and measured in the laboratory, and then uses the complete set of information in the format of a soil fingerprint code. This soil fingerprint code is then used to determine changes in soil quality and obtain an understanding of where the change is happening. Because the framework is designed to be flexible (i.e. levels and codes can be changed depending on the application of the framework) it can be used with any international or national soil classification system (e.g. see Annex A for an example concordance table of soil description coding for soil structure types).

The framework generates five levels of information in a soil fingerprint code:

— Level 1 – soil process, parent materials and mode of deposition;

— Level 2 – soil structure attributes and bulk density;

— Level 3 – percentage organic carbon;

— Level 4 – pH/electrical conductivity;

— Level 5 – soil and landscape context.

Once all of the data have been obtained the soil fingerprint code is generated using symbology and syntax rulesets. In brief, each level has a defined location in the soil fingerprint code, and the order and specific syntax (brackets, semi-colons, etc.) within each level indicates the type of information that augments the symbol "A" which indicates that the soil is an A, or surface soil, horizon. A description of the five levels of information and their associated syntax is provided in Tables 1 and 2 with detailed descriptions of individual codes and symbols for each level provided in Annex B.

The soil quality description framework includes organic carbon, soil pH, electrical conductivity, bulk density and especially soil structure as these are considered key dynamic properties to record when monitoring the effect of land use and land management on soil quality in agricultural, contaminated, forest and other natural soil ecosystems[14]. It is recommended to refer to related International Standards for each of the chemical and bulk density measurements (e.g. ISO 10390[15], ISO 10694[16], ISO 14235[17], ISO 11265[18], ISO 11272[19], ISO 11508[20]).

A key design feature of the soil quality description framework is that the amount and type of data in the code is flexible; any soil information in Levels 1 to 5 may be excluded if it is not deemed important for study objectives or data interpretation. Conversely, new levels and associated syntax and symbols may be developed for inclusion into the framework depending on study objectives (e.g. microbial structure and function endpoints, ecotoxicity, soil fertility, soil pore characteristics, water infiltration rate, etc.). Many International Standards that measure dynamic soil properties or indicators of soil function (e.g. soil aggregate stability, effect of pollution on earthworms and collembolans, soil microbial respiration, sampling of soil invertebrates) can be incorporated into the soil framework. Additional information such as sampling date, soil horizon depth and sample location identifying coordinates (e.g. GPS or latitude/longitude coordinates) can also be integrated into a soil fingerprint code.

If extensive databases of soil codes are created, interpretative frameworks for individual codes specific to soil type, land use and climate (and broad study objectives) can be created.

© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022

5 Methodology

5.1 Obtaining data

5.1.1 General

The quality of field-observed data depends on the knowledge and experience of the observer. To ensure consistent soil observations field soil descriptions should be conducted by trained and experienced personnel, ideally those familiar with similar landscapes, soil types and project objectives (see ISO 25177).

All quantitative data measured for all soil quality framework levels shall be recorded and reported in International Units. ISO 18400-101 [5], ISO 18400-102[6], ISO 18400-103[7], ISO 18400-104 [8], ISO 18400-203[11] and ISO 18400-205[12] can be applied for soil sampling preparation and sampling implementation. Regarding QA/QC procedures, where aspects of soil description are mentioned or given in ISO 18400-106, ISO 18400-106 can be applied. Alternatively or in addition, other guidance on QA/QC can be applicable.

To facilitate digital exchange of soil related data, ISO 28258 can be applied[13].

The data to be collected and the method(s) used to collect data for each soil quality framework level shall be decided in advance and documented in a sampling plan. If a decision is made to not collect data for one or more levels the decision and the reason for it shall also be recorded in a sampling plan. Deviations from the plan and the reasons for these deviations shall be recorded. If a specific soil taxonomic classification is used instead of the symbology in the framework (see Annex B), the classification system (including reference) used shall be recorded in the sampling plan.

Subclauses 5.1.2 to 5.1.7 describe the collection of data required to populate each soil quality framework level.

5.1.2 Level 0 — Metadata

Metadata associated with the collection of each soil fingerprint code shall be collected and/or recorded and include:

— date (and where applicable and/or possible, time) of soil sample collection;

— geospecific location of soil sample collection (e.g. latitude and longitude or global positioning system coordinates with associated projections, etc.);

— identification references of soil sample locations (e.g. project number, project name, field site, field plot, sampling position, sample number, etc., as appropriate); field site, field plot, field replicate names, as appropriate);

— upper and lower extents of soil horizon depth (m) from soil surface of sample collected.

These metadata shall be recorded in the sampling plan and collated with soil fingerprint codes (see Figure 3 and Annex A).

Existing or antecedent field conditions that can influence soil sample data (e.g., dry or wet soil conditions) should be recorded. ISO 25177 description shall be applied for description of other metadata.

5.1.3 Level 1 — Soil formation processes and horizon number

Level 1 soil formation process data can be obtained from soil survey records. To determine horizon number, the soil profile of the entire surface soil horizon shall be exposed. This can be done by excavating a small soil pit using a spade or shovel to the entire depth of the A horizon [see Figure 1 a)]. When excavating the pit, the integrity of the soil profile shall be maintained so the depth of each surface soil sub-horizon can be determined and recorded [see Figure 1 b), c)].

Documents
Document Sharing Hub

© ISO 2022 – All rights reserved

Full document details: BS ISO 23992:2022

5.1.4 Level 2 — Soil structure and bulk density


To collect Level 2 data on soil structure attributes, the soil profile of the entire A (surface) soil horizon shall be exposed as described in 5.1.3. When excavating the pit, the integrity of the soil profile shall be maintained (e.g. expose a smooth vertical surface) to observe details in soil structure, textural change and soil biotic influences. Digital photograph recording of the exposed soil pit for later reference is recommended.

Once a soil pit has been excavated to the B horizon [see Figure 1 a)], the full depth of the A horizon is measured and recorded [see Figure 1 b), c)]. Sub-horizons are identified by changes in colour and/or by gentle prodding of a smooth vertical surface using a spade or knife to detect apparent changes in compaction. If sub-horizons are present recording their upper and lower depths from the surface is recommended [see Figure 1 c)]. The identification and description of separate A sub-horizons is recommended but not required. Whether or not sub-horizons are described depends on the objective(s) of the project.


If soil structure attributes are being included in the soil fingerprint code, soil structure type, size class, percentage of type and size class, consistency and extent of organization of different structural types shall be visually assessed [Figure 1 d), e)] by experienced field personnel. If one or more sub-horizons are present soil structural information can be collected for each sub-horizon. There are many visual soil assessment protocols available, but the use of guidance provided in ISO 25177 and/or United Nations Food and Agriculture Organization (FAO) Guidelines for soil description[21] is recommended. Recording of soil structure type, size class, percentage of type and size class, consistency and extent of organization of different structural types using the framework symbology and syntax (see Table 2, Annexes A, B and C) is recommended.

Level 2 bulk density data can be measured or estimated or both. If measured, it should be determined by laboratory analyses of intact field cores sampled adjacent to (i.e. within 1 m radius of) the soil pit following ISO 11272[19]. Bulk density should be estimated following the FAO guidelines for field estimation of bulk density for mineral soils if applicable[21]. Bulk density samples may also be taken from the vertical soil pit surface if doing so is consistent with the project objectives specified in the sampling plan. Bulk density shall be coded either as actual measured values or be coded as a range class, and the range class as defined in the framework (from <1,2 to >1,8 g/m^3) should be used.


© ISO 2022 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022



a) Exposed vertical soil face of full A horizon




b) Measurement of full A horizon depth



c) Measurement of upper and lower depths of A sub-horizons



d) Soil sample removed comprising the entire A horizon



e) Visual assessment of soil structure for full A horizon

© ISO 2022 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO 23992:2022