



BSI Standards Publication

Composition cork — Gasket material — Test methods

National foreword

This British Standard is the UK implementation of ISO 4708:2017. It supersedes BS ISO 4708:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/81, Cork.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 98522 5

ICS 79.100; 21.140

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
4708

Fourth edition
2017-09-02

Composition cork — Gasket material — Test methods

*Aggloméré composé de liège — Joints pour industries mécaniques —
Méthodes d'essai*



Reference number
ISO 4708:2017(E)
Documents
Document Sharing Hub
© ISO 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Apparatus	2
5 Reagents	2
6 Sampling and preparation of test specimens	2
6.1 Sampling	2
6.2 Preparation of the test specimens	2
6.3 Conditioning	3
7 Tests	3
7.1 Determination of thickness	3
7.2 Determination of apparent density	3
7.3 Determination of tensile strength	3
7.4 Determination of compressibility and recovery	3
7.5 Resistance to boiling water	3
7.6 Flexibility	4
7.6.1 Method A	4
7.6.2 Method B	4
7.7 Behaviour of composition cork and rubbercork in fluids	4
7.7.1 Behaviour in ASTM IRM 903 oil	4
7.7.2 Behaviour in ASTM IRM 901 oil	5
7.7.3 Behaviour in ASTM Fuel A (or equivalent)	5
8 Test report	6
Annex A (normative) Reagents' characteristics	7
Bibliography	8