

Hydraulic fluid power — Mounting dimensions for single rod cylinders, 16 Mpa (160 bar) series —

Part 1: Medium series

ICS 23.100.20

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW



Document Sharing Hub

National foreword

This British Standard reproduces verbatim ISO 6020-1:1998 and implements it as the UK national standard. It supersedes BS 6331-1:1983 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/18, Machine tools, which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on the interpretation, or proposals for change, and keep the UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

A list of organizations represented on this committee can be obtained on request to its secretary.

Cross-references

The British Standards which implement international or European publications referred to in this document may be found in the BSI Standards Catalogue under the section entitled “International Standards Correspondence Index”, or by using the “Find” facility of the BSI Standards Electronic Catalogue.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the ISO title page, pages ii to iv, pages 1 to 10 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

This British Standard, having been prepared under the direction of the Engineering Sector Committee, was published under the authority of the Standards Committee and comes into effect on 15 December 1998

© BSI 05-1999

ISBN 0 580 30803 0

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
National foreword	Inside front cover
Foreword	iii
Text of ISO 6020-1	1

INTERNATIONAL STANDARD

ISO 6020-1

Second edition
1998-10-15

Hydraulic fluid power — Mounting dimensions for single rod cylinders, 16 MPa (160 bar) series —

Part 1: Medium series

*Transmissions hydrauliques — Dimensions d'interchangeabilité des vérins
16 MPa (160 bar) à simple tige —*

Partie 1: Série moyenne



Contents

	Page
Foreword	iii
Introduction	1
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Dimensions	1
5 Bore sizes	2
6 Mounting styles	2
7 Piston rod characteristics	2
8 Identification statement (reference to this part of ISO 6020)	2
Annex A (informative) Bibliography	10
Figure 1 — General dimensions	2
Figure 2 — MF1 — Head rectangular flange mounting and MF2 — Cap rectangular flange mounting	4
Figure 3 — MF3 — Head circular flange mounting and MF4 — Cap circular flange mounting	5
Figure 4 — MP3 — Cap fixed eye mounting, MP4 — Cap detachable eye mounting, MP5 — Cap fixed eye with spherical plain bearing mounting and MP6 — Cap detachable eye with spherical plain bearing mounting	6
Figure 5 — MS2 — Side lugs mounting	7
Figure 6 — MT4 — Intermediate trunnion (male) mounting	8
Table 1 — General dimensions	3
Table 2 — Dimensions of rectangular flange mounting	4
Table 3 — Dimensions of circular flange mounting	5
Table 4 — Dimensions of cap eye mounting	6
Table 5 — Dimensions of side lugs mounting	7
Table 6 — Dimensions of intermediate trunnion (male) mounting	8
Table 7 — Port and flange sizes	9