

Plastics — Determination of dynamic mechanical properties —

Part 9: Tensile vibration — Sonic-pulse propagation method

ICS 83.080.01

National foreword

This British Standard is the UK implementation of ISO 6721-9:1997+A1:2007. It supersedes BS 2782-3:Method 323F:1997 (ISO 6721-9:1997), which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to ISO text carry the number of the ISO amendment. For example, text altered by ISO amendment 1 is indicated by A1 A1.

The UK participation in its preparation was entrusted to Technical Committee PRI/21, Testing of plastics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Board and comes into effect on 15 August 1997

© BSI 2008

ISBN 978 0 580 61534 4

Amendments/corrigenda issued since publication

Date	Comments
30 April 2008	Implementation of ISO amendment 1:2007 and renumbering of BS 2782-3:Method 323F:1997 as BS ISO 6721-9:1997+A1:2007

INTERNATIONAL STANDARD

ISO
6721-9

First edition
1997-06-01

Plastics — Determination of dynamic mechanical properties —

Part 9: Tensile vibration — Sonic-pulse propagation method

Plastiques — Détermination des propriétés mécaniques dynamiques —

*Partie 9: Vibration en traction — Méthode de propagation de signaux
acoustiques*



Reference number
ISO 6721-9:1997(E)

AVA Documents
Document Sharing Hub

Contents

	Page
Foreword	iii
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Principle	1
5 Test device	1
6 Test specimens	2
7 Number of specimens	2
8 Conditioning	2
9 Procedure	2
10 Expression of the results	2
11 Precision	3
12 Test report	3
Annex A (informative) Precision	5
Figure 1 — Schematic diagram of suitable apparatus for measuring pulse velocity between a transmitting and a receiving transducer	3
Figure 2 — Linear regression of distance and arrival time	4
Table A.1 — Repeatability data for tensile storage modulus E' measured at 10 kHz	5

Descriptors: Plastics, rigid plastics, tests, mechanical tests, determination, mechanical properties, dynamic properties, tensile modulus, test equipment.