

Rubber-covered rollers — Determination of apparent hardness —

Part 3: Pusey and Jones method

ICS 83.140.99

National foreword

This British Standard is the UK implementation of ISO 7267-3:2007. It supersedes BS 7442-3.3:1992 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/22, Physical testing of rubber.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 29 February 2008

© BSI 2008

ISBN 978 0 580 56663 9

Amendments/corrigenda issued since publication

Date	Comments

INTERNATIONAL STANDARD

ISO
7267-3

Second edition
2007-06-01

Rubber-covered rollers — Determination of apparent hardness —

Part 3: Pusey and Jones method

*Cylindres revêtus de caoutchouc — Détermination de la dureté
apparente —*

Partie 3: Méthode Pusey et Jones



Reference number
ISO 7267-3:2007(E)

AVA Documents
Document Sharing Hub

Contents		Page
Foreword.....		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions.....	2
4	Time-interval between vulcanization/finished grinding and testing	2
5	Conditioning and temperature of test.....	2
6	Apparatus	2
7	Procedure	3
8	Expression of results	3
9	Test report	3
Bibliography		6