



BSI Standards Publication

Cross-country skis — Determination of fatigue indexes — Cyclic loading test

National foreword

This British Standard is the UK implementation of ISO 7798:2017.

The UK participation in its preparation was entrusted to Technical Committee SW/136, Sports, playground and other recreational equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 96215 8

ICS 97.220.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 December 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
7798

Second edition
2017-11-25

Cross-country skis — Determination of fatigue indexes — Cyclic loading test

*Skis de fond — Détermination des indices de fatigue — Essai en
flexion alternée*



Reference number
ISO 7798:2017(E)
Documents
Document Sharing Hub
© ISO 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	2
5.1 Cyclic bending machine	2
5.2 Measuring device for bottom camber height	2
5.3 Measuring device for spring constant of the deflected part of the ski	3
6 Test specimens	5
7 Temperatures for conditioning and testing	5
8 Test procedure	5
8.1 Measurement of original weighted bottom camber, h_B	5
8.2 Measurement of the spring constant of the deflected ski portion, c_F	6
8.3 Determination of stroke length, s	6
8.4 Testing	6
8.5 Measurement of final weighted bottom camber, h'_B	6
8.6 Assessment of damage	6
9 Expression of results	6
10 Test report	7