

Road vehicles — Fuse-links —

Part 5: Fuse-links with axial terminals (Strip fuse-links) Types SF 30 and SF 51 and test fixtures

ICS 43.040.10

National foreword

This British Standard was published by BSI. It is the UK implementation of ISO 8820-5:2007.

The UK participation in its preparation was entrusted to Technical Committee AUE/16, Electrical and electronic equipment.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2007

© BSI 2007

ISBN 978 0 580 50654 3

Amendments issued since publication

Amd. No.	Date	Comments

INTERNATIONAL STANDARD

ISO
8820-5

First edition
2007-03-01

Road vehicles — Fuse-links —

Part 5:

Fuse-links with axial terminals (Strip fuse-links) Types SF 30 and SF 51 and test fixtures

Véhicules routiers — Liaisons fusibles —

*Partie 5: Liaisons fusibles avec languettes axiales (liaisons fusibles
électriques) des types SF 30 et SF 51, et montages d'essai*



Reference number
ISO 8820-5:2007(E)

AVA Documents
Document Sharing Hub

Contents

Page

Foreword.....	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions.....	1
4 Marking, labelling and colour coding	2
5 Tests and requirements	2
5.1 General.....	2
5.1.1 General test conditions	2
5.1.2 Test sequence	3
5.1.3 Test cable sizes.....	4
5.2 Voltage drop	4
5.2.1 Test.....	4
5.2.2 Requirement	5
5.3 Transient current cycling	5
5.3.1 Test.....	5
5.3.2 Requirement	6
5.4 Environmental conditions.....	6
5.5 Operating time rating.....	6
5.5.1 Test.....	6
5.5.2 Requirements	6
5.6 Current steps.....	7
5.6.1 Test.....	7
5.6.2 Requirements	7
5.7 Breaking capacity	7
5.7.1 Test.....	7
5.7.2 Requirement	7
5.8 Strength of terminals.....	8
5.8.1 Test.....	8
5.8.2 Requirement	8
6 Dimensions and designation examples	8
6.1 Type SF 30	8
6.1.1 Dimensions.....	8
6.1.2 Designation example	9
6.2 Type SF 51	9
6.2.1 Dimensions.....	9
6.2.2 Designation example	9
7 Test fixture.....	9
7.1 General.....	9
7.2 Materials and dimensions	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8820-5 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 8820 consists of the following parts, under the general title *Road vehicles — Fuse-links*:

- *Part 1: Definitions and general test requirements*
- *Part 2: User's guide*
- *Part 3: Fuse-links with tabs (blade type)*
- *Part 4: Fuse-links with female contacts (type A) and bolt-in contacts (type B) and their test fixtures*
- *Part 5: Fuse-links with axial terminals (Strip fuse-links) Types SF 30 and SF 51 and test fixtures*
- *Part 6: Single-bolt fuse-links*
- *Part 7: Fuse-links with tabs (Type G) with rated voltage of 450 V*