

Implementation of
ISO 9921-1:1996

Ergonomic assessment of speech communication —

**Part 1: Speech interference level and
communication distances for persons
with normal hearing capacity in direct
communication (SIL method)**

ICS 13.140

NO COPYING WITHOUT BSI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

BSI
Documents

AVA

Document Sharing Hub

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee PH/9, Applied ergonomics, upon which the following bodies were represented:

- British Industrial Truck Association
- British Occupational Hygiene Society
- Chartered Institution of Building Services Engineers
- Chemical Industries Association
- Consumer Policy Committee of BSI
- Engineering Employers' Federation
- Ergonomics Society
- Federation of the Electronics Industry
- Furniture Industry Research Association
- Health and Safety Executive
- Ice (Ergonomics)
- Institute of Occupational Medicine
- Loughborough University
- Ministry of Defence
- Society of Motor Manufacturers and Traders Limited
- Society of Occupational Medicine
- University of Glamorgan

The following bodies were also represented in the drafting of the standard, through subcommittees and panels:

- Institute of Sound and Communications Engineers
- Professional Lighting and Sound Association
- University of Birmingham
- University of Plymouth
- Univerisy of Southampton

This British Standard, having been prepared under the direction of the Health and Environment Sector Board, was published under the authority of the Standards Board and comes into effect on 15 March 1997

© BSI 11-1998

The following BSI references relate to the work on this standard:
Committee reference PH/9
Draft for comment 92/45097 DC

ISBN 0 580 27095 5

Amendments issued since publication

Amd. No.	Date	Comments

National foreword

This British Standard reproduces verbatim ISO 9921-1:1996 and implements it as the UK national standard.

This British Standard is published under the direction of the Health and Environment Sector Board whose Technical Committee PH/9 has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international/European committee any enquiries on interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE International and European Standards, as well as overseas standards, are available from Customer Services, BSI, 389 Chiswick High Road, London W4 4AL.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the ISO title page, pages ii to iv, pages 1 to 8 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

INTERNATIONAL STANDARD

ISO
9921-1

First edition
1996-11-01

Ergonomic assessment of speech communication —

Part 1:

Speech interference level and communication distances for persons with normal hearing capacity in direct communication (SIL method)

Évaluation ergonomique de la communication parlée —

Partie 1: Niveau d'interférence avec la parole et les distances de communication pour des personnes ayant une capacité d'audition normale en communication directe (méthode SIL)



Reference number
ISO 9921-1:1996(E)

Content

	Page
Foreword	iii
Introduction	1
1 Scope	1
2 Normative references	2
3 Definitions	2
3.1 Speech communication	2
3.2 Speech intelligibility	2
3.3 Vocal effort	2
3.4 Speech interference level (L_{SIL})	2
3.5 Lombard effect	2
4 Symbols	2
5 Determination of noise parameters	3
5.1 General	3
5.2 Equipment for measurement	3
5.3 Microphone positions	3
5.4 Time-averaging	3
5.5 A-weighted sound pressure level at the speaker's position	3
5.6 Speech interference level	3
6 Criteria for direct speech communication	3
6.1 Vocal effort of the speaker	3
6.2 Speech level at the listener's position	4
6.3 Relation between speech interference level and communication distance (SIL method) for satisfactory speech intelligibility	5
6.4 Additional assessments of the quality of speech communication	5
6.5 Use of hearing protectors	6
Annex A (informative) Selected values of median hearing threshold deviations for males up to 70 years of age (otologically normal persons) in accordance with ISO 7029	7
Annex B (informative) Examples of the use of Figure 1 and Figure 2	7
Annex C (informative) Bibliography	8
Figure 1 — Relation between the range of vocal effort, equivalent continuous speech sound level $L_{S,A,1m}$ and the ambient noise level $L_{N,A,S}$ at the speaker's position (Lombard effect)	4
Figure 2 — Relation, for seven levels of speaker vocal effort, between speech interference level L_{SIL} for satisfactory speech communication and maximum distance r between the speaker and listener	5
Table 1 — Vocal effort of the speaker and its assessment	6
Table 2 — A-weighted signal-to-noise ratio ($L_{S,A,L} - L_{N,A,L}^*$) at the listener's position and its assessment with respect to speech intelligibility	6