



BSI Standards Publication

Information technology — Metadata registries (MDR)

Part 1: Framework

National foreword

This British Standard is the UK implementation of ISO/IEC 11179-1:2023. It supersedes BS ISO/IEC 11179-1:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee IST/40, Data management and interchange.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2023
Published by BSI Standards Limited 2023

ISBN 978 0 539 05684 6

ICS 35.040.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 January 2023.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO
11179-1

Fourth edition
2023-01-16

Information technology — Metadata registries (MDR) —

Part 1: Framework

*Technologies de l'information — Registres de métadonnées (RM) —
Partie 1: Cadre de référence*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2023, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms related to modelling constructs	1
3.2 General terms	2
3.3 Terms used in the 11179 metamodel	7
3.4 Abbreviated terms	11
4 Theory of terminology	12
5 Metadata	12
5.1 General	12
5.2 Concepts	13
5.2.1 General	13
5.2.2 Management	13
5.3 Fundamental model of data elements	13
5.4 Data elements in data management and interchange	15
6 Metadata registries	15
6.1 General	15
6.2 Fundamentals of registration	16
7 Overview of ISO/IEC 11179	16
7.1 General	16
7.2 ISO/IEC 11179-1 — Part 1: Framework	17
7.3 ISO/IEC TR 11179-2 — Part 2: Classification	17
7.4 ISO/IEC 11179-3 — Part 3: Metamodel for registry common facilities	17
7.5 ISO/IEC 11179-30 — Part 30: Basic attributes of metadata	18
7.6 ISO/IEC 11179-31 — Part 31: Metamodel for data specification registration	18
7.7 ISO/IEC 11179-32 — Part 32: Metamodel for concept system registration	18
7.8 ISO/IEC 11179-33 — Part 33: Metamodel for data set registration	19
7.9 ISO/IEC 11179-34 — Part 34: Metamodel for computable data registration	20
7.10 ISO/IEC 11179-35 — Part 35: Metamodel for model registration	20
7.11 ISO/IEC 11179-4 — Part 4: Formulation of data definitions	20
7.12 ISO/IEC 11179-5 — Part 5: Naming principles	20
7.13 ISO/IEC 11179-6 — Part 6: Registration	20
8 Relationship to other JTC 1/SC 32 standards, TRs and TSs on metadata	21
8.1 ISO/IEC 19763 series — Metamodel framework for interoperability (MFI)	21
8.1.1 General	21
8.1.2 ISO/IEC 19763-1 — Part 1: Framework	22
8.1.3 ISO/IEC 19763-10 — Part 10: Core model and basic mapping	22
8.1.4 ISO/IEC 19763-6 — Part 6: Registry summary	23
8.1.5 ISO/IEC 19763-3 — Part 3: Metamodel for ontology registration	23
8.1.6 ISO/IEC 19763-5 — Part 5: Metamodel for process model registration	23
8.1.7 ISO/IEC 19763-7 — Part 7: Metamodel for service model registration	24
8.1.8 ISO/IEC 19763-8 — Part 8: Metamodel for role and goal model registration	24
8.1.9 ISO/IEC TR 19763-9 — Part 9: On-demand model selection	24
8.1.10 ISO/IEC 19763-12 — Part 12: Metamodel for information model registration	24
8.1.11 ISO/IEC TS 19763-13 — Part 13: Metamodel for form design registration	25
8.1.12 ISO/IEC 19763-16 — Part 16: Metamodel for document model registration	25
8.2 ISO/IEC 19773 Metadata Registries (MDR) modules	25

8.3	ISO/IEC 20943 series — Procedures for achieving metadata registry content consistency	26
8.3.1	General	26
8.3.2	ISO/IEC TR 20943-1 — Part 1: Data elements	26
8.3.3	ISO/IEC TR 20943-3 — Part 3: Value domains	27
8.3.4	ISO/IEC TR 20943-5 — Part 5: Metadata mapping procedure	27
8.3.5	ISO/IEC TR 20943-6 — Part 6: Framework for generating ontologies	27
8.4	ISO/IEC 20944 series — Metadata Registries Interoperability and Bindings (MDR-IB)	27
8.4.1	General	27
8.4.2	ISO/IEC 20944-1 — Part 1: Framework, common vocabulary and common provisions for conformance	28
8.4.3	ISO/IEC 20944-2 — Part 2: Coding bindings	28
8.4.4	ISO/IEC 20944-3 — Part 3: API bindings	28
8.4.5	ISO/IEC 20944-4 — Part 4: Protocol bindings	28
8.4.6	ISO/IEC 20944-5 — Part 5: Profiles	28
8.5	ISO/IEC 19583 series — Concepts and uses of metadata	28
8.5.1	General	28
8.5.2	ISO/IEC TR 19583-1 — Part 1: Metadata concepts	28
8.5.3	ISO/IEC TR 19583-21 — Part 21: 11179-3 data model in SQL	29
8.5.4	ISO/IEC TR 19583-22 — Part 22: Registering and mapping processes using ISO/IEC 19763	29
8.5.5	ISO/IEC TR 19583-23 — Part 23: Data element exchange (DEX)	29
8.6	ISO/IEC 14957 Representation of data element values — Notation of the format	29
8.7	ISO/IEC 5218 Codes for the representation of human sexes	29
8.8	ISO/IEC 11404 General purpose datatypes	29
8.9	ISO/IEC 24707 Common Logic (CL)	29
8.10	ISO/IEC 21838 series — Top level ontologies	30
8.10.1	General	30
8.10.2	ISO/IEC 21838-1 — Part 1: Requirements	30
8.10.3	ISO/IEC 21838-2 — Part 2: Basic Formal Ontology (BFO)	30
8.10.4	ISO/IEC 21838-3 — Part 3: Descriptive ontology for linguistic and cognitive engineering (DOLCE)	30
8.10.5	ISO/IEC 21838-4 — Part 4: TUpper	31
9	Conformance	31
	Bibliography	32

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC/JTC 1, *Information technology*, Subcommittee SC 32, *Data management and interchange*.

This fourth edition cancels and replaces the third edition (ISO/IEC 11179-1:2015), which has been technically revised.

The main changes are as follows:

- some of the detailed descriptions from the Introduction and [Clause 5](#) have been removed to avoid duplication with other parts;
- [Clause 7](#) has been updated to:
 - revise the description for ISO/IEC 11179-3 to reflect its focus on the core metamodel of a metadata registry, and the creation of separate parts to handle other aspects;
 - add a description for ISO/IEC 11179-30;
 - add a description for ISO/IEC 11179-31;
 - add a description for ISO/IEC 11179-32;
 - add a description for ISO/IEC 11179-33;
 - add a description for ISO/IEC 11179-34;
 - add a description for ISO/IEC 11179-35;
- [Clause 8](#) has been added to describe the relationship of other ISO/IEC JTC 1/SC 32 standards on metadata to the ISO/IEC 11179 series;
- references to other standards have been updated, especially ISO 1087, to the latest edition.

A list of all parts in the ISO/IEC 11179 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

The ISO/IEC 11179 series addresses the semantics of data, the representation of data and the registration of the descriptions of that data. It is through these descriptions that an accurate understanding of the semantics and a useful depiction of the data are found.

The purposes of ISO/IEC 11179 are to promote the following:

- standard description of data;
- common understanding of data across organizational elements and between organizations;
- re-use and standardization of data over time, space, and applications;
- harmonization and standardization of data within an organization and across organizations;
- management of the components of descriptions of data;
- re-use of the components of descriptions of data.

Each part of ISO/IEC 11179 is devoted to addressing a different aspect of these needs, as described in [Clause 7](#).

Generally, descriptive data are known as metadata. Metadata can describe books, phone calls, data, etc. ISO/IEC 11179 focuses upon metadata that describe data.

A metadata registry (MDR) is a system for maintaining a database of metadata. Registration is one possible function of that system. Registration accomplishes three main goals: identification, provenance, and monitoring quality. Identification is accomplished by assigning a unique identifier (within the registry) to each object registered there. Provenance addresses the source of the metadata and the object described. Monitoring quality ensures that the metadata does the job it is designed to do.

An MDR may contain the semantics of data. An understanding of data is fundamental to their design, harmonization, standardization, use, re-use and interchange. The underlying model for an MDR is designed to capture all the basic components of the semantics of data, independent of any application or subject matter area.

MDRs, typically, are organized so that those designing applications can ascertain whether a suitable object described in the MDR already exists. Where it is established that a new object is essential, its derivation from an existing description with appropriate modifications is encouraged, thus avoiding unnecessary variations in the way similar objects are described. Registration will also allow two or more administered items describing identical objects to be identified, and more importantly, it will help to identify situations where similar or identical names are in use for administered items that are significantly different in one or more respects.

The names, definitions, datatype and related attributes that are associated with the description of an object in an MDR give that object meaning. The depth of this meaning is limited, because names and definitions convey limited information about the object. The relationships object descriptions have with semantically related object descriptions in a registry provide additional information, but this additional information is dependent on how many semantically related object descriptions there are.

A metadata registry that conforms to ISO/IEC 11179 can describe a wide variety of data. In fact, the attributes described in ISO/IEC 11179 are data elements, and they can be registered in an ISO/IEC 11179 metadata registry. Moreover, any set of descriptors or metadata attributes may be interpreted as data elements and registered in the metadata registry.

There are two main consequences to this:

- the metadata registry can describe itself;
- metadata layers or levels are not defined in ISO/IEC 11179.

As a result, ISO/IEC 11179 is a general description framework for data of any kind, in any organization and for any purpose. ISO/IEC 11179 does not address other data management needs, such as data models, application specifications, programming code, program plans, business plans and business policies. These need to be addressed elsewhere. ISO/IEC 19763 specifies facilities to extend a metadata registry so that information about models can be registered. Such models include information (or data) models, ontologies, process models, role and goal models, and form designs.

The increased use of data processing and electronic data interchange heavily relies on accurate, reliable, controllable and verifiable data recorded in databases. One of the prerequisites for a correct and proper use and interpretation of data is that both users and owners of data have a common understanding of the meaning and descriptive characteristics (e.g. representation) of that data, guaranteed by the definition of several basic attributes.

The basic attributes specified are applicable for the definition and specification of the contents of data dictionaries and interchanging or referencing among various collections of administered items. The “basic” in basic attributes means that the attributes are commonly needed in specifying administered items completely enough to ensure that they will be applicable for a variety of functions, such as:

- design of information processing systems;
- retrieval of data from databases;
- design of messages for data interchange;
- maintenance of metadata registries;
- data management;
- dictionary design;
- dictionary control;
- use of information processing systems.

Basic also implies that they are independent of any:

- application environment;
- function of an object described by an administered item;
- level of abstraction;
- grouping of administered items;
- method for designing information processing systems or data interchange messages;
- MDR system.

Basic does not imply that all attributes specified in ISO/IEC 11179 are required in all cases. Distinction is made between those attributes that are mandatory, conditional, or optional.

Information technology — Metadata registries (MDR) —

Part 1: Framework

1 Scope

This document provides the means for understanding and associating the individual parts of ISO/IEC 11179 and is the foundation for a conceptual understanding of metadata and metadata registries. This document also describes the relationship of ISO/IEC 11179 to other JTC 1/SC 32 standards, technical specifications and technical reports on metadata.

In all parts of ISO/IEC 11179, metadata refers to descriptions of data. It does not contain a general treatment of metadata.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 704, *Terminology work — Principles and methods*

ISO 1087, *Terminology work and terminology science — Vocabulary*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in ISO 704, ISO 1087 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 Terms related to modelling constructs

3.1.1

attribute

characteristic (3.2.6) of an object (3.2.4) or set of objects

[SOURCE: ISO/IEC 11179-3:2023, 3.1.11]

3.1.2

class

description of a set of objects (3.2.4) that share the same attributes (3.1.1), operations, methods, relationships (3.1.4) and semantics

Note 1 to entry: Adapted from ISO/IEC 19505-2:2012, 7.3.7.

3.1.3

identifier

<metadata registry> sequence of characters, capable of uniquely identifying that with which it is associated, within a specified *context* ([3.3.3](#))

Note 1 to entry: Unlike a *name* ([3.2.17](#)), an identifier is linguistically neutral.

Note 2 to entry: It is possible to define an identifier from the point of view of terminology as defined in ISO 1087 and described in ISO 704, as follows: representation of an object by a sign which denotes it, and is intended for dereferencing that object. Note the parallel with the definition of *designation* ([3.2.16](#)), except this applies to any object rather than just for concepts.

[SOURCE: ISO/IEC 11179-3:2023, 3.1.16, modified — Note 2 to entry has been added.]

3.1.4

relationship

<UML> semantic connection among model elements

[SOURCE: ISO 19103:2015, 4.30]

3.2 General terms

3.2.1

subject

area of interest or expertise

[SOURCE: ISO 1087:2019, 3.1.5]

3.2.2

domain

subject field

field of special knowledge

Note 1 to entry: The borderlines and the granularity of a domain are determined from a purpose-related point of view. If a domain is sub-divided, the result is again a domain.

[SOURCE: ISO 1087:2019, 3.1.4]

3.2.3

entity

any concrete or abstract thing that exists, did exist, or might exist, including associations among these things

EXAMPLE A person, object, event, idea, process, etc.

Note 1 to entry: An entity exists whether data about it are available or not.

[SOURCE: ISO/IEC 2382:2015, 2121433, modified — some Notes to entry have been deleted.]

3.2.4

object

anything perceivable or conceivable

Note 1 to entry: Objects can be material (e.g. 'engine', 'sheet of paper', 'diamond'), immaterial (e.g. 'conversion ratio', 'project plan') or imagined (e.g. 'unicorn', 'scientific hypothesis').

[SOURCE: ISO 1087:2019, 3.1.1]

3.2.5

property

<terminology> feature of an *object* ([3.2.4](#))

EXAMPLE 1 'Being made of wood' as a property of a given 'table'.

EXAMPLE 2 'Belonging to person A' as a property of a given 'pet'.

EXAMPLE 3 'Having been formulated by Einstein' as a property of the equation ' $E = mc^2$ '.

EXAMPLE 4 'Being compassionate' as a property of a given 'person'.

EXAMPLE 5 'Having a given cable' as a property of a given 'computer mouse'.

Note 1 to entry: One or more objects can have the same property.

Note 2 to entry: See also [3.3.2](#).

[SOURCE: ISO 1087:2019, 3.1.3, modified — Note 2 to entry added.]

3.2.6

characteristic

abstraction of a *property* ([3.2.5](#))

EXAMPLE 'Having a cable for connecting with a computer' as a characteristic of the concept 'cord mouse'.

Note 1 to entry: Characteristics are used for describing *concepts* ([3.2.8](#)).

[SOURCE: ISO 1087:2019, 3.2.1]

3.2.7

essential characteristic

characteristic ([3.2.6](#)) of a *concept* ([3.2.8](#)) which is indispensable to understanding that concept

[SOURCE: ISO 1087:2019, 3.2.3]

3.2.8

concept

unit of knowledge created by a unique combination of *characteristics* ([3.2.6](#))

Note 1 to entry: Concepts are not necessarily bound to particular natural languages. They are, however, influenced by the social or cultural background which often leads to different categorizations.

Note 2 to entry: A concept is independent of its representation.

[SOURCE: ISO 1087:2019, 3.2.7, modified — Note 2 to entry has been changed.]

3.2.9

general concept

concept ([3.2.8](#)) that corresponds to a potentially unlimited number of *objects* ([3.2.4](#)), which form a group by reason of shared *properties* ([3.2.5](#))

EXAMPLE 'planet', 'tower', 'Nobel Prize in Physics', 'moon'.

Note 1 to entry: For a general concept it is essential that a number of corresponding objects greater than 1 can be perceived or conceived of. For example 'spaceship' has been a general concept before such a material object existed, at the time when there existed only 1 such object, and later when there existed several such objects.

[SOURCE: ISO 1087:2019, 3.2.9]

3.2.10

individual concept

concept ([3.2.8](#)) which corresponds to only one *object* ([3.2.4](#))

EXAMPLE 'Saturn', 'Eiffel Tower', 'Moon', 'serial number FRHR603928', '2016 Nobel Prize in Physics'.

Note 1 to entry: Individual concepts are represented by *proper names* ([3.2.18](#)).

[SOURCE: ISO 1087:2019, 3.2.8]

3.2.11

definition

representation of a *concept* ([3.2.8](#)) by an expression that describes it and differentiates it from related concepts

[SOURCE: ISO 1087:2019, 3.3.1]

3.2.12

extension

<terminology> set of all of the *objects* ([3.2.4](#)) to which a *concept* ([3.2.8](#)) corresponds

Note 1 to entry: This term has a different meaning in ISO/IEC 11179-3.

[SOURCE: ISO 1087:2019, 3.1.2, modified — Note 1 to entry added.]

3.2.13

intension

set of *characteristics* ([3.2.6](#)) that make up a *concept* ([3.2.8](#))

[SOURCE: ISO 1087:2019, 3.2.6]

3.2.14

concept relation

relation between two *concepts* ([3.2.8](#))

[SOURCE: ISO 1087:2019, 3.2.11]

3.2.15

concept system

set of *concepts* ([3.2.8](#)) structured in one or more related *domains* ([3.2.2](#)) according to the *concept relations* ([3.2.14](#)) among its concepts

[SOURCE: ISO 1087:2019, 3.2.28]

3.2.16

designation

designator

representation of a *concept* ([3.2.8](#)) by a sign which denotes it in a *domain* ([3.2.2](#)) or *subject* ([3.2.1](#))

Note 1 to entry: A designation can be linguistic or non-linguistic. It can consist of various types of characters, but also punctuation marks such as hyphens or parentheses, governed by domain-, subject-, or language specific conventions.

Note 2 to entry: A designation can be a *term* ([3.2.19](#)) including *appellations* ([3.2.20](#)), a *proper name* ([3.2.18](#)) or a *symbol* ([3.2.21](#)).

[SOURCE: ISO 1087:2019, 3.4.1]

3.2.17

name

designation ([3.2.16](#)) of an *object* ([3.2.4](#)) by a linguistic expression

[SOURCE: ISO/IEC 15944-1:2011, 3.35]

3.2.18

proper name

designation ([3.2.16](#)) that represents an *individual concept* ([3.2.10](#))

[SOURCE: ISO 1087:2019, 3.4.4]