

Implementation of
ISO/IEC 13210:1994

Information technology — Test methods for measuring conformance to POSIX

Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee IST/5, Programming languages, their environments and systems software interfaces, upon which the following bodies were represented:

- British Computer Society
- Department of Trade and Industry (National Engineering Laboratory)
- Electricity Association
- Hoskyns Group plc
- IBM United Kingdom Ltd.
- International Computers Ltd.
- Joint Information Systems Committee
- National Computer Users Forum
- National Computing Centre Ltd.
- Rutherford Appleton Laboratory
- SEMA Group Systems Ltd.

This British Standard, having been prepared under the direction of the Information Systems Technology Assembly, was published under the authority of the Standards Board and comes into effect on 15 June 1995

© BSI 01-2000

The following BSI references relate to the work on this standard:
Committee reference IST/5
Draft for comment 94/642482 DC

ISBN 0 580 24403 2

Amendments issued since publication

Amd. No.	Date	Comments

Contents

	Page
Committees responsible	Inside front cover
National foreword	ii
Foreword	iv
Text of ISO/IEC 13210	1

National foreword

This British Standard reproduces verbatim ISO/IEC 13210:1994 and implements it as the UK national standard.

This British Standard is published under the direction of the Information Systems Technology Assembly whose Technical Committee IST/5 has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international committee any enquiries on interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE International and European Standards, as well as overseas standards, are available from Customer Services, BSI, 389 Chiswick High Road, London W4 4AL.

A British Standard does not purport to include all the necessary provisions of a contract. Users of British Standards are responsible for their correct application.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

Summary of pages

This document comprises a front cover, an inside front cover, pages i and ii, the ISO/IEC title page, pages ii to vi, pages 1 to 46 and a back cover.

This standard has been updated (see copyright date) and may have had amendments incorporated. This will be indicated in the amendment table on the inside front cover.

INTERNATIONAL
STANDARD

ISO/IEC
13210

ANSI/IEEE
Std 1003.3

First edition
1994-12-30

Information technology — Test methods for measuring conformance to POSIX

*Technologies de l'information — Méthodes d'essai pour mesurer la
conformité à POSIX*



Reference number
ISO/IEC 13210:1994(E)
ANSI/IEEE
Std 1003.3-1991 edition

Contents

	Page
Foreword	iv
Introduction	1
Section 1. General	
1.1 Scope	5
1.2 Normative References	6
Section 2. Terminology and General Requirements	
2.1 Conventions	7
2.2 Definitions	8
Section 3. Test Methods Conformance to This Standard	
3.1 Conformance Criteria	11
Section 4. Testing Levels and Complexity Levels	
4.1 Introduction	12
4.2 Testing Levels	12
4.3 Complexity Levels	13
4.4 Conclusion	14
Section 5. Classification of Assertions	
5.1 Method of Classification	15
Section 6. Writing Assertions	
6.1 Assertion Determination	17
6.2 Assertion Constructs	18
Section 7. Assertion Test Output	
7.1 Test Result Codes	25
Section 8. Statement of Conformance to a POSIX Standard	
8.1 Conformance Statement Contents	27
Annex A (informative) Bibliography	29
A.1 Related Open Systems Standards	29
A.2 Other Standards	31
Annex B (informative) Rationale and Notes	32
B.1 General	32
B.2 Terminology and General Requirements	32
B.3 Test Methods Conformance to This Standard	35
B.4 Testing Levels and Complexity Levels	36
B.5 Classification of Assertions	37
B.6 Writing Assertions	39
B.7 Assertion Test Output	40
B.8 Statement of Conformance to a POSIX Standard	43
Alphabetic Topical Index	45
Figure B-1 — Software Testing and Procedure Testing	42
Table 2-1 — Typographical Conventions	8
Table 5-1 — Classification of Assertions	15
Table 6-1 — Changing Sky	21
Table 7-1 — Test Result Codes	26
Table 8-1 — Conformance Test Result Codes	28

Information technology — Test methods for measuring conformance to POSIX

Sponsor

Portable Applications Standards Committee
of the
IEEE Computer Society

Approved March 21, 1991
IEEE Standards Board

Approved August 9, 1991
American National Standards Institute

Approved 1994 by the
International Organization for Standardization
and by the
International Electrotechnical Commission

Abstract: The general requirements and test methods for measuring conformance to POSIX standards are defined. This document is aimed primarily at working groups developing test methods for POSIX standards, developers of POSIX test methods, and users of POSIX test methods.

Keywords: assertion, assertion test, base assertion, conditional feature, extended assertions, POSIX, POSIX Conformance Document, POSIX Conformance Test Procedure, POSIX Conformance Test Suite, test method, test result code

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 13210 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 22, *Programming languages, their environments and system software interfaces*. Annex A and Annex B form an integral part of this International Standard.

IEEE Standards documents are developed within the Technical Committees of the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Board. Members of the committees serve voluntarily and without compensation. They are not necessarily members of the Institute. The standards developed within IEEE represent a consensus of the broad expertise on the subject within the Institute as well as those activities outside of IEEE that have expressed an interest in participating in the development of the standard.

Use of an IEEE Standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the view-point expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation. When a document is more than five years old and has not been reaffirmed, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of all concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason IEEE and the members of its technical committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration.

Comments on standards and requests for interpretations should be addressed to:

Secretary, IEEE Standards Board
445 Hoes Lane
P.O. Box 1331
Piscataway, NJ 08855-1331
USA

IEEE standards documents may involve the use of patented technology. Their approval by the Institute of Electrical and Electronics Engineers, Inc. does not mean that using such technology for the purpose of conforming to such standards is authorized by the patent owner. It is the obligation of the user of such technology to obtain all necessary permissions.

Introduction

(This Introduction is not a normative part of ISO/IEC 13210 Information Technology — Test methods for measuring conformance to POSIX, but is included for information only.)

This standard defines the general requirements and test methods for measuring conformance to POSIX standards. This document is aimed primarily at working groups developing test methods for POSIX standards, developers of POSIX test methods, and users of POSIX test methods.

Organization of the Standard

This document is organized into sections and clauses. Some of these, such as 1.1, are mandated by the IEEE and other standards bodies.

The sections are:

- 1) General
 - 2) Terminology and General Requirements
 - 3) Test Methods Conformance to This Standard
 - 4) Testing Levels and Complexity Levels
 - 5) Classification of Assertions
 - 6) Writing Assertions
 - 7) Assertion Test Output
 - 8) Statement of Conformance to a POSIX Standard
- A *Topical Index* points to the definition and/or usage of key words and phrases.

The foreword, introduction, any footnotes, and the informative annexes are not considered part of this International Standard.

Revisions and Supplements to This Standard

No activities to extend this International Standard to address additional requirements are in progress. Extension efforts may be anticipated in the future. This is an outline of how extensions can be incorporated. Extensions are approved as “amendments” or “revisions” to this document, following the IEEE Standards Procedures.

Approved amendments are published separately until the full document is reprinted and such amendments are incorporated in their proper positions.

If you have any question about the completeness of your version, you may contact the IEEE Standards Office [+1 (908) 562-3800] to determine what supplements have been published.

If you have interest in participating in the TCOS working groups addressing these issues, please send your name, address, and phone number to the Secretary, IEEE Standards Board, Institute of Electrical and Electronics Engineers, Inc., P.O. Box 1331, 445 Hoes Lane, Piscataway, NJ 08855-1331, USA, and ask to have this forwarded to the chairperson of the appropriate TCOS working group.

IEEE Std 1003.3:1991 was prepared by the 1003.3 Working Group, sponsored by the Technical Committee on Operating Systems and Application Environments of the IEEE Computer Society. At the time this standard was approved, the membership of the 1003.3 Working Group was as follows:

**Technical Committee on Operating Systems
and Application Environments (TCOS)**

Chair: Jehan-François Pâris

Standards Subcommittee for TCOS

Chair: Jim Isaak

Treasurer: Quin Hahn

Secretary: Shane McCarron

1003.3 Working Group Officials

Chair: Roger Martin

Vice Chair: N. Ray Wilkes (1989–1990)

Carol Raye (1987–1988)

Editor: Anthony Cincotta

Secretary: Lowell Johnson (1989–1990)

Doris Lebovits (1987–1988)

Sanjay Agraharam*	Lorraine Kevra	Fred Noz
Jim Bound	Martin J. Kirk	Bob Palm
Ken Gibb	Mark Lamonds*	Gerald Powell*
Judy Guist	Robert M. Lenk	Ravi Tavakley*
Rich Hamm	Kevin Lewis	Donn S. Terry
Steve Henderson*	Marty McGowan	Andrew Twigger*
Scott Jameson	Jim Moe*	Bruce Weiner*
Greg Jones	Anita Mundkur*	Brian Weis

In the preceding list, those individuals identified with asterisks (*) served during the balloting period as Technical Reviewers for resolving comments and objections to designated portions of the standard.

The following persons were members of the 1003.3 Balloting Group that approved the standard for submission to the IEEE Standards Board:

Open Software Foundation	David Chen	Institutional Representative
X/Open Co. Ltd	Mike Lambert	Institutional Representative
David Athersych	Charles E. Hammons	Barry Needham
Geoff Baldwin	Allen Hankinson	Fred Noz
Jerome E. Banasik	Craig Harmer	Alan F. Nugent
Robert Barned	Dale Harris	John C. Penney
Kabekode V. S. Bhat	John L. Hill	P. J. Plauger
Robert Bismuth	David F. Hinnant	Gerald Powell
James Bohem	Lee A. Hollaar	Scott E. Preece
Robert Borochoff	Terrence W. Holm	James M. Purtilo
Keith Bostic	Jim Isaak	Carol Raye
James P. Bound	Dan luster	Christopher J. Riddick
Phyllis Eve Bregman	Hal Jespersen	R. Hughes Rowlands
A. Winsor Brown	Lowell G. Johnson	Robert Sarr
F. Lee Brown, Jr.	Greg Jones	Norman Schneidewind
Nicholas A. Camillone	Lorraine C. Kevra	Leonard W. Seagren
Clyde Camp	Jeff Kimmel	Karen Sheaffer
John Caywood	M. J. Kirk	Dan Shia
Kilnam Chon	Dale L. Kirkland	Mukesh Singhal
Chan F. Chong	Kenneth C. Klingman	Richard Sniderman
Anthony V. Cincotta	D. Richard Kuhn	Douglas H. Steves
Robert L. Claeson	Robin B. Lake	Scott A. Sutter
Richard Cornelius	Mark Lamonds	Robert Switzer
William M. Corwin	Doris Lebovits	Ravi Tavakley
William Cox	Robert M. Lenk	Donn Terry
Donald W. Cragun	David Lennert	Gary F. Tom
Ava Maria De Alvare	Kevin Lewis	A. T. Twigger
Terence Dowling	Joseph F. P. Luhukay	Mark-Rene Uchida
Stephen A. Dum	Robert J. Makowski	Michael W. Vannier
John D. Earls	Roger J. Martin	John W. Walz
Ron Elliott	Joberto S. B. Martins	Alan G. Weaver
Philip H. Enslow	Shane McCarron	Bruce Weiner
Ken Faubel	Martin J. McGowan III	Brian Weis
Terence Fong	Robert W. McWhirter	Peter J. Weyman
Kenneth R. Gibb	Paul Merry	Andrew E. Wheeler
Michel Gien	Doug Michels	Nicholas Wilkes
Gregory W. Goddard	James M. Moe	Oren Yuen
Dave Grinderland	Anita Mundkur	Alaa Zeineldine
Judy Guist	Martha Nalebuff	Jason Zions

Marco W. Migliaro, *Chair* **Donald C. Loughry**, *Vice Chair*
Andrew G. Salem, *Secretary*

^a Member Emeritus

We wish to thank the National Institute of Standards and Technology for donating significant computer, printing, and editing resources to the production of this standard.

Section 1. General

1.1 Scope

This International Standard is applicable to the development and use of conformance testing methodologies for POSIX standards. The generic test methods identified in this International Standard shall be used in conjunction with test methods identified for a specific standard.

This International Standard is intended for use by working groups developing test methods for POSIX standards, developers of POSIX test methods, and users of POSIX test methods.

The purpose of this International Standard is to define general rules for developing test assertions and related test methods for measuring conformance of an implementation to POSIX standards. Test methods may include POSIX Conformance Test Suites (PCTS), POSIX Conformance Test Procedures (PCTP), and audits of POSIX Conformance Documents (PCD).

Testing conformance of an implementation to a standard includes testing the claimed capabilities and behavior of the implementation with respect to the conformance requirements of the standard. Test methods are intended to provide a reasonable, practical assurance that the implementation conforms to the standard. Use of these test methods will not guarantee conformance of an implementation to the standard; that normally would require exhaustive testing (see 4.2.1), which is impractical for both technical and economic reasons.

1.2 Normative References

The following standards contain provisions which, through reference in this text, constitute provisions of this International Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

{1} IEEE Std 729:1983, *IEEE Glossary of Software Engineering Terminology (ANSI)*.

{2} ISO/IEC 9945-1:1990 (ISO/IEC 9945-1:1990), *Information technology — Portable Operating System Interface (POSIX) — Part 1: System Application Program Interface (API) [C Language]*.

Section 2. Terminology and General Requirements

2.1 Conventions

This International Standard uses the following typographic conventions:

- 1) The *italic* font is used for:
 - The initial appearances of defined terms
 - Cross-references to defined terms within **2.2.1**, **2.2.2**, and **2.2.3**
 - Parameters (option arguments and operands) that are generally substituted with real values by the application
 - C language data types and function names
 - Global external variable names
- 2) The **bold** font is used for:
 - Test result codes
 - Assertion type classification
- 3) The constant-width (Courier) font is used:
 - To illustrate examples of system input or output where exact usage is depicted
 - For references to utility names and C language headers
- 4) Symbolic *errno* names returned by functions are represented as [symbolic_name].
- 5) Symbolic constant limits are represented as {symbolic_constant_limit}.
- 6) Symbolic constant options are represented as {Option_name}.
- 7) Notes provided as parts of labeled tables and figures are integral parts of this International Standard (normative). Footnotes and Notes within the body of the text are for information only (informative).
- 8) Defined names that are usually in lowercase, particularly function names, are never used at the beginning of a sentence or anywhere else where regular English usage would require them to be capitalized.
- 9) Mathematical symbols such as <, ≤, etc. are only used in formulas, assertion classification assignments, and conditional clauses preceding conditional assertions.

- 10) In some cases tabular information is presented “inline”; in others it is presented in a separately labeled table. This arrangement was employed purely for ease of typesetting and there is no normative difference between these two cases.
- 11) The conventions listed above are for ease of reading only. Editorial inconsistencies in the use of typography are unintentional and have no normative meaning in this International Standard.

A summary of typographical conventions is shown in Table 2-1.

Table 2-1 — Typographical Conventions

Reference	Example
C Language Header	<sys/stat.h>
Command Name	awk
Command Option	-c
Command Option With Argument	-w <i>width</i>
Data Types	<i>long</i>
Defined Terms	<i>file</i>
Environment Variables	PATH
Error Number	[EINTR]
File Name	filename
Function Argument Declaration	extern unsigned long int
Function Argument	<i>arg1</i>
Function Declaration	int fstat (int <i>fildes</i> , struct stat <i>*buf</i>);
Function Name	<i>funct()</i>
Global External	<i>errno</i>
Implementation-dependent Limit	{MAX_INPUT}
Metavariable	<*>
Operand	<i>file_name</i>
Output	foo
Parameters	< <i>directory pathname</i> >
Section Reference	(see Section 1)
Clause Reference	(see 1.m)
Subclause Reference	(see 1.n.m...)
Special Character	<newline>
Symbolic Constant Limit	{LINK_MAX}
Symbolic Constant Option	{_POSIX_JOB_CONTROL}
Table Reference	Table 6
Variable	<i>st_atime</i>

2.2 Definitions

2.2.1 Terminology

For the purposes of this International Standard, the following definitions apply:

2.2.1.1

may

an option for test methods

in this International Standard, *need not* is used as the negative of *may*