BS ISO/IEC 14543-5-8:2017

BSI Standards Publication

Information technology – Home electronic systems (HES) architecture

Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

National foreword

This British Standard is the UK implementation of ISO/IEC 14543-5-8:2017.

The UK participation in its preparation was entrusted to Technical Committee IST/6/-/12, Home Electronic Systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 90972 6

ICS 35.200; 35.240.67

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 September 2017.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

ISO/IEC 14543-5-8

Edition 1.0 2017-08

INTERNATIONAL STANDARD

colour inside

Information technology – Home electronic system (HES) architecture – Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

ISO/IEC 14543-5-8:2017-08(en)

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2017 ISO/IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue
The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,…). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org
The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary
65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

AVA Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

ISO/IEC 14543-5-8

Edition 1.0 2017-08

INTERNATIONAL STANDARD

colour inside

Information technology – Home electronic system (HES) architecture – Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 35.200; 35.240.67

ISBN 978-2-8322-4693-1

Warning! Make sure that you obtained this publication from an authorized distributor.

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

CONTENTS

FOREWORD 4
INTRODUCTION 5
1 Scope 7
2 Normative references 7
3 Terms, definitions and abbreviated terms 8
3.1 Terms and definitions 8
3.2 Abbreviated terms 10
4 Conformance 11
5 IGRS RA overview 11
6 IGRS RA service functional flow 11
7 Registration management 13
7.1 User or device registration flow 13
7.2 User registration management 14
7.3 Device registration management 14
7.4 Registration response status code 15
8 Login 15
8.1 User or device login flow 15
8.2 User connection 16
8.3 Messages for user connection ID binding 16
8.4 Device connection 17
8.5 Messages for device connection ID binding 17
9 Device access rights configuration 18
9.1 Overview 18
9.2 Messages for device access rights configuration request 18
9.3 Messages for device access rights configuration response 19
10 User and device relationship management 20
10.1 Overview 20
10.2 Relationship management mechanism 23
10.3 Relationship establishment 24
10.3.1 Messages for relationship establishment request 24
10.3.2 Relationship establishment request procedure for IRSP 24
10.3.3 Target accepts or rejects relationship establishment request 25
10.3.4 IRSP processes relationship establishment acceptance message from target 26
10.4 Releasing relationship 27
10.5 Device verification code management 28
10.5.1 Device verification code management initiated by IGRS RA user 28
10.5.2 Device verification code management initiated by IGRS RA device 29
11 Message exchange 30
11.1 Overview 30
11.2 User or device ↔ User or device message exchange that needs response 30
11.3 User or device ↔ User or device message exchange that does not need response 31
11.4 User or device ↔ IRSP message exchange 32
11.5 IGRS RA server pushes message to user or device 32
11.6 IGRS RA NAT traversal 33

AVA Documents
Document Sharing Hub
Full document details: BS ISO/IEC 14543-5-8:2017

11.7 Message exchange mode 34
11.7.1 Overview 34
11.7.2 Message exchange of “point-to-point” and “point-to- multiple-point” 35
11.7.3 Message exchange of “instant transmission” and “offline storage” 35
12 Logout 35
13 User and device discovery and online status management 36
14 Security 38
Bibliography 39

Figure 1 – Typical flow of IGRS RA service 12
Figure 2 – IGRS RA user or device registration flow 13
Figure 3 – IGRS RA User or Device Login Flow 16
Figure 4 – Flow of relationship establishment request which needs approval from target 20
Figure 5 – Flow of relationship establishment request which does not need approval from target 20
Figure 6 – IGRS RA Relationships 22
Figure 7 – Flow of relationship releasing 27
Figure 8 – Flow of message exchange between user or device and user or device that needs response 30
Figure 9 – Flow of message exchange between user or device and user or device that does not need response 31
Figure 10 – Flow of message exchange between user or device and IRSP 32
Figure 11 – IRSP pushes message to user or device 33
Figure 12 – IGRS RA NAT traversal mechanism 34
Figure 13 – Point-to-point message exchange in IGRS RA system 35
Figure 14 – IGRS RA user or device offline flow 36
Figure 15 – User and device discovery mechanisms in IGRS RA system 37
Figure 16 – Non-uniqueness of user addressing 38

Table 1 – Registration response status code and the contents in the registration response messages 15
Table 2 – Rules of IRSP processing target relationship establishment acceptance response messages 26

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

FOREWORD

1) ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

2) The formal decisions or agreements of IEC and ISO on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees and ISO member bodies.

3) IEC, ISO and ISO/IEC publications have the form of recommendations for international use and are accepted by IEC National Committees and ISO member bodies in that sense. While all reasonable efforts are made to ensure that the technical content of IEC, ISO and ISO/IEC publications is accurate, IEC or ISO cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees and ISO member bodies undertake to apply IEC, ISO and ISO/IEC publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any ISO, IEC or ISO/IEC publication and the corresponding national or regional publication should be clearly indicated in the latter.

5) ISO and IEC do not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. ISO or IEC are not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or ISO or its directors, employees, servants or agents including individual experts and members of their technical committees and IEC National Committees or ISO member bodies for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication of, use of, or reliance upon, this ISO/IEC publication or any other IEC, ISO or ISO/IEC publications.

8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) Attention is drawn to the possibility that some of the elements of this ISO/IEC publication may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

International Standard ISO/IEC 14543-5-8 was prepared by subcommittee 25: Interconnection of information technology equipment, of ISO/IEC joint technical committee 1: Information technology.

The list of all currently available parts of the ISO/IEC 14543 series, under the general title *Information technology – Home electronic system (HES) architecture*, can be found on the IEC and ISO websites.

This International Standard has been approved by vote of the member bodies, and the voting results may be obtained from the address given on the second title page.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

INTRODUCTION

The ISO/IEC 14543-5 series of standards specifies the services and protocol of the application layer for Intelligent Grouping and Resource Sharing (IGRS) devices and services in the Home Electronic System. Some parts reference Classes 1, 2 and 3, which are HES designations specified in the HES architecture standard, ISO/IEC 14543-2-1.

The ISO/IEC 14543-5 series includes the following parts.

- Part 5-1: Core protocol
  - Specifies the TCP/IP protocol stack as the basis and the HTTP protocol as the message-exchange framework among devices.
  - Specifies a series of device and service interaction/invocation standards, including device and service discovery protocol, device and service description, service invocation, security mechanisms, etc.
  - Specifies core protocols for a type of home network that supports streaming media and other high-speed data transports within a home.
- Parts 5-2#: Application profile
  - Based on the IGRS core protocol.
  - Specifies a device and service interaction mechanism, as well as application interfaces used in IGRS basic applications.
  - Multiple application profiles are specified, including:
    - Part 5-21: AV profile
    - Part 5-22: File profile
- Part 5-3: Basic application
  - Includes an IGRS basic application list.
  - Specifies a basic application framework.
  - Specifies operation details (device grouping, service description template, etc.), function definitions and service invocation interfaces.
- Part 5-4: Device validation
  - Defines a standard method to validate an IGRS-compliant device.
- Part 5-5: Device type
  - Specifies IGRS device types used in IGRS applications.
- Part 5-6: Service type
  - Specifies basic service types used in IGRS applications.
- Part 5-7: Remote access system architecture
  - Specifies the architecture and framework for the remote access of IGRS devices and services in the Home Electronic System. The remote access communications protocol and application profiles are specified in the following parts of ISO/IEC 14543-5:
    - ISO/IEC 14543-5-8: Remote access core protocol
    - ISO/IEC 14543-5-9: Remote access service platform
    - ISO/IEC 14543-5-101: Remote AV access profile
    - ISO/IEC 14543-5-102: Remote universal management profile
    - ISO/IEC 14543-5-11: Remote user interface
    - ISO/IEC 14543-5-12: Remote access test and verification
  - The relationships among these parts are specified in Part 5-7.

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

– Part 5-8: Remote access core protocol
  - Provides detailed system components, system function modules, basic concepts of IGRS remote access elements and their relationships, message exchange mechanisms and security related specifications.
  - Specifies interfaces between IGRS Remote Access (RA) client and service platforms. Defines co-operative procedures among IGRS RA clients.
– Part 5-9: Remote access service platform
  - Specifies the IGRS RA service platform (IRSP) architectures and interfaces among servers in the service platforms.
  - Based on Part 5-8: Remote access core protocol.
– Parts 5-10#: Remote access application profiles
  - Defines a device and service interaction mechanism for various applications.
  - Based on Part 5-8: Remote access core protocol.
  - Two profiles are under development:
    – Part 5-101: Remote AV access profile.[1] This part defines the common requirements for IGRS RA AV users and devices in IGRS networks.
    – Part 5-102: Remote universal management profile.[2] This part specifies a mechanism for integrating devices with both relatively high and low processing capabilities into IGRS networks. It also specifies universal remote device discovery and a management framework.
  - Additional application profiles will be specified in the future.
– Part 5-11: Remote user interface[3]
  - Specifies adaptive user interface generation and remote device control mechanisms suitable for different remote access applications and devices.
– Part 5-12: Remote access test and verification[4]
  - Defines a standard method to test and verify IGRS-RA compliant device and service interfaces.

---

[1] Under preparation. Stage at the time of publication: ISO/IEC DIS 14543-5-101:2017.

[2] Under preparation. Stage at the time of publication: ISO/IEC CD 14543-5-102:2016.

[3] Under preparation. Stage at the time of publication: ISO/IEC DIS 14543-5-11:2017.

[4] Under preparation. Stage at the time of publication: ISO/IEC DIS 14543-5-12:2017.

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

INFORMATION TECHNOLOGY – HOME ELECTRONIC SYSTEM (HES) ARCHITECTURE –

Part 5-8: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access core protocol

1 Scope

This part of ISO/IEC 14543-5 specifies the core protocol of IGRS user and device remote access, including intelligent grouping and resource sharing. The protocol features are:

a) IGRS RA user and IGRS RA device concepts and relationship management mechanisms,

b) user and device remote discovery and online and offline status management mechanisms,

c) user and device remote access message formats and message exchanging flows, and

d) remote data and service distribution and sharing mechanisms.

This document is applicable to remote access of an IGRS sub-network (called an IGRS subnet) for resource sharing and service collaboration among home and/or remote computers, consumer electronics and communication devices.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 14543-5-9, *Information technology – Home electronic system (HES) architecture – Part 5-9: Intelligent grouping and resource sharing for HES Class 2 and Class 3 – Remote access service platform*

ISO/IEC 9594-8|Recommendation ITU-T X.509, *Information technology – Open Systems Interconnection – The Directory: Public-key and attribute certificate frameworks*

IETF RFC 2616, *Hypertext Transfer Protocol – HTTP/1.1*

IETF RFC 2818, *HTTP over TLS*

IETF RFC 4422, *Simple Authentication and Security Layer (SASL)*

IETF RFC 5246, *The Transport Layer Security (TLS) Protocol – Version 1.2*

IETF RFC 6120, *Extensible Messaging and Presence Protocol (XMPP): Core*

IETF RFC 6121, *Extensible Messaging and Presence Protocol (XMPP): Instant Messaging and Presence*

IETF RFC 7622, *Extensible Messaging and Presence Protocol (XMPP): Address Format*

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1
binding
relationship established between a user and a device, which represents an own/owned relationship between the user and the device

Note 1 to entry: The user and device with binding relationship are shown in each other's roster. One user can bind multiple devices, and one device can be bound by multiple users.

3.1.2
buddy
relationship established between two users, which represents that the two users trust each other

Note 1 to entry: Two users with buddy relationship are shown in each other's roster.

3.1.3
connection ID
instance identification that identifies the connection between "user and IRSP" and "device and IRSP"

3.1.4
contact group
set of multiple contacts where each has the same attribute

3.1.5
device connection
network connection established between an IGRS RA device and the IRSP

Note 1 to entry: Only one device connection can be maintained at any time. Multiple devices of one user can connect to the IRSP simultaneously.

3.1.6
device connection ID
identification that represents an instance of a connection between an IGRS RA device and the IRSP

EXAMPLE If the device ID is"#igrsdevice@igrs.com" and the connection ID is "home", the device connection ID is "#igrsdevice@igrs.com/home".

Note 1 to entry: A device connection ID is unique. The IRSP tests and guarantees the uniqueness of the device connection ID.

Note 2 to entry: A device connection ID consists of a device ID and a connection ID. A "/" is used to separate these two IDs.

3.1.7
device ID
unique identification of an IGRS RA device

EXAMPLE If the local part of a device ID is "#igrsdevice" and the domain name part of the user ID is "igrs.com", the device ID is "#igrsdevice@igrs.com".

Note 1 to entry: A device ID consists of a local part and a domain name part. A "@" is used to separate the two parts. Each device ID starts with a "#".

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

3.1.8
device verification code
string used to examine if the user has the authority to bind a device

Note 1 to entry: For a device without a user interface, the device verification code is used to bind a device to a user. The device owner guarantees the safety of the device verification code.

3.1.9
IGRS RA device
physical device that is accessible to the IGRS RA user in the IGRS RA system

Note 1 to entry: A binding relationship can be established between an IGRS RA device and an IGRS RA user. A sibling relationship can be established between two IGRS RA devices.

3.1.10
IGRS RA server
instantiation of a service provider that may be included in an IRSP

Note 1 to entry: An IGRS RA server is deployed on the Internet. It maintains relationships among IGRS RA user and IGRS devices. It also provides re-transmission of collaborative messages. The IGRS RA user and IGRS device can start a data connection to the IRSP and supports interconnections using the data connection and re-transmission functions of the IRSP.

3.1.11
IGRS RA service platform
IRSP
collection of multiple IGRS RA servers that are deployed on the Internet to maintain the relationships among IGRS RA user and IGRS RA device and to exchange collaborative messages

Note 1 to entry: IGRS RA user and device can establish connections to the IRSP, can send collaborative messages over these connections and can exchange messages in the servers of the IRSP.

3.1.12
IGRS RA user
entity that uses the IGRS RA devices and application services

Note 1 to entry: Generally, an IGRS RA user is a human being. Each IGRS RA user should have a unique user ID (identification). A bundle relationship can be established between one IGRS RA user and another. A binding relationship can be established between one IGRS RA user and one IGRS device.

3.1.13
interested connection
connection that logged onto the IRSP using a user ID and requested the roster of that user

3.1.14
roster
list that stores all users and devices by which this specific user or device is permitted access

Note 1 to entry: A roster is managed by the IRSP. Each user or device has one and only one roster on the IRSP.

3.1.15
roster item
item in the roster

3.1.16
service ID
identification of a service

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 14543-5-8:2017

3.1.17
sibling
relationship established between two or more devices, which represents that these devices have a binding relationship with the same user, or these devices belong to the same user

Note 1 to entry: Devices with sibling relationship are shown in each other's roster.

3.1.18
user connection
network connection established between an IGRS RA user and the IRSP

Note 1 to entry: Multiple user connections can be maintained simultaneously for one user.

3.1.19
user connection ID
identification that represents an instance of a connection between an IGRS RA user and the IRSP

EXAMPLE If the user ID is "igrsuser@igrs.com" and the connection ID is "office", the user connection ID is "igrsuser@igrs.com/office".

Note 1 to entry: A user connection ID is unique. The IRSP tests and guarantees the uniqueness of a user connection ID.

Note 2 to entry: A user connection ID consists of a user ID and a connection ID. A "/" is used to separate the two IDs.

Note 3 to entry: The connection ID is set by the user when logging in.

3.1.20
user ID
unique identification of an IGRS RA user

EXAMPLE If the local part of a user ID is "igrsuser" and the domain name part of the user ID is "igrs.com", the user ID is "igrsuser@igrs.com".

Note 1 to entry: A user ID consists of a local part and a domain name part. A "@" is used to separate the two parts.

3.2 Abbreviated terms

AS	autonomous system
HTTP	hypertext transfer protocol
ID	identification
IGRS	intelligent grouping and resource sharing
IRSP	IGRS RA service platform
NAT	network address translation
RA	remote access
SASL	simple authentication and security layer
TLS	transport layer security
TCP/IP	transmission control protocol/Internet protocol
UI	user interface
XMPP	extensible messaging and presence protocol

Documents
Document Sharing Hub
Full document details: BS ISO/IEC 14543-5-8:2017