



BSI Standards Publication

Information technology — Data protocol for radio frequency identification (RFID) for item management

Part 3: RFID data constructs

National foreword

This British Standard is the UK implementation of [ISO/IEC 15961-3:2019](#). Together with BS ISO/IEC 15961-1:2013, BS ISO/IEC 15961-2 and BS ISO/IEC 15961-4:2016, it supersedes BS ISO/IEC 15961:2004, which will be withdrawn upon publication of all parts of the series.

The UK participation in its preparation was entrusted to Technical Committee IST/34, Automatic identification and data capture techniques.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 56260 0

ICS 35.040.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL STANDARD

ISO/IEC 15961-3

First edition
2019-02-15

Information technology — Data protocol for radio frequency identification (RFID) for item management —

Part 3: RFID data constructs

*Technologies de l'information — Protocole de données relatif à
l'identification par radiofréquence (RFID) pour la gestion d'objets —
Partie 3: Constructions de données RFID*



Reference number
ISO/IEC 15961-3:2019(E)

AVA Documents
Document Sharing Hub
© ISO/IEC 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2019, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions	2
3.2 Abbreviated terms	2
4 Conformance	3
4.1 Conformance of encoders	3
4.2 Conformance of decoders	3
5 Application Family Identifier (AFI)	4
5.1 General	4
5.2 AFI values	4
5.3 AFI assignment	4
5.4 Monomorphic-UIIs and AFI	4
5.5 Self-assignment of AFIs	5
5.6 AFI extension mechanism	5
6 Data format	6
6.1 General	6
6.2 Data format values	6
6.3 Data format assignment by the Registration Authority	7
6.4 Self-assignment of data formats 29 and 30	7
6.4.1 Data format 29	7
6.4.2 Data format 30	7
6.5 Data format extension mechanism	7
7 Object Identifiers	8
7.1 General	8
7.2 General use of Object Identifiers in open application environments	8
7.3 Use of Object Identifiers in closed application environments	9
7.4 Object Identifier for the Unique Item Identifier	9
7.5 Object Identifiers for other item attendant data	9
Annex A (informative) First, second and third arcs of Object Identifier tree	11
Bibliography	12

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see <http://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 31, *Automatic identification and data capture techniques*.

This first edition of [ISO/IEC 15961-3](#), together with [ISO/IEC 15961-1](#), ISO/IEC 15961-2 and [ISO/IEC 15961-4](#), cancels and replaces [ISO/IEC 15961:2004](#), which has been technically revised.

A list of all parts in the ISO/IEC 15961 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The technology of radio frequency identification (RFID) is based on non-contact electronic communication across an air interface. The structure of the bits stored on the memory of the RFID tag is invisible and accessible between the RFID tag and the interrogator only by the use of the appropriate air interface protocol, as specified in the appropriate part of [ISO/IEC 18000](#). The transfer of data between the application and the interrogator in open systems requires data to be presented in a consistent manner on any RFID tag that is part of that open system. Application commands from the application and responses from the interrogator also require being processed in a standard way. This is not only to allow equipment to be interoperable, but in the special case of the data carrier, for the data to be encoded on the RFID tag in one system implementation for it to be read at a later time in a completely different and unknown system implementation. The data bits stored on each RFID tag must be formatted in such a way as to be reliably read at the point of use if the RFID tag is to fulfil its basic objective.

Manufacturers of RFID equipment (interrogators, RFID tags, etc.) and the users of RFID technology require a standard-based data protocol for RFID for item management. [ISO/IEC 15961](#) and [ISO/IEC 15962](#) specify this data protocol, which is independent of any of the air interface standards defined in [ISO/IEC 18000](#). As such, the data protocol is a consistent component in the RFID system that may independently evolve to include additional air interface protocols. The International Standards that comprise the data protocol are as follows:

- [ISO/IEC 15961-1](#), which defines the transfer of data to and from the application, supported by appropriate application commands and responses;
- [ISO/IEC 15961-2](#), which defines the registration procedure of RFID data constructs to ensure that the data protocol supports new applications, in a relatively straightforward manner, as they adopt RFID technology. This can be achieved by the Registration Authority publishing regular updates of RFID data constructs that have been assigned, and as a means of incorporating these updates into the processes of [ISO/IEC 15961-1](#);
- this document ([ISO/IEC 15961-3](#)), which defines the data constructs and the rules that govern their use;
- [ISO/IEC 15961-4](#), which defines the transfer of data associated with sensors and batteries to and from the application, supported by appropriate application commands and responses;
- [ISO/IEC 15962](#), which specifies the overall process and the methodologies developed to format the application data into a structure to store on the RFID tag.