BS ISO/IEC 23008-10:2015

BSI Standards Publication

Information technology — High efficiency coding and media delivery in heterogeneous environments

Part 10: MPEG Media Transport Forward Error Correction (FEC) codes

bsi.

...making excellence a habit.™

Document Sharing Hub

Full document details: BS ISO/IEC 23008-10:2015

National foreword

This British Standard is the UK implementation of ISO/IEC 23008-10:2015.

The UK participation in its preparation was entrusted to Technical Committee IST/37, Coding of picture, audio, multimedia and hypermedia information.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2015.
Published by BSI Standards Limited 2015

ISBN 978 0 580 83300 7

ICS 35.040

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 May 2015.

Amendments/corrigenda issued since publication

Date	Text affected

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 23008-10:2015

INTERNATIONAL STANDARD

ISO/IEC 23008-10

First edition
2015-04-15

Information technology — High efficiency coding and media delivery in heterogeneous environments —

Part 10: MPEG Media Transport Forward Error Correction (FEC) codes

Technologies de l'information — Codage à haute efficacité et livraison des medias dans des environnements hétérogènes —

Partie 10: Codes de correction d'erreur anticipée pour le transport des medias MPEG

Reference number
ISO/IEC 23008-10:2015(E)

Documents
Document Sharing Hub

© ISO/IEC 2015

Full document details: BS ISO/IEC 23008-10:2015

COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

© ISO/IEC 2015 – All rights reserved

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 23008-10:2015

Contents

Page

Foreword ... **iv**

Introduction ... **v**

1 Scope ... **1**

2 Normative references ... **1**

3 Terms, definitions, symbols, and abbreviated terms ... **1**
3.1 Terms and definitions ... 1
3.2 Symbols and abbreviated terms ... 2
3.3 Conventions ... 2

4 Overview ... **2**

5 FEC Code Points ... **3**

6 Specification for Reed-Solomon Codes ... **3**
6.1 Introduction ... 3
6.2 Generator matrix ... 4

7 Specification for Structured Low-Density Parity-Check (S-LDPC) Codes ... **4**
7.1 Introduction ... 4
7.2 Structured LDPC Codes ... 5
7.3 Creating Parity-Check Matrix ... 5
7.4 Encoding Algorithm ... 6
7.5 Decoding Algorithm ... 7
7.6 Base matrix ... 7

8 Specification 6330 code and RaptorQ LA code ... **11**
8.1 Introduction ... 11
8.2 6330 code ... 12
8.3 RaptorQ LA ... 12
8.3.1 RaptorQ LA First Encoding Step Intermediate symbol generation ... 13
8.3.2 Layer-Aware RaptorQ Second Encoding Step ... 15
8.3.3 Layer-Aware RaptorQ Decoding ... 15

9 Specification for FireFort Low Density Generate Matrix (FireFort-LDGM) codes ... **16**
9.1 Introduction ... 16
9.2 FireFort Low Density Generator Matrix (FireFort-LDGM) Codes ... 16
9.2.1 Definition ... 16
9.2.2 FF-LDGM-Specific Elements ... 17
9.2.3 Parity Check Matrix of FF-LDGM Scheme ... 18
9.2.4 Creating a Sparse Matrix ... 18
9.2.5 Creating a Punctured Sparse Matrix ... 22
9.2.6 Source symbol division scheme ... 24
9.2.7 Structured interleaving and de-interleaving scheme ... 25
9.2.8 FF-LDGM code Encoding Algorithm ... 25
9.2.9 FF-LDGM code Decoding Algorithm ... 26
9.3 Layer-Aware FireFort-LDGM (LA FireFort-LDGM) Codes ... 26
9.3.1 Specification of the LA FF-LDGM Scheme ... 26
9.3.2 Encoding Algorithm ... 27
9.3.3 Decoding Algorithm ... 27

10 Specification for FEC code algorithms in SMPTE 2022-1 ... **27**

Bibliography ... **28**

© ISO/IEC 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

ISO/IEC 23008 consists of the following parts, under the general title *Information technology — High efficiency coding and media delivery in heterogeneous environments*:

— *Part 1: MPEG media transport (MMT)*

— *Part 2: High efficiency video coding (HEVC)*

— *Part 3: 3D Audio*

— *Part 10: MPEG Media Transport Forward Error Correction (FEC) codes*

— *Part 11: MPEG Media Transport Composition Information*

© ISO/IEC 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

Introduction

This part of ISO/IEC 23008 specifies application level forward error correction (FEC) codes which can be used with application level-forward error correction (AL-FEC) framework of ISO/IEC 23008-1 MPEG Media Transport (MMT) to provide reliable delivery in IP network and non IP network environments that are prone to packet losses.

© ISO/IEC 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

Documents
Document Sharing Hub

Full document details: BS ISO/IEC 23008-10:2015

INTERNATIONAL STANDARD ISO/IEC 23008-10:2015(E)

Information technology — High efficiency coding and media delivery in heterogeneous environments —

Part 10: MPEG Media Transport Forward Error Correction (FEC) codes

1 Scope

This part of ISO/IEC 23008 specifies application level forward error correction (FEC) codes which can be used with AL-FEC framework of ISO/IEC 23008-1 MPEG Media Transport to provide reliable delivery in IP network and non IP network environments that are prone to packet losses.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 23008-1, *Information technology — High efficiency coding and media delivery in heterogeneous environments — Part 1: MPEG media transport (MMT)*

IETF RFC 5170, *Low Density Parity Check (LDPC) Staircase and Triangle Forward Error Correction (FEC) Schemes, June 2008*

IETF RFC 5510, *Reed-Solomon Forward Error Correction (FEC) Schemes, April 2009*

IETF RFC 6330, *RaptorQ Forward Error Correction Scheme for Object Delivery, August 2011*

SMPTE2022-1, *Forward Error Correction for Real-Time Video/Audio Transport Over IP Networks*

3 Terms, definitions, symbols, and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

3.1 Terms and definitions

3.1.1
code rate
ratio between the number of source symbols and the number of encoding symbols

3.1.2
encoding symbol
unit of data generated by the encoding process

3.1.3
encoding symbol block
set of encoding symbols from the encoding process of a source symbol block

3.1.4
3FEC code
algorithm for encoding data such that the encoded data flow is resilient to data loss

© ISO/IEC ISO pub-date year – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

3.1.5
FEC payload ID
identifier that identifies the contents of a MMT packet with respect to the MMT FEC scheme

3.1.6
repair symbol
encoding symbol that is not a source symbol

3.1.7
repair symbol block
set of repair symbols which can be used to recover lost source symbols

3.1.8
source symbol
unit of data used during the encoding process

3.1.9
source symbol block
set of source symbols which is used to generate repair symbol block by FEC code

3.1.10
systematic code
any error correction code in which the source symbols are part of output encoded symbols

3.2 Symbols and abbreviated terms

For the purpose of this document, the symbols and abbreviated terms given below apply.

AL-FEC application layer (level) forward error correction

FEC forward error correction

LA layer aware

LA-FEC layer aware forward error correction

LDGM low density generator matrix

LDPC low density parity check

MMT MPEG media transport

RS Reed-Solomon

S-LDPC structured low density parity check

3.3 Conventions

The following conventions apply in this document:

— The Big Endian number representation scheme is used.

4 Overview

This part of ISO/IEC 23008 specifies application level forward error correction (FEC) codes. All codes specified in this part are systematic codes.

This specification defines six FEC code algorithms which each FEC code algorithm shall generate a repair symbol block from a source symbol block as shown in Figure 1. The source symbol block consists

© ISO/IEC 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

of K source symbols of size T (in bytes) and the repair symbol block consists of P repair symbols of size T (in bytes).



Figure 1 — Input and Output of FEC code

5 FEC Code Points

Table 1 specifies the code points for the FEC code algorithms specified in this part of ISO/IEC 23008. The FEC code algorithms themselves are specified in Clauses 6 to 10.

Table 1 — FEC Code Algorithms and Its Code Point

Code Point	FEC Code Algorithm
0	Reserved for ISO use
1	RS code (sub-Clause 6)
2	S_LDPC code (sub-Clause 7)
3	6330 code (sub-Clause 8.2)
4	RaptorQ LA code (sub-Clause 8.3)
5	FireFort-LDGM code (sub-Clause 9)
6	FEC code algorithm in SMPTE 2022-1 (sub-Clause 10)
7 ~ 255	Reserved for ISO use

NOTE When one of the FEC code algorithms specified in this specification is used for MMT AL-FEC framework, fec_code_id_for_repair_flow field as defined in ISO/IEC 23008-1:2014 Annex C.6 is set to its corresponding code point as specified in Table 1.

6 Specification for Reed-Solomon Codes

6.1 Introduction

In this clause, the following notations are used.

— *K*: number of source symbols in a source symbol block

— *P*: number of repair symbols in a repair symbol block

© ISO/IEC 2015 – All rights reserved

Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015

— $\boldsymbol{G} = [\boldsymbol{I}; \boldsymbol{A}]$: a systematic generator matrix for $[K+P, K]$-RS code where $\boldsymbol{I}$ is the identity matrix of order K and $\boldsymbol{A}$ is a $K\times P$ matrix.

A (N, K) Reed–Solomon code is a linear block code of length N (over Galois Field F) with dimension K and minimum Hamming distance $N - K + 1$. The Reed–Solomon code is optimal in the sense that the minimum distance has the maximum value possible for a linear code of size (N, K); this is known as the Singleton bound. Such a code is also called a maximum distance separable (MDS) code.

The clause 8 of IETF RFC5510 gives full specification of the RS code for the erasure channel and especially, the clause 8.2.1 of IETF RFC5510 gives encoding principle for RS encoding algorithm. The generate matrix $\boldsymbol{G}$ perfectly characterizes the RS code. In this specification, it specifies only the case when $m = 8$ (over GF(2^8)) with the generator matrix given in the sub-clause 6.2. Therefore, an encoding symbol block shall be generated from a source symbol block by the given generator matrix in the sub-clause 6.2 and this FEC code shall output the repair symbol block of the encoding symbol block.

6.2 Generator matrix

The generator matrix $\boldsymbol{G}$ has the form $\boldsymbol{G} = [\boldsymbol{I}; \boldsymbol{A}]$ where $\boldsymbol{I}$ is an identity matrix of size K and $\boldsymbol{A}$ is a $K \times P$ matrix, $(K + P) \leq 255$. Let α be the root of the polynomial $1 + x^2 + x^3 + x^4 + x^8$ which is the primitive polynomial of degree 8 given in sub-clause 8.1 of IETF RFC5510. The non-zero elements of the finite filed GF(2^8) are generated by a primitive element α and the elements of GF(2^8) are represented by bytes (group of 8 bits), using the polynomial base representation, with ($\alpha^7, \alpha^6, \alpha^5, \alpha^4, \alpha^3, \alpha^2, \alpha, 1$) as a basis. The root α is thus represented as: α = 00000010. For RS code specified in this specification, the matrix $\boldsymbol{A}$ is a Cauchy matrix which shall have entries

$$A_{i,j} = 1/(x_i + y_j) \text{ for } 0 \leq i < K \text{ and } 0 \leq j < P$$

where x_i and y_j are elements in GF(2^8) and are defined as:

$$x_i = \alpha^{254-i}, \text{ and } y_j = \alpha j.$$

Therefore, the matrix $\boldsymbol{A}$ is given by

$$A = \begin{bmatrix} \frac{1}{x_0+y_0} & \frac{1}{x_0+y_1} & \cdots & \frac{1}{x_0+y_{P-2}} & \frac{1}{x_0+y_{P-1}} \\ \frac{1}{x_1+y_0} & \frac{1}{x_1+y_1} & \cdots & \frac{1}{x_1+y_{P-2}} & \frac{1}{x_1+y_{P-1}} \\ \vdots & \vdots & \ddots & \vdots & \vdots \\ \frac{1}{x_{K-2}+y_0} & \frac{1}{x_{K-2}+y_1} & \cdots & \frac{1}{x_{K-2}+y_{P-2}} & \frac{1}{x_{K-2}+y_{P-1}} \\ \frac{1}{x_{K-1}+y_0} & \frac{1}{x_{K-1}+y_1} & \cdots & \frac{1}{x_{K-1}+y_{P-2}} & \frac{1}{x_{K-1}+y_{P-1}} \end{bmatrix}$$

NOTE Any submatrix of the Cauchy matrix is invertible.

7 Specification for Structured Low-Density Parity-Check (S-LDPC) Codes

7.1 Introduction

A Low-Density-Parity-Check (LDPC) code is a linear block code defined by its parity-check matrix. In this specification, we use a special case of LDPC codes, called structured LDPC (S-LDPC) codes, which have an efficient encoding algorithm and adopted as an FEC code in standardizations such as IEEE 802.16e and 801.11n.

In this document, we use the following notations.

— K: number of source symbols in a source symbol block

© ISO/IEC 2015 – All rights reserved
Documents
Document Sharing Hub
Full document details: BS ISO/IEC 23008-10:2015