



BSI Standards Publication

Information technology — Open Connectivity Foundation (OCF) Specification

Part 12: Cloud security specification

National foreword

This British Standard is the UK implementation of ISO/IEC 30118-12:2021.

The UK participation in its preparation was entrusted to Technical Committee ICT/1, Information systems co-ordination.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022
Published by BSI Standards Limited 2022

ISBN 978 0 539 16195 3

ICS 35.200

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2022.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

**Information technology — Open
Connectivity Foundation (OCF)
Specification —**

**Part 12:
Cloud security specification**

*Technologies de l'information — Specification de la Fondation pour la
connectivité ouverte (Fondation OCF) —*

Partie 12: Spécification de la sécurité du nuage



Reference number
ISO/IEC 30118-12:2021(E)

AVA Documents
Document Sharing Hub
© ISO/IEC 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms.....	2
3.1 Terms and definitions	2
3.2 Abbreviated terms	2
4 Document conventions and organization.....	3
4.1 Conventions	3
4.2 Notation	3
4.3 Data types	4
5 Security overview	4
5.1 Preamble	4
5.2 OCF Cloud architecture alignment with ISO IEC 17789	4
5.3 Device provisioning for OCF Cloud and Device registration overview	5
5.4 Credential overview	5
6 Device provisioning for OCF Cloud.....	5
6.1 OCF Cloud provisioning general.....	5
6.2 Device provisioning by Mediator	6
7 Device authentication with OCF Cloud.....	8
7.1 Device authentication with OCF Cloud general	8
7.2 Device connection with the OCF Cloud	8
7.3 Security considerations	9
8 Message integrity and confidentiality	10
8.1 OCF Cloud session semantics	10
8.2 Cipher suites for OCF Cloud Credentials	10
9 Security Resources	10
9.1 Account Resource	10
9.2 Account Session Resource	12
9.3 Account Token Refresh Resource	13
10 Security hardening guidelines.....	14
10.1 Security hardening guidelines general	14
Annex A (normative) Resource Type definitions.....	15
A.1 List of Resource Type definitions	15
A.2 Account Token	15
A.2.1 Introduction.....	15
A.2.2 Well-known URI	15
A.2.3 Resource type	15
A.2.4 OpenAPI 2.0 definition	15
A.2.5 Property definition	18
A.2.6 CRUDN behaviour	19
A.3 Session.....	20
A.3.1 Introduction.....	20
A.3.2 Well-known URI	20

A.3.3	Resource type	20
A.3.4	OpenAPI 2.0 definition	20
A.3.5	Property definition	22
A.3.6	CRUDN behaviour	23
A.4	Token Refresh	23
A.4.1	Introduction	23
A.4.2	Well-known URI	23
A.4.3	Resource type	23
A.4.4	OpenAPI 2.0 definition	24
A.4.5	Property definition	26
A.4.6	CRUDN behaviour	27

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents) or the IEC list of patent declarations received (see patents.iec.ch).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by the Open Connectivity Foundation (OCF) (as OCF Cloud Security Specification, version 2.2.0) and drafted in accordance with its editorial rules. It was adopted, under the JTC 1 PAS procedure, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

A list of all parts in the ISO/IEC 30118 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

This document, and all the other parts associated with this document, were developed in response to worldwide demand for smart home focused Internet of Things (IoT) devices, such as appliances, door locks, security cameras, sensors, and actuators; these to be modelled and securely controlled, locally and remotely, over an IP network.

While some inter-device communication existed, no universal language had been developed for the IoT. Device makers instead had to choose between disparate frameworks, limiting their market share, or developing across multiple ecosystems, increasing their costs. The burden then falls on end users to determine whether the products they want are compatible with the ecosystem they bought into, or find ways to integrate their devices into their network, and try to solve interoperability issues on their own.

In addition to the smart home, IoT deployments in commercial environments are hampered by a lack of security. This issue can be avoided by having a secure IoT communication framework, which this standard solves.

The goal of these documents is then to connect the next 25 billion devices for the IoT, providing secure and reliable device discovery and connectivity across multiple OSs and platforms. There are multiple proposals and forums driving different approaches, but no single solution addresses the majority of key requirements. This document and the associated parts enable industry consolidation around a common, secure, interoperable approach.

ISO/IEC 30118 consists of eighteen parts, under the general title Information technology — Open Connectivity Foundation (OCF) Specification. The parts fall into logical groupings as described herein:

- Core framework
 - Part 1: Core Specification
 - Part 2: Security Specification
 - Part 13: Onboarding Tool Specification
- Bridging framework and bridges
 - Part 3: Bridging Specification
 - Part 6: Resource to Alljoyn Interface Mapping Specification
 - Part 8: OCF Resource to oneM2M Resource Mapping Specification
 - Part 14: OCF Resource to BLE Mapping Specification
 - Part 15: OCF Resource to EnOcean Mapping Specification
 - Part 16: OCF Resource to UPlus Mapping Specification
 - Part 17: OCF Resource to Zigbee Cluster Mapping Specification
 - Part 18: OCF Resource to Z-Wave Mapping Specification
- Resource and Device models
 - Part 4: Resource Type Specification
 - Part 5: Device Specification

- Core framework extensions
 - Part 7: Wi-Fi Easy Setup Specification
 - Part 9: Core Optional Specification
- OCF Cloud
 - Part 10: Cloud API for Cloud Services Specification
 - Part 11: Device to Cloud Services Specification
 - Part 12: Cloud Security Specification

Information technology — Open Connectivity Foundation (OCF) Specification —

Part 12: Cloud security specification

1 Scope

The OCF Cloud specifications are divided into a series of documents:

- OCF Cloud security specification (this document): The cloud security specification document specifies the security requirements and definitions for OCF devices and OCF clouds implementations.
- OCF Device to Cloud Specification: The OCF Device to Cloud Specification document defines functional extensions and capabilities to meet the requirements of the OCF Cloud. This document specifies new Resource Types to enable the functionality and any extensions required to connect an OCF device to an OCF cloud.
- OCF Cloud API for cloud services specification: The Cloud API for cloud services specification defines the OCF cloud API.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 30118-1 *Information technology – Open Connectivity Foundation (OCF) Document – Part 1: Core specification*

<https://www.iso.org/standard/53238.html>

ISO/IEC 30118-2, *Information technology – Open Connectivity Foundation (OCF) Document – Part 2: Security specification*

<https://www.iso.org/standard/74239.html>

ISO/IEC 30118-8, *Information technology – Open Connectivity Foundation (OCF) Document – Part 8: Device to Cloud Services*,

<https://www.iso.org/standard/79360.html>

IETF RFC 6749, *The OAuth 2.0 Authorization Framework*, October 2012,

<https://tools.ietf.org/html/rfc6749>

IETF RFC 6750, *The OAuth 2.0 Authorization Framework: Bearer Token Usage*, October 2012,

<https://tools.ietf.org/html/rfc6750>

IETF RFC 8323, *CoAP (Constrained Application Protocol) over TCP, TLS, and WebSockets*, February 2018, <https://tools.ietf.org/html/rfc8323>

oneM2M Release 3 Documents, <http://www.onem2m.org/technical/published-drafts>

OpenAPI document, aka *Swagger RESTful API Documentation Specification*, Version 2.0
<https://github.com/OAI/OpenAPI-Specification/blob/master/versions/2.0.md>

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 30118-1, ISO/IEC 30118-2, ISO/IEC 30118-8 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1.1

Access Token

credential used to authorize the connection with the OCF Cloud and access protected Resources

Note 1 to entry: An Access Token is a string while the OCF Device has no internal logic based on its contents and only forwards the token as-is

3.1.2

Authorization Provider

server issuing Access Tokens (3.1.1) via a Mediator to the Client after successfully authenticating the *OCF Cloud User* (3.1.4) and obtaining authorization

Note 1 to entry: Also known as authorization server in IETF RFC 6749.

3.1.3

Device Registration

process by which Device is enrolled/registered to the OCF Cloud infrastructure (using Device certificate and unique credential) and becomes ready for further remote operation through the cloud interface (e.g. connection to remote Resources or publishing of its own Resources for access)

3.1.4

OCF Cloud User

person or organization authorizing a set of Devices to interact with each other via an OCF Cloud

Note 1 to entry: For each of the Devices, the OCF Cloud User is either the same as, or a delegate of, the person or organization that onboarded that Device. The OCF Cloud User delegates, to the OCF Cloud authority, authority to route between Devices registered by the OCF Cloud User. The OCF Cloud delegates, to the OCF Cloud User, authority to select the set of Devices which can register and use the services of the OCF Cloud.

3.2 Abbreviated terms

For the purposes of this document, the symbols and abbreviated terms given in ISO/IEC 30118-1, ISO/IEC 30118-2 and ISO/IEC 30118-8 apply.