

Implementation of ISO/IEC 9804 : 1990

**Information technology —
Open Systems Interconnection
— Service definition for the
Commitment, Concurrency and
Recovery service element**

National foreword

This British Standard reproduces verbatim ISO/IEC 9804 : 1990 and implements it as the UK national standard.

This British Standard is published under the direction of the Information Systems Technology Standards Policy Committee IST/21 which has the responsibility to:

- aid enquirers to understand the text;
- present to the responsible international committee any enquiries on interpretation, or proposals for change, and keep UK interests informed;
- monitor related international and European developments and promulgate them in the UK.

NOTE. International and European Standards, as well as overseas standards, are available from BSI Sales Department, BSI, Linford Wood, Milton Keynes, MK14 6LE.

Compliance with a British Standard does not of itself confer immunity from legal obligations.

**Implementation of Technical Corrigendum 1
published and effective from 15 June 1992
to BS ISO/IEC 9804 : 1990**

**Information technology – Open Systems
Interconnection – Service definition for the
Commitment, Concurrency and Recovery
service element**

AMD 7152
ISO/IEC 9804 : 1990/
Cor. 1 : 1991

AMD 7152
June 1992


National foreword

In line 1, after 'ISO/IEC 9804 : 1990' insert ', including Technical Corrigendum 1'.

AMD 7152
June 1992

ISO text

Insert the attached as appropriate.



INTERNATIONAL STANDARD ISO/IEC 9804 : 1990
TECHNICAL CORRIGENDUM 1

Published 1991-12-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ELECTROTECHNIQUE INTERNATIONALE

Information technology — Open Systems Interconnection — Service definition for the Commitment, Concurrency and Recovery service element

TECHNICAL CORRIGENDUM 1

*Technologies de l'information — Interconnexion de systèmes ouverts — Spécification du service pour l'élément de service
d'engagement, concurrence et reprise*

RECTIFICATIF TECHNIQUE 1

Technical corrigendum 1 to International Standard ISO/IEC 9804 : 1990 was prepared by Joint Technical Committee ISO/IEC JTC 1,
Information technology.

Page 10

Subclause 7.1.2.2.4

Lines 3 and 4, delete “within the AEI of the superior” and insert “with the same superior’s name”.

UDC 681.3 : 621.39

Ref. No. ISO/IEC 9804 : 1990/Cor.1 : 1991 (E)

Descriptors: data processing, information interchange, network interconnection, open systems interconnection, communication procedure, control procedures.

© ISO/IEC 1991

AVA Documents
Document Sharing Hub

Implementation of Amendment 2
published and effective from 15 April 1993
to BS ISO/IEC 9804 : 1990

Information technology – Open Systems Interconnection –
Service definition for the Commitment, Concurrency and
Recovery service element

National foreword (as amended by Technical Corrigendum 1)

In line 1, delete 'Technical Corrigendum 1' and substitute 'Technical Corrigendum 1 and Amendment 2'.

AMD 7708/April 1993

ISO text

Insert the attached as appropriate.

AMD 7708/April 1993

INTERNATIONAL STANDARD

ISO/IEC
9804

First edition
1990-11-15

AMENDMENT 2
1992-12-15

Information technology – Open Systems Interconnection – Service definition for the Commitment, Concurrency and Recovery service element

AMENDMENT 2: Session mapping changes

*Technologies de l'information – Interconnexion de systèmes ouverts –
Définition du service pour l'élément de service d'engagement, de
concurrence et de reprise*

*AMENDEMENT 2: Modification de la mise en correspondance avec la
session*



Reference number
ISO/IEC 9804:1990/Amd. 2:1992 (E)



Documents

Document Sharing Hub

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 2 to International Standard ISO/IEC 9804:1990 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

© ISO/IEC 1992

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

Case postale 56 • CH-1211 Genève 20 • Switzerland

Information technology – Open Systems Interconnection – Service definition for the Commitment, Concurrency and Recovery service element

Amendment 2: Session mapping changes

Introduction

{NO CHANGE}

1 Scope

{ADD A NEW PARAGRAPH TO THE END OF THE CLAUSE}

The CCR service definition in this International Standard requires that either CCR Protocol Version 1 or CCR Protocol Version 2 is being used. Variations which are specific to each version are indicated in the text.

2 Normative references

{ADD THE FOLLOWING REFERENCES TO THIS CLAUSE, MAINTAINING NUMERICAL ORDER.}

ISO 8822:1988/Amd.5:-¹⁾, *Information processing systems - Open Systems Interconnection - Basic connection oriented presentation service definition, Amendment 5: Additional Session Synchronization Functionality to the Presentation Service User.*

ISO 8326:1987/Amd.4:-¹⁾, *Information processing systems - Open Systems Interconnection - Basic connection oriented session services definition, Amendment 4 : Additional Resynchronization Functionality.*

ISO/IEC 9805:1990/Amd.2:-¹⁾, *Information technology - Open Systems Interconnection <196> Protocol specification for the Commitment, Concurrency and Recovery service element, Amendment 2: Session mapping changes.*

3 Definitions

{NO CHANGE}

4 Abbreviations

{NO CHANGE}

5 Conventions

{NO CHANGE}

6 Concepts

{NO CHANGE}

7 Service definition

7.1 C-BEGIN service

{NO CHANGE}

¹⁾ To be published.

7.2 C-PREPARE service

{NO CHANGE}

7.3 C-READY service

{NO CHANGE}

7.4 C-COMMIT service

7.4.1 Purpose and use

{CHANGE THE PHRASE "The use of" AT THE BEGINNING OF PARAGRAPH 7.4.1.5 TO THE FOLLOWING.}

If CCR Protocol Version 1 is being used, then the use of...

{ADD A NEW PARAGRAPH 7.4.1.6. RENUMBER THE SUCCEEDING CLAUSES ACCORDINGLY}

7.4.1.6 If CCR Protocol Version 2 is being used, then the use of the C-COMMIT service has the effect of establishing a minor synchronization point on the underlying session-connection that supports the branch. The superior shall own the synchronize-minor token.

7.4.2 C-COMMIT parameter

{NO CHANGE}

7.5 C-ROLLBACK service

{CHANGE THE PHRASE "This can result" IN THE SECOND SENTENCE IN 7.5.1.5 TO THE FOLLOWING}

If CCR Protocol Version 1 is being used, then this can result...

7.6 C-RECOVER service

{NO CHANGE}

8 Sequencing information

{NO CHANGE}

9 Using CCR

9.1 General

{NO CHANGE}

9.2 Use of CCR by a cooperating main service

{NO CHANGE}

{CHANGE THE TITLE OF CLAUSE 9.3 TO THE FOLLOWING}

9.3 Use of resynchronization with CCR Protocol Version 1

{REMOVE CLAUSE 9.3.2}

{ADD A NEW SUBCLAUSE 9.4 WITH THE FOLLOWING TEXT. }

9.4 Use of session synchronization and resynchronization services with CCR Protocol Version 2

9.4.1 CCR services cannot be used by a referencing specification that uses session resynchronization in a manner unrelated to CCR semantics. In particular, a referencing specification may only use session resynchronization in circumstances where there is no possibility of the resynchronization disrupting any CCR service procedures other than the C-READY request primitive, the C-PREPARE request primitive or the C-BEGIN response primitive.

NOTE - For example, a referencing specification may use the P-RESYNCHRONIZE(restart) or P-RESYNCHRONIZE(set) services before the end of Phase 1.

9.4.2 A referencing specification may use session synchronization points (minor or major). However, the referencing specification must be aware that CCR also uses session synchronization points.

{ADD A NEW CLAUSE 9.5 AS FOLLOWS. }

9.5 Use of CCR with Session Activities

9.5.1 The CCR services cannot be used outside of a session activity if the session activity management functional unit was selected for the supporting association.

{CHANGE THE TITLE OF 9.4 TO THE FOLLOWING AND RENUMBER TO 9.6.}

9.6 Use of transport expedited service with CCR Protocol Version 1

{ADD A NEW CLAUSE 9.7 WITH THE FOLLOWING TEXT. }

9.7 Use of presentation services with CCR Protocol Version 2

The C-BEGIN request primitive cannot be issued if a P-ALTER-CONTEXT confirm primitive is pending and the Context Restoration functional unit of Presentation is selected.

{RETITLE CLAUSE 9.5 AS FOLLOWS AND RENUMBER TO 9.8}

9.8 Starting a branch in CCR Protocol Version 1

Annex A

{normative}

CCR service user rules

A.3.4 C-COMMIT request primitive

{CHANGE ITEM "e)" IN A.3.4.1 TO READ AS FOLLOWS.}

e) the CCR service-user owns the major/activity token if CCR Protocol Version 1 is being used, or the synchronize-minor token if CCR Protocol Version 2 is being used [association use rule - Rule A.3.4.1-e].

Annex B

{normative}

Relationship of CCR to the Application Layer Structure

{NO CHANGE}

Annex C

{informative}

CCR tutorial

{RETITLE CLAUSE C.10 AS FOLLOWS}

C.10 Use of session synchronize and resynchronize services with CCR Protocol Version 1

INTERNATIONAL STANDARD

ISO/IEC 9804

First edition
1990-11-15

Information technology — Open Systems Interconnection — Service definition for the Commitment, Concurrency and Recovery service element

*Technologies de l'information — Interconnexion de systèmes ouverts —
Spécification du service pour l'élément de service d'engagement, concurrence et
reprise*



Contents

Foreword vi

Introduction.....vii

1 Scope 1

2 Normative references 1

3 Definitions 1

 3.1 Reference model definitions 1

 3.2 Naming and addressing definition 2

 3.3 Service conventions definitions 2

 3.4 Presentation service definitions 2

 3.5 ACSE service definitions 2

 3.6 Application Layer structure definitions 2

 3.7 CCR service definitions 2

4 Abbreviations 4

5 Conventions 4

6 Concepts 5

 6.1 Use of CCR in a distributed application environment 5

 6.2 CCR facilities 7

 6.3 Heuristic decisions 8

7 Service definition 9

 7.1 C-BEGIN service.....9

 7.2 C-PREP/RE service 10

7.3 C-READY service	11
7.4 C-COMMIT service	11
7.5 C-ROLLBACK service	11
7.6 C-RECOVER service	12
8 Sequencing information	13
8.1 General	13
8.2 Events	14
8.3 States	14
8.4 Interpretation of the state table	14
8.5 Completing the branch	14
8.6 Collisions and disruptive services	14
9 Using CCR	20
9.1 General	20
9.2 Use of CCR by a cooperating main service	20
9.3 Use of resynchronization	20
9.4 Use of transport expedited service	20
9.5 Starting a branch	20
Annexes	
A CCR service-user rules	21
A.1 Introduction	21
A.1.1 Rule categories	21
A.1.2 Heuristic decision considerations	21
A.2 Compliance	21
A.3 CCR service primitive usage rules	22
A.3.1 C-BEGIN request primitive	22
A.3.2 C-PREPARE request primitive	22
A.3.3 C-READY request primitive	22
A.3.4 C-COMMIT request primitive	22
A.3.5 C-COMMIT response primitive	22
A.3.6 C-ROLLBACK request primitive	22
A.3.7 C-ROLLBACK indication primitive	23
A.3.8 C-RECOVER(ready) request primitive	23
A.3.9 C-RECOVER(commit) request primitive	23
A.3.10 C-RECOVER(done) response primitive	23

A.4	Atomic action data manipulation rules	23
A.4.1	Recording atomic action data that indicates an offer of commitment ..	23
A.4.2	Forgetting atomic action data that indicates an offer of commitment ..	23
A.4.3	Recording atomic action data indicating an order of commitment	23
A.4.4	Forgetting atomic action data indicating an order of commitment	24
A.5	Bound data manipulation rules	24
A.5.1	Changing bound data to produce the final state	24
A.5.2	Releasing bound data in the initial state as part of rollback	24
A.5.3	Releasing bound data in the final state as part of commitment	24
A.5.4	Releasing bound data as part of a heuristic decision	24
A.6	CCR service-user data transfer rules	24
A.6.1	Data transfer request and response primitive	24
A.6.2	Data transfer indication and confirm primitive	24
B	Relationship of CCR to the Application Layer Structure	25
B.1	CCR service-provider	25
B.2	CCR service-user	25
B.3	Atomic action tree	25
C	CCR tutorial	27
C.1	Introduction	27
C.1.1	What is CCR?	27
C.1.2	Atomic action	27
C.1.3	Purpose	28
C.1.4	Using CCR	28
C.2	Structure of an atomic action tree	28
C.2.1	Model	28
C.2.2	CCR service-user	28
C.2.3	Branch and its identifiers	30
C.2.4	An example using JTM	30
C.3	CCR service-user information resources	30
C.3.1	Bound data	30
C.3.2	Atomic action data	31
C.3.3	Operational data	31
C.4	Concurrency	31
C.4.1	General considerations	31
C.4.2	Concurrency example — locking	31

C.5	Recovery	32
C.5.1	Atomic action data	32
C.5.2	Presumed rollback	33
C.5.3	AP and AE invocation identifiers	34
C.6	Time relations and sequence of service primitives	39
C.7	Comments on implementation complexity	39
C.8	Using the User Data parameter on CCR services	40
C.8.1	Level of commitment	40
C.8.2	CCR diagnostics	40
C.8.3	Application-semantics	40
C.8.4	Heuristic warning	40
C.9	Optional use of C-PREPARE	40
C.9.1	Implicit prepare semantic	41
C.9.2	Implicit conditional prepare and continue	41
C.9.3	C-READY and application-semantics collision	41
C.10	Use of session synchronize and resynchronize services	42

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 9804 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

Annexes A and B form an integral part of this International Standard. Annex C is for information only.