



**BSI Standards Publication**

# **Telecommunications and information exchange between systems — Specific requirements for local and metropolitan area networks**

---

Part 11: Wireless LAN medium access control (MAC)  
and physical layer (PHY) specifications

## National foreword

This British Standard is the UK implementation of ISO/IEC/IEEE 8802-11:2022.

The UK participation in its preparation was entrusted to Technical Committee IST/6, Data communications.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2022  
Published by BSI Standards Limited 2022

ISBN 978 0 539 23444 2

ICS 35.110

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 November 2022.

### Amendments/corrigenda issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

---



INTERNATIONAL  
STANDARD

ISO/  
IEC/IEEE  
8802-11

Third edition  
2022-07

---

---

**Telecommunications and information  
exchange between systems —  
Specific requirements for local and  
metropolitan area networks —**

**Part 11:  
Wireless LAN medium access control  
(MAC) and physical layer (PHY)  
specifications**

*Télécommunications et échange entre systèmes informatiques —  
Exigences pour les réseaux locaux et métropolitains —*

*Partie 11: Spécifications du contrôle d'accès du milieu sans fil (MAC)  
et de la couche physique (PHY)*



Reference number  
ISO/IEC/IEEE 8802-11:2022(E)  
**Documents**  
Document Sharing Hub  
© IEEE 2022



## **COPYRIGHT PROTECTED DOCUMENT**

© IEEE 2022

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from IEEE at the address below.

Institute of Electrical and Electronics Engineers, Inc  
3 Park Avenue, New York  
NY 10016-5997, USA

Email: [stds.ipr@ieee.org](mailto:stds.ipr@ieee.org)  
Website: [www.ieee.org](http://www.ieee.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO/IEC documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information contained in its standards.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see <https://patents.iec.ch>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

ISO/IEC/IEEE 8802-11 was prepared by the LAN/MAN of the IEEE Computer Society (as IEEE 802.11-2020) and drafted in accordance with its editorial rules. It was adopted, under the “fast-track procedure” defined in the Partner Standards Development Organization cooperation agreement between ISO and IEEE, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This third edition cancels and replaces the second edition (ISO/IEC/IEEE 8802-11:2018), which has been technically revised. It also incorporates the Amendments ISO/IEC/IEEE 8802-11:2018/Amd 1:2019, ISO/IEC/IEEE 8802-11:2018/Amd 2:2019, ISO/IEC/IEEE 8802-11:2018/Amd 3:2020, ISO/IEC/IEEE 8802-11:2018/Amd 4:2020, ISO/IEC/IEEE 8802-11:2018/Amd 5:2020.

A list of all parts in the ISO/IEC/IEEE 8802 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

**IEEE Std 802.11™-2020**  
(Revision of IEEE Std 802.11-2016)

**IEEE Standard for Information Technology—  
Telecommunications and Information Exchange between Systems  
Local and Metropolitan Area Networks—  
Specific Requirements**

## **Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications**

Developed by the  
**LAN/MAN Standards Committee**  
of the  
**IEEE Computer Society**

Approved 3 December 2020  
**IEEE SA Standards Board**

**Abstract:** Technical corrections and clarifications to IEEE Std 802.11 for wireless local area networks (WLANs) as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions are specified in this revision. Amendments 1 to 5 published in 2016 and 2018 have also been incorporated into this revision.

**Keywords:** 2.4 GHz, 256-QAM, 3650 MHz, 4.9 GHz, 5 GHz, 5.9 GHz, 60 GHz, advanced encryption standard, AES, audio, beamforming, carrier sense multiple access/collision avoidance, CCMP, channel switching, clustering, contention based access period, Counter mode with Cipher-block chaining Message authentication code Protocol, confidentiality, CSMA/CA, DFS, direct link, directional multi-gigabit, dynamic allocation of service period, dynamic extension of service period, dynamic frequency selection, dynamic truncation of service period, E911, EDCA, emergency alert system, emergency services, fast session transfer, forwarding, GCMP, generic advertisement service, high throughput, IEEE 802.11™, international roaming, interworking, interworking with external networks, LAN, local area network, MAC, management, measurement, medium access control, media-independent handover, medium access controller, mesh, MIS, millimeter-wave, MIMO, MIMO-OFDM, multi-band operation, multi-hop, multi-user MIMO, multiple input multiple output, network advertisement, network discovery, network management, network selection, noncontiguous frequency segments, OCB, path-selection, personal basic service set, PHY, physical layer, power saving, QoS, quality of service, quality-of-service management frame, radio, radio frequency, RF, radio resource, radio management, relay operation, spatial sharing, SSPN, subscriber service provider, television white spaces, TPC, transmit power control, video, wireless access in vehicular environments, wireless LAN, wireless local area network, WLAN, wireless network management, zero-knowledge proof

---

The Institute of Electrical and Electronics Engineers, Inc.  
3 Park Avenue, New York, NY 10016-5997, USA

Copyright © 2021 by The Institute of Electrical and Electronics Engineers, Inc.  
All rights reserved. Published 26 February 2021. Printed in the United States of America.

IEEE and 802 are registered trademarks in the U.S. Patent & Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

Print: ISBN 978-1-5044-7283-8 STD24548  
PDF: ISBN 978-1-5044-7284-5 STD24548

*IEEE prohibits discrimination, harassment and bullying.*

*For more information, visit <http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html>.*

*No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.*



## Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE Standards documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page (<https://standards.ieee.org/ipr/disclaimers.html>), appear in all standards and may be found under the heading “Important Notices and Disclaimers Concerning IEEE Standards Documents.”

### Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE SA) Standards Board. IEEE develops its standards through an accredited consensus development process, which brings together volunteers representing varied viewpoints and interests to achieve the final product. IEEE Standards are documents developed by volunteers with scientific, academic, and industry-based expertise in technical working groups. Volunteers are not necessarily members of IEEE or IEEE SA, and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE makes no warranties or representations concerning its standards, and expressly disclaims all warranties, express or implied, concerning this standard, including but not limited to the warranties of merchantability, fitness for a particular purpose and non-infringement. In addition, IEEE does not warrant or represent that the use of the material contained in its standards is free from patent infringement. IEEE Standards documents are supplied “AS IS” and “WITH ALL FAULTS.”

Use of an IEEE standard is wholly voluntary. The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity, nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: THE NEED TO PROCURE SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

### Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE is the approved IEEE standard.

## Official statements

A statement, written or oral, that is not processed in accordance with the IEEE SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that the presenter's views should be considered the personal views of that individual rather than the formal position of IEEE, IEEE SA, the Standards Committee, or the Working Group.

## Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE or IEEE SA. However, **IEEE does not provide interpretations, consulting information, or advice pertaining to IEEE Standards documents.**

Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its Societies and Standards Coordinating Committees are not able to provide an instant response to comments, or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in evaluating comments or in revisions to an IEEE standard is welcome to join the relevant IEEE working group. You can indicate interest in a working group using the Interests tab in the Manage Profile & Interests area of the [IEEE SA myProject system](#). An IEEE Account is needed to access the application.

Comments on standards should be submitted using the [Contact Us](#) form.

## Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not constitute compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

## Data privacy

Users of IEEE Standards documents should evaluate the standards for considerations of data privacy and data ownership in the context of assessing and using the standards in compliance with applicable laws and regulations.

## Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

## Photocopies

Subject to payment of the appropriate licensing fees, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400; <https://www.copyright.com/>. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

## Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit [IEEE Xplore](#) or [contact IEEE](#). For more information about the IEEE SA or IEEE's standards development process, visit the IEEE SA Website.

## Errata

Errata, if any, for all IEEE standards can be accessed on the [IEEE SA Website](#). Search for standard number and year of approval to access the web page of the published standard. Errata links are located under the Additional Resources Details section. Errata are also available in [IEEE Xplore](#). Users are encouraged to periodically check for errata.

## Patents

IEEE Standards are developed in compliance with the [IEEE SA Patent Policy](#).

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE SA Website at <https://standards.ieee.org/about/sasb/patcom/patents.html>. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

## IMPORTANT NOTICE

IEEE Standards do not guarantee or ensure safety, security, health, or environmental protection, or ensure against interference with or from other devices or networks. IEEE Standards development activities consider research and information presented to the standards development group in developing any safety recommendations. Other information about safety practices, changes in technology or technology implementation, or impact by peripheral systems also may be pertinent to safety considerations during implementation of the standard. Implementers and users of IEEE Standards documents are responsible for determining and complying with all appropriate safety, security, environmental, health, and interference protection practices and all applicable laws and regulations.

## Participants

At the time this revision was sent to sponsor ballot, the IEEE 802.11 Working Group (WG) had the following officers:

**Dorothy V. Stanley**, *Chair*  
**Jon W. Rosdahl**, *1<sup>st</sup> Vice Chair*  
**Robert Stacey**, *2<sup>nd</sup> Vice Chair*  
**Stephen McCann**, *Secretary*

The officers of the WG Task Group and the members of the WG ballot group for this revision are as follows:

**Dorothy V. Stanley**, *Chair*  
**Mark Hamilton**, *Vice Chair*  
**Michael Montemurro**, *Vice Chair*  
**Jon W. Rosdahl**, *Secretary*  
**Emily H. Qi**, *Technical Editor*  
**Edward Au**, *Technical Sub-editor*

Osama S. Aboulmagd  
Tomoko Adachi  
Jinsoo Ahn  
Woojin Ahn  
Kosuke Aio  
Carlos H. Aldana  
Yaron Alpert  
Song-Haur An  
Carol Ansley  
Lee R. Armstrong  
Yusuke Asai  
Alfred Asterjadhi  
Kwok Shum S. Au  
Vijay Auluck  
Geert A. Awater  
Shahmaz Azizi  
Robert Baeten  
Eugene Baik  
Stephane Baron  
Anuj Batra  
Friedbert Berens  
Christian Berger  
Nehru Bhandaru  
John Buffington  
George Calcev  
Rui Cao  
Laurent Cariou  
William Carney  
Ricky Chair  
Clint F. Chaplin  
Jiamin Chen  
Xiaogang Chen  
George Cherian  
Dmitry Cherniavsky  
Rojan Chitrakar  
Hangyu Cho  
Jinsoo Choi  
Liwen Chu  
Jinyoung Chun  
Dana Ciochina

Sean Coffey  
Carlos Cordeiro  
Claudio da Silva  
Subir Das  
Rolf J. de Vegt  
Pierre Debergh  
Donald E. Eastlake  
Peter Ecclesine  
Richard Edgar  
Marc Emmelmann  
Vinko Erceg  
Andrew Estrada  
Ping Fang  
Yonggang Fang  
Xiang Feng  
Norman Finn  
Matthew J. Fischer  
Michael Fischer  
Shunsuke Fujio  
Sho Furuichi  
Ming Gan  
Eduard Garcia Villegas  
Chittabrata Ghosh  
James P. Gilb  
Tim Godfrey  
Niranjan Grandhe  
Michael Grigat  
Qiang Guo  
Yuchen Guo  
Robert Hall  
Xiao Han  
Thomas Handte  
Christopher J. Hansen  
Chris Hartman  
Victor Hayes  
Allen D. Heberling  
Ahmadreza Hedayat  
Robert F. Heile  
Guido R. Hiertz  
Duncan Ho

Hanseul Hong  
Koji Horisaki  
Chunyu Hu  
Lei Huang  
Po-Kai Huang  
Zhiyong Huang  
Sung Hyun H. Hwang  
Yasuhiko Inoue  
Timothy Jeffries  
Jia Jia  
Jinjing Jiang  
Liang Jin  
Allan Jones  
Vincent Knowles Jones  
Volker Jungnickel  
Christophe Jurczak  
Carl W. Kain  
Naveen K. Kakani  
Dzevdan Kapetanovic  
Assaf Y. Kasher  
Oren Kedem  
Richard H. Kennedy  
Stuart J. Kerry  
Evgeny Khorov  
Jeongki Kim  
Jin Min Kim  
Sang Gook Kim  
Suhwook Kim  
Yongho Kim  
Youhan Kim  
Jarkko Kneckt  
Geonjung Ko  
Fumihide Kojima  
Bruce P. Kraemer  
Manish Kumar  
Rajesh Kumar  
Massinissa Lalam  
Zhou Lan  
Leonardo Lanante  
James Lansford

|                   |                           |                     |
|-------------------|---------------------------|---------------------|
| Jae Seung S. Lee  | Minyoung Park             | Bin Tian            |
| Sungeun Lee       | Sung-jin Park             | Fei Tong            |
| Suzanne Leicht    | Glenn Parsons             | Solomon B. Trainin  |
| James Lepp        | Abhishek Patil            | Yoshio Urabe        |
| Joseph Levy       | Hakan Persson             | Richard D. Van Nee  |
| Dejian Li         | James E. Petranovich      | Allert Van Zelst    |
| Guoqing Li        | Albert Petrick            | Lorenzo Vangelista  |
| Huan-Bang Li      | Ron Porat                 | Jerome Vanthournout |
| Qiang Li          | Rethnakaran Pulikkoonattu | Prabodh Varshney    |
| Yanchun Li        | Dengyu Qiao               | Ganesh Venkatesan   |
| Yunbo Li          | Demir Rakanovic           | Lochan Verma        |
| Dong Guk Lim      | Enrico-Henrik Rantala     | Sameer Vermani      |
| Yingpei Lin       | Maximilian Riegel         | Pascal Viger        |
| Erik Lindskog     | Mark Rison                | George A. Vlantis   |
| Der-Zheng Liu     | Zhigang Rong              | Chao Chun Wang      |
| Jianhan Liu       | Kiseon Ryu                | Haiming Wang        |
| Yong Liu          | Bahareh Sadeghi           | Huizhao Wang        |
| Peter Loc         | Takenori Sakamoto         | James June J. Wang  |
| Artyom Lomayev    | Kazuyuki Sakoda           | Lei Wang            |
| Hui-Ling Lou      | Sam Sambasivan            | Xiaofei Wang        |
| Kaiying Lv        | Hemanth Sampath           | Xuehuan Wang        |
| Lily Lv           | Naotaka Sato              | Lisa Ward           |
| Jing Ma           | Sigurd Schelstraete       | Julian Webber       |
| Narendar Madhavan | Andy Scott                | Menzo M. Wentink    |
| Jouni K. Malinen  | Yongho Seok               | Leif Wilhelmsson    |
| Alexander Maltsev | Stephen J. Shellhammer    | Eric Wong           |
| Hiroshi Mano      | Ian Sherlock              | Tianyu Wu           |
| Roger Marks       | Shimi Shilo               | Yan Xin             |
| Stephen McCann    | Graham K. Smith           | Qi Xue              |
| Simone Merlin     | Ju-Hyung Son              | Rui Yang            |
| Apurva Mody       | Sudhir Srinivasa          | Xun Yang            |
| Bibhu Mohanty     | Robert Stacey             | Yunsong Yang        |
| Hitoshi Morioka   | Adrian P. Stephens        | Kazuto Yano         |
| Yuichi Morioka    | Noel Stott                | James Yee           |
| Hiroyuki Motozuka | Jung Hoon H. Suh          | Peter Yee           |
| Robert Mueller    | Takenori Sumi             | Su Khiong K. Yong   |
| Yutaka Murakami   | Bo Sun                    | Christopher Young   |
| Andrew Myles      | Chen Sun                  | Heejung Yu          |
| Patrice Nezou     | Li-Hsiang Sun             | Jian Yu             |
| Paul Nikolich     | Sheng Sun                 | Mao Yu              |
| Yujin Noh         | YanJun Sun                | SunWoong Yun        |
| John Notor        | Dennis Sundman            | Alan Zeleznikar     |
| Minseok Oh        | Mineo Takai               | Hongyuan Zhang      |
| Oghenekome Oteri  | Sagar Tamhane             | Xingxin Zhang       |
| Kazuyuki Ozaki    | Yusuke Tanaka             | Yan Zhang           |
| Stephen Palm      | Kentaro Taniguchi         | Xiaoyu Zheng        |
| Eunsung Park      | Wu Tao                    | Lan Zhuo            |

Major contributions were received from the following individuals:

|                       |                    |                     |
|-----------------------|--------------------|---------------------|
| Tomo Adachi           | Daniel N. Harkins  | Mark Rison          |
| Edward Au             | Jerome Henry       | Jon W. Rosdahl      |
| Gabr Bajko            | Guido R. Hiertz    | Kazuyuki Sakoda     |
| Nehru Bhandaru        | Srinivas Kandala   | Sigurd Schelstraete |
| Jiamin Chen           | Assaf Y. Kasher    | Graham K. Smith     |
| Sean Coffey           | Youhan Kim         | Robert Stacey       |
| Thomas Derham         | Jouni K. Malinen   | Dorothy V. Stanley  |
| Peter Ecclesine       | Stephen McCann     | Bo Sun              |
| Marc Emmelmann        | Michael Montemurro | Payam Torab         |
| Matthew J. Fischer    | Yujin Noh          | Solomon B. Trainin  |
| David Goodall         | Abhishek Patil     | Ganesh Venkatesan   |
| Mark Hamilton         | Emily H. Qi        | Haiming Wang        |
| Christopher J. Hansen |                    | Menzo M. Wentink    |

The following members of the individual balloting committee voted on this revision. Balloters may have voted for approval, disapproval, or abstention.

|                             |                     |                      |
|-----------------------------|---------------------|----------------------|
| Osama Aboulmagd             | Atsushi Ito         | R. K. Rannow         |
| Tomoko Adachi               | Raj Jain            | Ranga Reddy          |
| Robert Aiello               | SangKwon Jeong      | Alon Regev           |
| Thomas Alexander            | Pranav Jha          | Maximilian Riegel    |
| Nobumitsu Amachi            | Jeffrum Jones       | Mark Rison           |
| Carol Ansley                | Joe Natharoj Juisai | Robert Robinson      |
| Butch Anton                 | Lokesh Kabra        | Benjamin Rolfe       |
| Alfred Asterjadhi           | Srinivas Kandala    | Jon W. Rosdahl       |
| Kwok Shum S. Au             | Piotr Karocki       | Kazuyuki Sakoda      |
| Harry Bims                  | Assaf Y. Kasher     | Stephan Sand         |
| Nancy Bravin                | Stuart J. Kerry     | Chester Sandberg     |
| Jason Brent                 | Evgeny Khorov       | Shigenobu Sasaki     |
| Vern Brethour               | Yongbum Kim         | Naotaka Sato         |
| Demetrio Bucaneg            | Youhan Kim          | Sigurd Schelstraete  |
| William Byrd                | Patrick Kinney      | Andy Scott           |
| Paul Cardinal               | Shoichi Kitazawa    | Yongho Seok          |
| William Carney              | Jan Kruys           | Kunal Shah           |
| Juan Carreon                | Yasushi Kudoh       | Ian Sherlock         |
| Pin Chang                   | Thomas Kurihara     | Di Dieter Smely      |
| Cheng Chen                  | Hyeong Ho Lee       | Graham K. Smith      |
| Evelyn Chen                 | Kang Lee            | Robert Stacey        |
| George Cherian              | Wookbong Lee        | Dorothy V. Stanley   |
| Rojan Chitrakar             | Frank Leong         | Thomas Starai        |
| Paul Chiuchiolo             | James Lepp          | Noel Stott           |
| John Coffey                 | Joseph Levy         | Walter Struppler     |
| Charles Cook                | Yong Liu            | Mark Sturza          |
| D. Nelson Costa             | Javier Luiso        | Mitsutoshi Sugawara  |
| Claudio da Silva            | Valerie Maguire     | Bo Sun               |
| Antonio de la Oliva Delgado | Jouni K. Malinen    | Li-Hsiang Sun        |
| Peter Ecclesine             | Jeffery Masters     | Jasja Tijink         |
| Richard Edgar               | Stephen McCann      | Payam Torab Jahromi  |
| Alecsander Eitan            | Brett McClellan     | Solomon B. Trainin   |
| Marc Emmelmann              | Michael Montemurro  | Mark-Rene Uchida     |
| Xiang Feng                  | HiroYuki Motozuka   | Allert Van Zelst     |
| Matthew J. Fischer          | Ronald Murias       | Prabodh Varshney     |
| Michael Fischer             | Rick Murphy         | John Vergis          |
| Avraham Freedman            | Andrew Myles        | Lochan Verma         |
| Sho Furuichi                | Paul Neveux         | George A. Vlantis    |
| Devon Gayle                 | Nick S. A. Nikjoo   | Lei Wang             |
| Mariana Goldhamer           | Paul Nikolich       | Lisa Ward            |
| David Goodall               | Robert O'Hara       | Hung-Yu Wei          |
| Michael Gundlach            | Satoshi Obara       | Matthias Wendt       |
| Mark Hamilton               | Bansi Patel         | Menzo M. Wentink     |
| Christopher J. Hansen       | Abhishek Patil      | Scott Willy          |
| Jerome Henry                | Arumugam Paventhan  | Andreas Wolf         |
| Marco Hernandez             | Albert Petrick      | Chun Yu Charles Wong |
| Lili Hervieu                | Brian Petry         | Forrest Wright       |
| Guido R. Hiertz             | David Piehler       | Peter Wu             |
| Werner Hoelzl               | Walter Pienciak     | Yunsong Yang         |
| Oliver Holland              | Clinton Powell      | Yu Yuan              |
| Glenn Hu                    | Venkatesha Prasad   | Oren Yuen            |
| Yasuhiko Inoue              | Emily H. Qi         | Janusz Zalewski      |
|                             | Demir Rakanovic     |                      |

When the IEEE SA Standards Board approved this recommended practice on 3 December 2020, it had the following membership:

**Gary Hoffman**, *Chair*  
**Jon Walter Rosdahl**, *Vice Chair*  
**John D. Kulick**, *Past Chair*  
**Konstantinos Karachalios**, *Secretary*

Ted Burse  
 Doug Edwards  
 J. Travis Griffith  
 Grace Gu  
 Guido R. Hiertz  
 Joseph L. Koepfinger\*

David J. Law  
 Howard Li  
 Dong Liu  
 Kevin Lu  
 Paul Nikolich  
 Damir Novosel  
 Dorothy V. Stanley

Mehmet Ulema  
 Lei Wang  
 Sha Wei  
 Philip B. Winston  
 Daidi Zhong  
 Jingyi Zhou

\*Member Emeritus



## Introduction

This introduction is not part of IEEE Std 802.11-2020, IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications.

This revision gives users, in one document, the IEEE 802.11 standard for wireless local area networks (WLANs) with all of the amendments that have been published to date.

### Incorporating published amendments

The original standard was published in 1997, revised in 1999 with MIB changes, and reaffirmed in 2003.

A revision was published in 2007, which incorporated into the 1999 edition the following amendments:

- IEEE Std 802.11a™-1999: High-speed Physical Layer in the 5 GHz Band (Amendment 1)
- IEEE Std 802.11b™-1999: Higher-Speed Physical Layer Extension in the 2.4 GHz Band (Amendment 2)
- IEEE Std 802.11b-1999/Corrigendum 1-2001: Higher-speed Physical Layer (PHY) extension in the 2.4 GHz band (Corrigendum 1 to Amendment 2)
- IEEE Std 802.11d™-2001: Specification for operation in additional regulatory domains (Amendment 3)
- IEEE Std 802.11g™-2003: Further Higher Data Rate Extension in the 2.4 GHz Band (Amendment 4)
- IEEE Std 802.11h™-2003: Spectrum and Transmit Power Management Extensions in the 5 GHz band in Europe (Amendment 5)
- IEEE Std 802.11i™-2004: Medium Access Control (MAC) Security Enhancements (Amendment 6)
- IEEE Std 802.11j™-2004: 4.9 GHz–5 GHz Operation in Japan (Amendment 7)
- IEEE Std 802.11e™-2005: Medium Access Control (MAC) Quality of Service Enhancements (Amendment 8)

A revision was published in 2012, which incorporated into the 2007 revision the following amendments:

- IEEE Std 802.11k™-2008: Radio Resource Measurement of Wireless LANs (Amendment 1)
- IEEE Std 802.11r™-2008: Fast Basic Service Set (BSS) Transition (Amendment 2)
- IEEE Std 802.11y™-2008: 3650–3700 MHz Operation in USA (Amendment 3)
- IEEE Std 802.11w™-2009: Protected Management Frames (Amendment 4)
- IEEE Std 802.11n™-2009: Enhancements for Higher Throughput (Amendment 5)
- IEEE Std 802.11p™-2010: Wireless Access in Vehicular Environments (Amendment 6)
- IEEE Std 802.11z™-2010: Extensions to Direct-Link Setup (DLS) (Amendment 7)
- IEEE Std 802.11v™-2011: Wireless Network Management (Amendment 8)
- IEEE Std 802.11u™-2011: Interworking with External Networks (Amendment 9)
- IEEE Std 802.11s™-2011: Mesh Networking (Amendment 10)



A revision was published in 2016, which incorporated into the 2012 revision the following amendments:

- IEEE Std 802.11ae™-2012: Prioritization of Management Frames (Amendment 1)
- IEEE Std 802.11aa™-2012: MAC Enhancements for Robust Audio Video Streaming (Amendment 2)
- IEEE Std 802.11ad™-2012: Enhancements for Very High Throughput in the 60 GHz Band (Amendment 3)
- IEEE Std 802.11ac™-2013: Enhancements for Very High Throughput for Operation in Bands below 6 GHz (Amendment 4)
- IEEE Std 802.11af™-2013: Television White Spaces (TVWS) Operation (Amendment 5)

This revision is based on IEEE Std 802.11-2016, into which the following amendments have been incorporated:

- IEEE Std 802.11ai™-2016 (second printing): Fast Initial Link Setup (Amendment 1)
- IEEE Std 802.11ah™-2016: Sub 1 GHz License Exempt Operation (Amendment 2)
- IEEE Std 802.11aj™-2018: Enhancements for Very High Throughput to Support Chinese Millimeter Wave Frequency Bands (60 GHz and 45 GHz) (Amendment 3)
- IEEE Std 802.11ak™-2018: Enhancements for Transit Links Within Bridged Networks (Amendment 4)
- IEEE Std 802.11aq™-2018: Preassociation Discovery (Amendment 5)

### Technical corrections, clarifications, and enhancements

In addition, this revision specifies technical corrections and clarifications to IEEE Std 802.11 as well as enhancements to the existing medium access control (MAC) and physical layer (PHY) functions. In addition, this revision removes some features previously marked as obsolete and adds new indications of other obsolete features.

Generally, features that are marked deprecated or obsolete are not maintained; there might be technical errors in the material describing these features.

## Renumbering of clauses and annexes

The numbering of certain clauses and annexes has been modified since IEEE Std 802.11-2007.

The evolution of this numbering is shown in Figure 1.




Figure 1—The evolution of numbering in IEEE Std 802.11

## Contents

|          |                                                                                                         |     |
|----------|---------------------------------------------------------------------------------------------------------|-----|
| 1.       | Overview .....                                                                                          | 149 |
| 1.1      | Scope .....                                                                                             | 149 |
| 1.2      | Purpose .....                                                                                           | 149 |
| 1.3      | Supplementary information on purpose .....                                                              | 149 |
| 1.4      | Word usage .....                                                                                        | 150 |
| 1.5      | Terminology for mathematical, logical, and bit operations .....                                         | 151 |
| 2.       | Normative references .....                                                                              | 154 |
| 3.       | Definitions, acronyms, and abbreviations .....                                                          | 158 |
| 3.1      | Definitions .....                                                                                       | 158 |
| 3.2      | Definitions specific to IEEE Std 802.11 .....                                                           | 173 |
| 3.3      | Definitions specific to IEEE 802.11 operation in some regulatory domains .....                          | 205 |
| 3.4      | Acronyms and abbreviations .....                                                                        | 205 |
| 3.5      | Abbreviations and acronyms in some regulatory domains .....                                             | 218 |
| 4.       | General description .....                                                                               | 219 |
| 4.1      | General description of the architecture .....                                                           | 219 |
| 4.2      | How wireless local area networks (WLANs) are different .....                                            | 219 |
| 4.2.1    | Introduction .....                                                                                      | 219 |
| 4.2.2    | Wireless station (STA) .....                                                                            | 219 |
| 4.2.3    | Media impact on design and performance .....                                                            | 219 |
| 4.2.4    | The impact of handling mobile STAs .....                                                                | 220 |
| 4.2.5    | Interaction with other IEEE 802® layers .....                                                           | 220 |
| 4.2.6    | Interaction with non-IEEE-802 protocols .....                                                           | 220 |
| 4.3      | Components of the IEEE 802.11 architecture .....                                                        | 220 |
| 4.3.1    | General .....                                                                                           | 220 |
| 4.3.2    | Independent BSS (IBSS) .....                                                                            | 221 |
| 4.3.3    | Personal BSS (PBSS) .....                                                                               | 221 |
| 4.3.4    | STA membership in a BSS is dynamic .....                                                                | 221 |
| 4.3.5    | Distribution system (DS) concepts .....                                                                 | 222 |
| 4.3.5.1  | Overview .....                                                                                          | 222 |
| 4.3.5.2  | Extended service set (ESS): the large coverage network .....                                            | 223 |
| 4.3.6    | Area concepts .....                                                                                     | 224 |
| 4.3.7    | Integration with non-IEEE-802.11 LANs .....                                                             | 225 |
| 4.3.8    | Robust security network association (RSNA) .....                                                        | 226 |
| 4.3.9    | Centralized coordination service set (CCSS) and extended centralized AP or PCP clustering (ECAPC) ..... | 226 |
| 4.3.10   | QoS BSS .....                                                                                           | 228 |
| 4.3.11   | Wireless LAN radio measurements .....                                                                   | 229 |
| 4.3.11.1 | General .....                                                                                           | 229 |
| 4.3.11.2 | Beacon .....                                                                                            | 230 |
| 4.3.11.3 | Measurement pilot .....                                                                                 | 230 |
| 4.3.11.4 | Frame .....                                                                                             | 230 |
| 4.3.11.5 | Channel load .....                                                                                      | 230 |
| 4.3.11.6 | Noise histogram .....                                                                                   | 231 |
| 4.3.11.7 | STA statistics .....                                                                                    | 231 |
| 4.3.11.8 | Location .....                                                                                          | 231 |
| 4.3.11.9 | Measurement pause .....                                                                                 | 231 |

|           |                                                                         |     |
|-----------|-------------------------------------------------------------------------|-----|
| 4.3.11.10 | Neighbor report.....                                                    | 231 |
| 4.3.11.11 | Link measurement.....                                                   | 231 |
| 4.3.11.12 | Transmit stream/category measurement .....                              | 231 |
| 4.3.12    | Operation in licensed frequency bands .....                             | 232 |
| 4.3.12.1  | General.....                                                            | 232 |
| 4.3.12.2  | Dynamic STA enablement (DSE) in licensed bands .....                    | 232 |
| 4.3.12.3  | Contention based protocol (CBP) in nonexclusively licensed bands .....  | 232 |
| 4.3.12.4  | Using DSE STA identification to resolve interference .....              | 232 |
| 4.3.12.5  | Further coexistence enhancements in nonexclusively licensed bands ..... | 232 |
| 4.3.13    | High-throughput (HT) STA .....                                          | 232 |
| 4.3.14    | Sub 1 GHz (S1G) STA .....                                               | 233 |
| 4.3.14.1  | Overview.....                                                           | 233 |
| 4.3.14.2  | S1G relay.....                                                          | 234 |
| 4.3.15    | Very high throughput (VHT) STA .....                                    | 234 |
| 4.3.16    | Television very high throughput (TVHT) STA .....                        | 235 |
| 4.3.17    | STA transmission of Data frames outside the context of a BSS .....      | 237 |
| 4.3.18    | Tunneled direct-link setup .....                                        | 237 |
| 4.3.19    | Wireless network management.....                                        | 237 |
| 4.3.19.1  | Overview.....                                                           | 237 |
| 4.3.19.2  | BSS max idle period management .....                                    | 238 |
| 4.3.19.3  | BSS transition management.....                                          | 238 |
| 4.3.19.4  | Channel usage .....                                                     | 238 |
| 4.3.19.5  | Collocated interference reporting.....                                  | 239 |
| 4.3.19.6  | Diagnostic reporting.....                                               | 239 |
| 4.3.19.7  | Directed multicast service (DMS).....                                   | 239 |
| 4.3.19.8  | Event reporting.....                                                    | 239 |
| 4.3.19.9  | Flexible multicast service (FMS).....                                   | 239 |
| 4.3.19.10 | Location services.....                                                  | 239 |
| 4.3.19.11 | Multicast Diagnostic report.....                                        | 239 |
| 4.3.19.12 | Multiple BSSID capability.....                                          | 240 |
| 4.3.19.13 | Proxy ARP .....                                                         | 240 |
| 4.3.19.14 | QoS traffic capability .....                                            | 240 |
| 4.3.19.15 | SSID list .....                                                         | 240 |
| 4.3.19.16 | Triggered STA statistics.....                                           | 240 |
| 4.3.19.17 | TIM broadcast.....                                                      | 240 |
| 4.3.19.18 | Timing measurement.....                                                 | 240 |
| 4.3.19.19 | Fine timing measurement.....                                            | 240 |
| 4.3.19.20 | Traffic filtering service .....                                         | 241 |
| 4.3.19.21 | U-APSD coexistence.....                                                 | 241 |
| 4.3.19.22 | WNM notification .....                                                  | 241 |
| 4.3.19.23 | WNM sleep mode .....                                                    | 241 |
| 4.3.20    | Subscription service provider network (SSPN) interface .....            | 241 |
| 4.3.21    | Mesh BSS .....                                                          | 242 |
| 4.3.21.1  | General.....                                                            | 242 |
| 4.3.21.2  | Overview of the mesh BSS .....                                          | 242 |
| 4.3.21.3  | Mesh STA .....                                                          | 243 |
| 4.3.21.4  | IEEE 802.11 components and mesh BSS .....                               | 243 |
| 4.3.21.5  | Introduction to mesh functions .....                                    | 245 |
| 4.3.22    | DMG STA.....                                                            | 248 |
| 4.3.23    | DMG relay .....                                                         | 249 |
| 4.3.24    | Robust audio video (AV) streaming .....                                 | 249 |
| 4.3.24.1  | Introduction.....                                                       | 249 |
| 4.3.24.2  | Groupcast with retries (GCR) .....                                      | 249 |
| 4.3.24.3  | Stream classification service (SCS) .....                               | 250 |

|          |                                                                      |     |
|----------|----------------------------------------------------------------------|-----|
| 4.3.24.4 | Mirrored stream classification service (MSCS).....                   | 250 |
| 4.3.24.5 | Overlapping BSS (OBSS) management .....                              | 250 |
| 4.3.24.6 | Interworking with IEEE 802.1Q Stream Reservation Protocol (SRP)..... | 250 |
| 4.3.24.7 | Intra-access category prioritization.....                            | 250 |
| 4.3.25   | Operation under geolocation database (GDB) control .....             | 251 |
| 4.3.26   | CDMG STA.....                                                        | 252 |
| 4.3.27   | CMMG STA .....                                                       | 253 |
| 4.3.28   | General link (GLK).....                                              | 254 |
| 4.3.28.1 | General.....                                                         | 254 |
| 4.3.28.2 | Selective reception of group addressed frames.....                   | 254 |
| 4.3.28.3 | GLK Service Sets.....                                                | 255 |
| 4.3.29   | Ethertype protocol discrimination (EPD) .....                        | 259 |
| 4.4      | Logical service interfaces .....                                     | 260 |
| 4.4.1    | General.....                                                         | 260 |
| 4.4.2    | SS .....                                                             | 260 |
| 4.4.3    | PBSS control point service (PCPS) .....                              | 261 |
| 4.4.4    | DSS .....                                                            | 261 |
| 4.5      | Overview of the services.....                                        | 262 |
| 4.5.1    | General.....                                                         | 262 |
| 4.5.2    | Distribution of MSDUs within a DS.....                               | 263 |
| 4.5.2.1  | Distribution .....                                                   | 263 |
| 4.5.2.2  | Integration .....                                                    | 264 |
| 4.5.2.3  | QoS traffic scheduling .....                                         | 264 |
| 4.5.3    | Connectivity-related services.....                                   | 264 |
| 4.5.3.1  | General.....                                                         | 264 |
| 4.5.3.2  | Mobility types .....                                                 | 265 |
| 4.5.3.3  | Association.....                                                     | 265 |
| 4.5.3.4  | Reassociation .....                                                  | 266 |
| 4.5.3.5  | Disassociation .....                                                 | 266 |
| 4.5.4    | Access control and data confidentiality services .....               | 267 |
| 4.5.4.1  | General.....                                                         | 267 |
| 4.5.4.2  | Authentication.....                                                  | 267 |
| 4.5.4.3  | Deauthentication .....                                               | 268 |
| 4.5.4.4  | Data confidentiality.....                                            | 269 |
| 4.5.4.5  | Key management.....                                                  | 270 |
| 4.5.4.6  | Data origin authenticity.....                                        | 270 |
| 4.5.4.7  | Replay detection.....                                                | 270 |
| 4.5.4.8  | Fast BSS transition.....                                             | 270 |
| 4.5.4.9  | Management frame protection .....                                    | 270 |
| 4.5.4.10 | MAC privacy enhancements.....                                        | 271 |
| 4.5.5    | Spectrum management services.....                                    | 271 |
| 4.5.5.1  | General.....                                                         | 271 |
| 4.5.5.2  | TPC .....                                                            | 271 |
| 4.5.5.3  | DFS .....                                                            | 271 |
| 4.5.6    | Traffic differentiation and QoS support.....                         | 272 |
| 4.5.6.1  | General.....                                                         | 272 |
| 4.5.6.2  | Quality-of-service management frame support.....                     | 272 |
| 4.5.7    | Support for higher layer timer synchronization.....                  | 272 |
| 4.5.8    | Radio measurement service .....                                      | 273 |
| 4.5.9    | Interworking with external networks .....                            | 273 |
| 4.5.9.1  | General.....                                                         | 273 |
| 4.5.9.2  | Preassociation discovery (PAD) .....                                 | 274 |
| 4.5.10   | Generic advertisement service (GAS) .....                            | 275 |
| 4.6      | Multiple logical address spaces .....                                | 276 |

|          |                                                                                    |     |
|----------|------------------------------------------------------------------------------------|-----|
| 4.7      | Differences among ESS, PBSS, and IBSS LANs.....                                    | 276 |
| 4.8      | Differences between ESS and MBSS LANs .....                                        | 278 |
| 4.9      | Reference model .....                                                              | 279 |
| 4.9.1    | General.....                                                                       | 279 |
| 4.9.2    | Interworking reference model.....                                                  | 279 |
| 4.9.3    | Reference model for supporting multiple MAC sublayers.....                         | 281 |
| 4.9.4    | Reference model for multi-band operation .....                                     | 282 |
| 4.10     | IEEE Std 802.11 and IEEE Std 802.1X-2010 .....                                     | 284 |
| 4.10.1   | General.....                                                                       | 284 |
| 4.10.2   | IEEE 802.11 usage of IEEE Std 802.1X-2010 .....                                    | 284 |
| 4.10.3   | Infrastructure functional model overview.....                                      | 284 |
| 4.10.3.1 | General.....                                                                       | 284 |
| 4.10.3.2 | AKM operations with AS .....                                                       | 284 |
| 4.10.3.3 | AKM operations with a password or PSK.....                                         | 287 |
| 4.10.3.4 | Alternate operations with PSK.....                                                 | 288 |
| 4.10.3.5 | Disassociation .....                                                               | 288 |
| 4.10.3.6 | AKM operations using FILS authentication .....                                     | 288 |
| 4.10.4   | IBSS functional model description .....                                            | 289 |
| 4.10.4.1 | General.....                                                                       | 289 |
| 4.10.4.2 | Key usage.....                                                                     | 289 |
| 4.10.4.3 | Sample IBSS 4-way handshakes.....                                                  | 290 |
| 4.10.4.4 | IBSS IEEE 802.1X example .....                                                     | 291 |
| 4.10.5   | PBSS functional model description .....                                            | 292 |
| 4.10.6   | Authenticator-to-AS protocol .....                                                 | 293 |
| 4.10.7   | PMKSA caching .....                                                                | 293 |
| 4.10.8   | Protection of group addressed robust Management frames.....                        | 294 |
| 5.       | MAC service definition .....                                                       | 295 |
| 5.1      | Overview of MAC services .....                                                     | 295 |
| 5.1.1    | Data service.....                                                                  | 295 |
| 5.1.1.1  | General.....                                                                       | 295 |
| 5.1.1.2  | Determination of UP .....                                                          | 295 |
| 5.1.1.3  | Interpretation of priority parameter in MAC service primitives.....                | 295 |
| 5.1.1.4  | Interpretation of service class parameter in MAC service primitives in a STA ..... | 296 |
| 5.1.2    | Security services .....                                                            | 297 |
| 5.1.3    | MSDU ordering .....                                                                | 297 |
| 5.1.4    | MSDU format .....                                                                  | 298 |
| 5.1.5    | MAC data service architecture .....                                                | 299 |
| 5.1.5.1  | General.....                                                                       | 299 |
| 5.1.5.2  | Non-GLK non-AP STA role.....                                                       | 302 |
| 5.1.5.3  | Non-GLK AP role.....                                                               | 302 |
| 5.1.5.4  | Non-GLK mesh STA role.....                                                         | 303 |
| 5.1.5.5  | Mesh gate role.....                                                                | 303 |
| 5.1.5.6  | S1G relay.....                                                                     | 303 |
| 5.1.5.7  | GLK STA role.....                                                                  | 305 |
| 5.1.5.8  | GLK AP role .....                                                                  | 305 |
| 5.1.5.9  | GLK mesh STA role .....                                                            | 305 |
| 5.2      | MAC data service specification .....                                               | 307 |
| 5.2.1    | General.....                                                                       | 307 |
| 5.2.2    | GLK MAC data service specification.....                                            | 307 |
| 5.2.3    | MA-UNITDATA.request .....                                                          | 307 |
| 5.2.3.1  | Function .....                                                                     | 307 |

|         |                                          |     |
|---------|------------------------------------------|-----|
| 5.2.3.2 | Semantics of the service primitive ..... | 307 |
| 5.2.3.3 | When generated.....                      | 308 |
| 5.2.3.4 | Effect of receipt.....                   | 308 |
| 5.2.4   | MA-UNITDATA.indication .....             | 310 |
| 5.2.4.1 | Function .....                           | 310 |
| 5.2.4.2 | Semantics of the service primitive ..... | 310 |
| 5.2.4.3 | When generated.....                      | 311 |
| 5.2.4.4 | Effect of receipt.....                   | 311 |
| 5.2.5   | MA-UNITDATA-STATUS.indication.....       | 313 |
| 5.2.5.1 | Function .....                           | 313 |
| 5.2.5.2 | Semantics of the service primitive ..... | 313 |
| 5.2.5.3 | When generated.....                      | 314 |
| 5.2.5.4 | Effect of receipt.....                   | 314 |
| 6.      | Layer management.....                    | 315 |
| 6.1     | Overview of management model .....       | 315 |
| 6.2     | Generic management primitives .....      | 316 |
| 6.3     | MLME SAP interface .....                 | 316 |
| 6.3.1   | Introduction.....                        | 316 |
| 6.3.2   | Power management.....                    | 317 |
| 6.3.2.1 | Introduction.....                        | 317 |
| 6.3.2.2 | MLME-POWERMGT.request.....               | 317 |
| 6.3.2.3 | MLME-POWERMGT.confirm.....               | 318 |
| 6.3.3   | Scan.....                                | 318 |
| 6.3.3.1 | Introduction.....                        | 318 |
| 6.3.3.2 | MLME-SCAN.request .....                  | 318 |
| 6.3.3.3 | MLME-SCAN.confirm .....                  | 322 |
| 6.3.3.4 | MLME-SCAN-STOP.request.....              | 337 |
| 6.3.4   | Synchronization .....                    | 337 |
| 6.3.4.1 | Introduction.....                        | 337 |
| 6.3.4.2 | MLME-JOIN.request.....                   | 337 |
| 6.3.4.3 | MLME-JOIN.confirm .....                  | 340 |
| 6.3.5   | Authenticate .....                       | 341 |
| 6.3.5.1 | Introduction.....                        | 341 |
| 6.3.5.2 | MLME-AUTHENTICATE.request .....          | 341 |
| 6.3.5.3 | MLME-AUTHENTICATE.confirm.....           | 342 |
| 6.3.5.4 | MLME-AUTHENTICATE.indication.....        | 344 |
| 6.3.5.5 | MLME-AUTHENTICATE.response.....          | 345 |
| 6.3.6   | Deauthenticate .....                     | 347 |
| 6.3.6.1 | Introduction.....                        | 347 |
| 6.3.6.2 | MLME-DEAUTHENTICATE.request.....         | 347 |
| 6.3.6.3 | MLME-DEAUTHENTICATE.confirm.....         | 347 |
| 6.3.6.4 | MLME-DEAUTHENTICATE.indication .....     | 348 |
| 6.3.7   | Associate.....                           | 348 |
| 6.3.7.1 | Introduction.....                        | 348 |
| 6.3.7.2 | MLME-ASSOCIATE.request.....              | 349 |
| 6.3.7.3 | MLME-ASSOCIATE.confirm.....              | 352 |
| 6.3.7.4 | MLME-ASSOCIATE.indication .....          | 358 |
| 6.3.7.5 | MLME-ASSOCIATE.response .....            | 363 |
| 6.3.8   | Reassociate.....                         | 367 |
| 6.3.8.1 | Introduction.....                        | 367 |
| 6.3.8.2 | MLME-REASSOCIATE.request.....            | 367 |
| 6.3.8.3 | MLME-REASSOCIATE.confirm.....            | 371 |

|          |                                                                          |     |
|----------|--------------------------------------------------------------------------|-----|
| 6.3.8.4  | MLME-REASSOCIATE.indication .....                                        | 377 |
| 6.3.8.5  | MLME-REASSOCIATE.response .....                                          | 383 |
| 6.3.9    | Disassociate .....                                                       | 388 |
| 6.3.9.1  | MLME-DISASSOCIATE.request .....                                          | 388 |
| 6.3.9.2  | MLME-DISASSOCIATE.confirm .....                                          | 388 |
| 6.3.9.3  | MLME-DISASSOCIATE.indication .....                                       | 389 |
| 6.3.10   | Reset .....                                                              | 389 |
| 6.3.10.1 | Introduction .....                                                       | 389 |
| 6.3.10.2 | MLME-RESET.request .....                                                 | 389 |
| 6.3.11   | Start .....                                                              | 390 |
| 6.3.11.1 | Introduction .....                                                       | 390 |
| 6.3.11.2 | MLME-START.request .....                                                 | 390 |
| 6.3.11.3 | MLME-START.confirm .....                                                 | 396 |
| 6.3.12   | Stop .....                                                               | 397 |
| 6.3.12.1 | General .....                                                            | 397 |
| 6.3.12.2 | MLME-STOP.request .....                                                  | 397 |
| 6.3.13   | Protocol layer model for spectrum management and radio measurement ..... | 398 |
| 6.3.14   | Measurement request .....                                                | 401 |
| 6.3.14.1 | Introduction .....                                                       | 401 |
| 6.3.14.2 | MLME-MREQUEST.request .....                                              | 401 |
| 6.3.14.3 | MLME-MREQUEST.indication .....                                           | 402 |
| 6.3.15   | Channel measurement .....                                                | 403 |
| 6.3.15.1 | Introduction .....                                                       | 403 |
| 6.3.15.2 | MLME-MEASURE.request .....                                               | 403 |
| 6.3.15.3 | MLME-MEASURE.confirm .....                                               | 403 |
| 6.3.16   | Measurement report .....                                                 | 404 |
| 6.3.16.1 | Introduction .....                                                       | 404 |
| 6.3.16.2 | MLME-MREPORT.request .....                                               | 404 |
| 6.3.16.3 | MLME-MREPORT.indication .....                                            | 405 |
| 6.3.17   | Channel switch .....                                                     | 406 |
| 6.3.17.1 | MLME-CHANNELSWITCH.request .....                                         | 406 |
| 6.3.17.2 | MLME-CHANNELSWITCH.confirm .....                                         | 407 |
| 6.3.17.3 | MLME-CHANNELSWITCH.indication .....                                      | 408 |
| 6.3.17.4 | MLME-CHANNELSWITCH.response .....                                        | 409 |
| 6.3.18   | TPC request .....                                                        | 410 |
| 6.3.18.1 | Introduction .....                                                       | 410 |
| 6.3.18.2 | MLME-TPCADAPT.request .....                                              | 410 |
| 6.3.18.3 | MLME-TPCADAPT.confirm .....                                              | 411 |
| 6.3.19   | SetKeys .....                                                            | 412 |
| 6.3.19.1 | MLME-SETKEYS.request .....                                               | 412 |
| 6.3.20   | DeleteKeys .....                                                         | 413 |
| 6.3.20.1 | MLME-DELETEKEYS.request .....                                            | 413 |
| 6.3.21   | MIC (michael) failure event .....                                        | 414 |
| 6.3.21.1 | MLME-MICHAELMICFAILURE.indication .....                                  | 414 |
| 6.3.22   | EAPOL .....                                                              | 415 |
| 6.3.22.1 | MLME-EAPOL.request .....                                                 | 415 |
| 6.3.22.2 | MLME-EAPOL.confirm .....                                                 | 416 |
| 6.3.23   | SetProtection .....                                                      | 416 |
| 6.3.23.1 | MLME-SETPROTECTION.request .....                                         | 416 |
| 6.3.24   | MLME-PROTECTEDFRAMEDROPPED .....                                         | 417 |
| 6.3.24.1 | MLME-PROTECTEDFRAMEDROPPED.indication .....                              | 417 |
| 6.3.25   | TS management interface .....                                            | 418 |
| 6.3.25.1 | General .....                                                            | 418 |
| 6.3.25.2 | MLME-ADDTS.request .....                                                 | 419 |



|           |                                               |     |
|-----------|-----------------------------------------------|-----|
| 6.3.25.3  | MLME-ADDTS.confirm .....                      | 421 |
| 6.3.25.4  | MLME-ADDTS.indication .....                   | 424 |
| 6.3.25.5  | MLME-ADDTS.response .....                     | 426 |
| 6.3.25.6  | MLME-DELTS.request .....                      | 429 |
| 6.3.25.7  | MLME-DELTS.indication .....                   | 430 |
| 6.3.25.8  | MLME-ADDTSRESERVE.request .....               | 431 |
| 6.3.25.9  | MLME-ADDTSRESERVE.confirm .....               | 432 |
| 6.3.25.10 | MLME-ADDTSRESERVE.indication .....            | 433 |
| 6.3.25.11 | MLME-ADDTSRESERVE.response .....              | 434 |
| 6.3.26    | Higher layer synchronization support .....    | 434 |
| 6.3.26.1  | Introduction .....                            | 434 |
| 6.3.26.2  | MLME-HL-SYNC.request .....                    | 435 |
| 6.3.26.3  | MLME-HL-SYNC.indication .....                 | 435 |
| 6.3.27    | Block Ack .....                               | 436 |
| 6.3.27.1  | General .....                                 | 436 |
| 6.3.27.2  | MLME-ADDBA.request .....                      | 436 |
| 6.3.27.3  | MLME-ADDBA.confirm .....                      | 437 |
| 6.3.27.4  | MLME-ADDBA.indication .....                   | 439 |
| 6.3.27.5  | MLME-ADDBA.response .....                     | 440 |
| 6.3.27.6  | MLME-DELBA.request .....                      | 441 |
| 6.3.27.7  | MLME-DELBA.indication .....                   | 442 |
| 6.3.28    | Schedule element management .....             | 443 |
| 6.3.28.1  | Introduction .....                            | 443 |
| 6.3.28.2  | MLME-SCHEDULE.request .....                   | 443 |
| 6.3.28.3  | MLME-SCHEDULE.indication .....                | 444 |
| 6.3.29    | Vendor-specific action .....                  | 445 |
| 6.3.29.1  | Introduction .....                            | 445 |
| 6.3.29.2  | MLME-VSPECIFIC.request .....                  | 445 |
| 6.3.29.3  | MLME-VSPECIFIC.indication .....               | 446 |
| 6.3.30    | Neighbor report request .....                 | 447 |
| 6.3.30.1  | General .....                                 | 447 |
| 6.3.30.2  | MLME-NEIGHBORPREPReq.request .....            | 447 |
| 6.3.30.3  | MLME-NEIGHBORPREPReq.indication .....         | 448 |
| 6.3.31    | Neighbor report response .....                | 449 |
| 6.3.31.1  | General .....                                 | 449 |
| 6.3.31.2  | MLME-NEIGHBORPREPResp.request .....           | 449 |
| 6.3.31.3  | MLME-NEIGHBORPREPResp.indication .....        | 450 |
| 6.3.32    | Link Measure Request .....                    | 451 |
| 6.3.32.1  | General .....                                 | 451 |
| 6.3.32.2  | MLME-LINKMEASURE.request .....                | 451 |
| 6.3.32.3  | MLME-LINKMEASURE.confirm .....                | 452 |
| 6.3.33    | MLME SAP interface for resource request ..... | 453 |
| 6.3.33.1  | MLME-RESOURCE-REQUEST.request .....           | 453 |
| 6.3.33.2  | MLME-RESOURCE-REQUEST.indication .....        | 454 |
| 6.3.33.3  | MLME-RESOURCE-REQUEST.response .....          | 455 |
| 6.3.33.4  | MLME-RESOURCE-REQUEST.confirm .....           | 455 |
| 6.3.33.5  | MLME-RESOURCE-REQUEST-LOCAL.request .....     | 456 |
| 6.3.33.6  | MLME-RESOURCE-REQUEST-LOCAL.confirm .....     | 457 |
| 6.3.34    | MLME SAP interface for remote requests .....  | 457 |
| 6.3.34.1  | MLME-REMOTE-REQUEST.request .....             | 457 |
| 6.3.34.2  | MLME-REMOTE-REQUEST.indication .....          | 458 |
| 6.3.35    | Extended channel switch announcement .....    | 458 |
| 6.3.35.1  | General .....                                 | 458 |
| 6.3.35.2  | MLME-EXTCHANNELSWITCH.request .....           | 459 |

|          |                                            |     |
|----------|--------------------------------------------|-----|
| 6.3.35.3 | MLME-EXTCHANNELSWITCH.confirm .....        | 460 |
| 6.3.35.4 | MLME-EXTCHANNELSWITCH.indication .....     | 460 |
| 6.3.35.5 | MLME-EXTCHANNELSWITCH.response .....       | 462 |
| 6.3.36   | DSE power constraint announcement .....    | 463 |
| 6.3.36.1 | General .....                              | 463 |
| 6.3.36.2 | MLME-DSETPC.request .....                  | 463 |
| 6.3.36.3 | MLME-DSETPC.confirm .....                  | 464 |
| 6.3.36.4 | MLME-DSETPC.indication .....               | 465 |
| 6.3.36.5 | MLME-DSETPC.response .....                 | 465 |
| 6.3.37   | Enablement .....                           | 466 |
| 6.3.37.1 | General .....                              | 466 |
| 6.3.37.2 | MLME-ENABLEMENT.request .....              | 466 |
| 6.3.37.3 | MLME-ENABLEMENT.confirm .....              | 467 |
| 6.3.37.4 | MLME-ENABLEMENT.indication .....           | 468 |
| 6.3.37.5 | MLME-ENABLEMENT.response .....             | 469 |
| 6.3.38   | Deenablement .....                         | 470 |
| 6.3.38.1 | MLME-DEENABLEMENT.request .....            | 470 |
| 6.3.38.2 | MLME-DEENABLEMENT.indication .....         | 471 |
| 6.3.39   | SA Query support .....                     | 472 |
| 6.3.39.1 | MLME-SA-QUERY.request .....                | 472 |
| 6.3.39.2 | MLME-SA-QUERY.confirm .....                | 473 |
| 6.3.39.3 | MLME-SA-QUERY.indication .....             | 473 |
| 6.3.39.4 | MLME-SA-QUERY.response .....               | 474 |
| 6.3.40   | Get TSF timer .....                        | 475 |
| 6.3.40.1 | General .....                              | 475 |
| 6.3.40.2 | MLME-GETTSFTIME.request .....              | 475 |
| 6.3.40.3 | MLME-GETTSFTIME.confirm .....              | 475 |
| 6.3.41   | Timing Advertisement .....                 | 476 |
| 6.3.41.1 | General .....                              | 476 |
| 6.3.41.2 | MLME-TIMING-ADVERTISEMENT.request .....    | 476 |
| 6.3.41.3 | MLME-TIMING-ADVERTISEMENT.indication ..... | 477 |
| 6.3.42   | TDLS Discovery .....                       | 478 |
| 6.3.42.1 | General .....                              | 478 |
| 6.3.42.2 | MLME-TDLSDISCOVERY.request .....           | 478 |
| 6.3.42.3 | MLME-TDLSDISCOVERY.confirm .....           | 479 |
| 6.3.42.4 | MLME-TDLSDISCOVERY.indication .....        | 480 |
| 6.3.42.5 | MLME-TDLSDISCOVERY.response .....          | 480 |
| 6.3.43   | TDLS direct-link establishment .....       | 481 |
| 6.3.43.1 | General .....                              | 481 |
| 6.3.43.2 | MLME-TDLSSETUPREQUEST.request .....        | 481 |
| 6.3.43.3 | MLME-TDLSSETUPREQUEST.indication .....     | 482 |
| 6.3.43.4 | MLME-TDLSSETUPRESPONSE.request .....       | 483 |
| 6.3.43.5 | MLME-TDLSSETUPRESPONSE.indication .....    | 484 |
| 6.3.43.6 | MLME-TDLSSETUPCONFIRM.request .....        | 484 |
| 6.3.43.7 | MLME-TDLSSETUPCONFIRM.indication .....     | 485 |
| 6.3.43.8 | MLME-TDLSPOTENTIALPEERSTA.request .....    | 485 |
| 6.3.43.9 | MLME-TDLSPOTENTIALPEERSTA.confirm .....    | 486 |
| 6.3.44   | TDLS direct-link teardown .....            | 487 |
| 6.3.44.1 | General .....                              | 487 |
| 6.3.44.2 | MLME-TDLSTEARDOWN.request .....            | 487 |
| 6.3.44.3 | MLME-TDLSTEARDOWN.indication .....         | 488 |
| 6.3.45   | TDLS peer U-APSD (TPU) .....               | 488 |
| 6.3.45.1 | General .....                              | 488 |
| 6.3.45.2 | MLME-TDLSPTI.request .....                 | 489 |

|          |                                         |     |
|----------|-----------------------------------------|-----|
| 6.3.45.3 | MLME-TDLSPTI.confirm.....               | 490 |
| 6.3.45.4 | MLME-TDLSPTI.indication .....           | 490 |
| 6.3.45.5 | MLME-TDLSPTI.response .....             | 491 |
| 6.3.46   | TDLS channel switching .....            | 492 |
| 6.3.46.1 | General .....                           | 492 |
| 6.3.46.2 | MLME-TDLSCHANNELSWITCH.request .....    | 492 |
| 6.3.46.3 | MLME-TDLSCHANNELSWITCH.confirm .....    | 493 |
| 6.3.46.4 | MLME-TDLSCHANNELSWITCH.indication ..... | 494 |
| 6.3.46.5 | MLME-TDLSCHANNELSWITCH.response .....   | 494 |
| 6.3.47   | TDLS peer PSM.....                      | 495 |
| 6.3.47.1 | General .....                           | 495 |
| 6.3.47.2 | MLME-TDLSPEERPSM.request .....          | 495 |
| 6.3.47.3 | MLME-TDLSPEERPSM.confirm .....          | 496 |
| 6.3.47.4 | MLME-TDLSPEERPSM.indication.....        | 497 |
| 6.3.47.5 | MLME-TDLSPEERPSM.response.....          | 497 |
| 6.3.48   | Event request.....                      | 498 |
| 6.3.48.1 | General .....                           | 498 |
| 6.3.48.2 | MLME-EVLREQUEST.request .....           | 499 |
| 6.3.48.3 | MLME-EVLREQUEST.indication.....         | 499 |
| 6.3.49   | Event report.....                       | 500 |
| 6.3.49.1 | General .....                           | 500 |
| 6.3.49.2 | MLME-EVLREPORT.request.....             | 500 |
| 6.3.49.3 | MLME-EVLREPORT.indication .....         | 501 |
| 6.3.50   | Event .....                             | 502 |
| 6.3.50.1 | General .....                           | 502 |
| 6.3.50.2 | MLME-EVLOG.request .....                | 502 |
| 6.3.50.3 | MLME-EVLOG.confirm .....                | 502 |
| 6.3.51   | Diagnostic request.....                 | 503 |
| 6.3.51.1 | General .....                           | 503 |
| 6.3.51.2 | MLME-DIAGREQUEST.request.....           | 503 |
| 6.3.51.3 | MLME-DIAGREQUEST.indication .....       | 504 |
| 6.3.52   | Diagnostic report.....                  | 505 |
| 6.3.52.1 | MLME-DIAGREPORT.request .....           | 505 |
| 6.3.52.2 | MLME-DIAGREPORT.indication .....        | 506 |
| 6.3.53   | Location configuration request .....    | 506 |
| 6.3.53.1 | General .....                           | 506 |
| 6.3.53.2 | MLME-LOCATIONCFG.request.....           | 507 |
| 6.3.53.3 | MLME-LOCATIONCFG.confirm .....          | 508 |
| 6.3.53.4 | MLME-LOCATIONCFG.indication .....       | 508 |
| 6.3.53.5 | MLME-LOCATIONCFG.response .....         | 509 |
| 6.3.54   | Location track notification.....        | 510 |
| 6.3.54.1 | General .....                           | 510 |
| 6.3.54.2 | MLME-LOCATIONTRACKNOTIF.request .....   | 510 |
| 6.3.54.3 | MLME-LOCATIONTRACKNOTIF.indication..... | 511 |
| 6.3.55   | Timing measurement .....                | 512 |
| 6.3.55.1 | General .....                           | 512 |
| 6.3.55.2 | MLME-TIMINGMSMTRQ.request .....         | 512 |
| 6.3.55.3 | MLME-TIMINGMSMTRQ.indication.....       | 513 |
| 6.3.55.4 | MLME-TIMINGMSMT.request.....            | 514 |
| 6.3.55.5 | MLME-TIMINGMSMT.confirm .....           | 515 |
| 6.3.55.6 | MLME-TIMINGMSMT.indication .....        | 516 |
| 6.3.56   | Fine timing measurement (FTM).....      | 517 |
| 6.3.56.1 | General .....                           | 517 |
| 6.3.56.2 | MLME-FINETIMINGMSMTRQ.request .....     | 518 |

|          |                                            |     |
|----------|--------------------------------------------|-----|
| 6.3.56.3 | MLME-FINETIMINGMSMTRQ.indication.....      | 519 |
| 6.3.56.4 | MLME-FINETIMINGMSMT.request.....           | 520 |
| 6.3.56.5 | MLME-FINETIMINGMSMT.confirm.....           | 522 |
| 6.3.56.6 | MLME-FINETIMINGMSMT.indication .....       | 523 |
| 6.3.57   | BSS transition management.....             | 524 |
| 6.3.57.1 | BSS transition management procedure.....   | 524 |
| 6.3.57.2 | MLME-BTMQUERY.request .....                | 525 |
| 6.3.57.3 | MLME-BTMQUERY.indication.....              | 526 |
| 6.3.57.4 | MLME-BTM.request .....                     | 527 |
| 6.3.57.5 | MLME-BTM.indication.....                   | 528 |
| 6.3.57.6 | MLME-BTM.response.....                     | 529 |
| 6.3.57.7 | MLME-BTM.confirm .....                     | 530 |
| 6.3.58   | FMS setup .....                            | 532 |
| 6.3.58.1 | General .....                              | 532 |
| 6.3.58.2 | MLME-FMS.request.....                      | 532 |
| 6.3.58.3 | MLME-FMS.confirm.....                      | 533 |
| 6.3.58.4 | MLME-FMS.indication .....                  | 534 |
| 6.3.58.5 | MLME-FMS.response .....                    | 535 |
| 6.3.59   | Collocated Interference request .....      | 535 |
| 6.3.59.1 | General .....                              | 535 |
| 6.3.59.2 | MLME-CLINTERFERENCEREQUEST.request .....   | 536 |
| 6.3.59.3 | MLME-CLINTERFERENCEREQUEST.indication..... | 537 |
| 6.3.60   | Collocated Interference report .....       | 538 |
| 6.3.60.1 | General .....                              | 538 |
| 6.3.60.2 | MLME-CLINTERFERENCEREPORT.request.....     | 538 |
| 6.3.60.3 | MLME-CLINTERFERENCEREPORT.indication ..... | 539 |
| 6.3.61   | TFS setup .....                            | 540 |
| 6.3.61.1 | General .....                              | 540 |
| 6.3.61.2 | MLME-TFS.request.....                      | 540 |
| 6.3.61.3 | MLME-TFS.confirm.....                      | 541 |
| 6.3.61.4 | MLME-TFS.indication .....                  | 542 |
| 6.3.61.5 | MLME-TFS.response .....                    | 542 |
| 6.3.62   | WNM sleep mode request.....                | 543 |
| 6.3.62.1 | General .....                              | 543 |
| 6.3.62.2 | MLME-SLEEPMODE.request .....               | 544 |
| 6.3.62.3 | MLME-SLEEPMODE.indication.....             | 544 |
| 6.3.62.4 | MLME-SLEEPMODE.response.....               | 545 |
| 6.3.62.5 | MLME-SLEEPMODE.confirm .....               | 546 |
| 6.3.63   | TIM broadcast setup .....                  | 547 |
| 6.3.63.1 | General .....                              | 547 |
| 6.3.63.2 | MLME-TIMBROADCAST.request .....            | 548 |
| 6.3.63.3 | MLME-TIMBROADCAST.confirm .....            | 548 |
| 6.3.63.4 | MLME-TIMBROADCAST.indication.....          | 549 |
| 6.3.63.5 | MLME-TIMBROADCAST.response.....            | 550 |
| 6.3.64   | QoS traffic capability update .....        | 551 |
| 6.3.64.1 | General .....                              | 551 |
| 6.3.64.2 | MLME-QOSTRAFFICCAPUPDATE.request.....      | 551 |
| 6.3.64.3 | MLME-QOSTRAFFICCAPUPDATE.indication .....  | 552 |
| 6.3.65   | Channel Usage request.....                 | 553 |
| 6.3.65.1 | General .....                              | 553 |
| 6.3.65.2 | MLME-CHANNELUSAGE.request .....            | 553 |
| 6.3.65.3 | MLME-CHANNELUSAGE.confirm .....            | 554 |
| 6.3.65.4 | MLME-CHANNELUSAGE.indication.....          | 555 |
| 6.3.65.5 | MLME-CHANNELUSAGE.response.....            | 556 |

|          |                                                 |     |
|----------|-------------------------------------------------|-----|
| 6.3.66   | DMS or GCR request and response procedure ..... | 557 |
| 6.3.66.1 | General .....                                   | 557 |
| 6.3.66.2 | MLME-GATS.request .....                         | 558 |
| 6.3.66.3 | MLME-GATS.confirm .....                         | 558 |
| 6.3.66.4 | MLME-GATS.indication .....                      | 559 |
| 6.3.66.5 | MLME-GATS.response .....                        | 560 |
| 6.3.66.6 | MLME-GATS-TERM.request .....                    | 560 |
| 6.3.66.7 | MLME-GATS-TERM.indication .....                 | 561 |
| 6.3.67   | WNM notification request .....                  | 562 |
| 6.3.67.1 | General .....                                   | 562 |
| 6.3.67.2 | MLME-WNMNOTIFICATIONREQUEST.request .....       | 562 |
| 6.3.67.3 | MLME-WNMNOTIFICATIONREQUEST.indication .....    | 563 |
| 6.3.68   | WNM notification response .....                 | 564 |
| 6.3.68.1 | MLME-WNMNOTIFICATIONRESPONSE.request .....      | 564 |
| 6.3.68.2 | MLME-WNMNOTIFICATIONRESPONSE.indication .....   | 564 |
| 6.3.69   | Network discovery and selection support .....   | 565 |
| 6.3.69.1 | General .....                                   | 565 |
| 6.3.69.2 | MLME-GAS.request .....                          | 565 |
| 6.3.69.3 | MLME-GAS.confirm .....                          | 567 |
| 6.3.69.4 | MLME-GAS.indication .....                       | 568 |
| 6.3.69.5 | MLME-GAS.response .....                         | 569 |
| 6.3.70   | QoS Map element management .....                | 571 |
| 6.3.70.1 | General .....                                   | 571 |
| 6.3.70.2 | MLME-QOS-MAP.request .....                      | 571 |
| 6.3.70.3 | MLME-QOS-MAP.indication .....                   | 572 |
| 6.3.71   | Mesh peering management .....                   | 573 |
| 6.3.71.1 | Introduction .....                              | 573 |
| 6.3.71.2 | MLME-MESHPEERINGMANAGEMENT.request .....        | 573 |
| 6.3.71.3 | MLME-MESHPEERINGMANAGEMENT.confirm .....        | 574 |
| 6.3.71.4 | MLME-MESHPEERINGMANAGEMENT.indication .....     | 575 |
| 6.3.71.5 | MLME-MESHPEERINGMANAGEMENT.response .....       | 575 |
| 6.3.72   | Mesh power management .....                     | 576 |
| 6.3.72.1 | Introduction .....                              | 576 |
| 6.3.72.2 | MLME-MESHPOWERMGT.request .....                 | 576 |
| 6.3.72.3 | MLME-MESHPOWERMGT.confirm .....                 | 577 |
| 6.3.73   | Mesh neighbor offset synchronization .....      | 577 |
| 6.3.73.1 | Introduction .....                              | 577 |
| 6.3.73.2 | MLME-MESHNEIGHBOROFFSETSYNCSTART.request .....  | 578 |
| 6.3.73.3 | MLME-MESHNEIGHBOROFFSETSYNCSTART.confirm .....  | 578 |
| 6.3.73.4 | MLME-MESHNEIGHBOROFFSETCALCULATE.request .....  | 579 |
| 6.3.73.5 | MLME-MESHNEIGHBOROFFSETCALCULATE.confirm .....  | 579 |
| 6.3.73.6 | MLME-MESHNEIGHBOROFFSETSYNCSTOP.request .....   | 580 |
| 6.3.73.7 | MLME-MESHNEIGHBOROFFSETSYNCSTOP.confirm .....   | 580 |
| 6.3.74   | Mesh TBTT adjustment .....                      | 581 |
| 6.3.74.1 | Introduction .....                              | 581 |
| 6.3.74.2 | MLME-MESHTBTTADJUSTMENT.request .....           | 581 |
| 6.3.74.3 | MLME-MESHTBTTADJUSTMENT.confirm .....           | 582 |
| 6.3.74.4 | MLME-MESHTBTTADJUSTMENT.indication .....        | 583 |
| 6.3.74.5 | MLME-MESHTBTTADJUSTMENT.response .....          | 583 |
| 6.3.75   | MCCA management interface .....                 | 584 |
| 6.3.75.1 | Introduction .....                              | 584 |
| 6.3.75.2 | MLME-ACTIVATEMCCA.request .....                 | 584 |
| 6.3.75.3 | MLME-MCCASETUP.request .....                    | 585 |
| 6.3.75.4 | MLME-MCCASETUP.confirm .....                    | 586 |

|           |                                             |     |
|-----------|---------------------------------------------|-----|
| 6.3.75.5  | MLME-MCCASETUP.indication .....             | 587 |
| 6.3.75.6  | MLME-MCCASETUP.response .....               | 588 |
| 6.3.75.7  | MLME-MCCAADVERTISEMEnt.request .....        | 589 |
| 6.3.75.8  | MLME-MCCAADVERTISEMEnt.confirm .....        | 589 |
| 6.3.75.9  | MLME-MCCAADVERTISEMEnt.indication .....     | 590 |
| 6.3.75.10 | MLME-MCCAADVERTISEMEnt.response .....       | 591 |
| 6.3.75.11 | MLME-MCCATEARDOWN.request .....             | 591 |
| 6.3.75.12 | MLME-MCCATEARDOWN.indication .....          | 592 |
| 6.3.76    | MBSS congestion control .....               | 593 |
| 6.3.76.1  | Introduction .....                          | 593 |
| 6.3.76.2  | MLME-MBSSCONGESTIONCONTROL.request .....    | 593 |
| 6.3.76.3  | MLME-MBSSCONGESTIONCONTROL.indication ..... | 593 |
| 6.3.77    | MBSS proxy update .....                     | 594 |
| 6.3.77.1  | Introduction .....                          | 594 |
| 6.3.77.2  | MLME-MBSSPROXYUPDATE.request .....          | 594 |
| 6.3.77.3  | MLME-MBSSPROXYUPDATE.confirm .....          | 595 |
| 6.3.77.4  | MLME-MBSSPROXYUPDATE.indication .....       | 596 |
| 6.3.77.5  | MLME-MBSSPROXYUPDATE.response .....         | 596 |
| 6.3.78    | MBSS mesh gate announcement .....           | 597 |
| 6.3.78.1  | Introduction .....                          | 597 |
| 6.3.78.2  | MLME-MBSSGATEANNOUNCEMENT.request .....     | 597 |
| 6.3.78.3  | MLME-MBSSGATEANNOUNCEMENT.indication .....  | 598 |
| 6.3.79    | Mesh link metric .....                      | 599 |
| 6.3.79.1  | Introduction .....                          | 599 |
| 6.3.79.2  | MLME-MESHLINKMETRICREAD.request .....       | 599 |
| 6.3.79.3  | MLME-MESHLINKMETRICREAD.confirm .....       | 599 |
| 6.3.79.4  | MLME-MESHLINKMETRICREPORT.request .....     | 600 |
| 6.3.79.5  | MLME-MESHLINKMETRICREPORT.indication .....  | 601 |
| 6.3.80    | HWMP mesh path selection .....              | 602 |
| 6.3.80.1  | Introduction .....                          | 602 |
| 6.3.80.2  | MLME-HWMPMESHPATHSELECTION.request .....    | 602 |
| 6.3.80.3  | MLME-HWMPMESHPATHSELECTION.indication ..... | 603 |
| 6.3.81    | QMF policy .....                            | 604 |
| 6.3.81.1  | Introduction .....                          | 604 |
| 6.3.81.2  | MLME-QMFPOLICY.request .....                | 604 |
| 6.3.81.3  | MLME-QMFPOLICY.indication .....             | 605 |
| 6.3.81.4  | MLME-QMFPOLICYCHANGE.request .....          | 605 |
| 6.3.81.5  | MLME-QMFPOLICYCHANGE.confirm .....          | 606 |
| 6.3.81.6  | MLME-QMFPOLICYCHANGE.indication .....       | 607 |
| 6.3.81.7  | MLME-QMFPOLICYCHANGE.response .....         | 608 |
| 6.3.81.8  | MLME-QMFPOLICYSET.request .....             | 609 |
| 6.3.82    | SCS request and response procedure .....    | 609 |
| 6.3.82.1  | General .....                               | 609 |
| 6.3.82.2  | MLME-SCS.request .....                      | 610 |
| 6.3.82.3  | MLME-SCS.confirm .....                      | 611 |
| 6.3.82.4  | MLME-SCS.indication .....                   | 612 |
| 6.3.82.5  | MLME-SCS.response .....                     | 612 |
| 6.3.82.6  | MLME-SCS-TERM.request .....                 | 613 |
| 6.3.82.7  | MLME-SCS-TERM.indication .....              | 614 |
| 6.3.83    | QLoad report management .....               | 615 |
| 6.3.83.1  | General .....                               | 615 |
| 6.3.83.2  | MLME-QLOAD.request .....                    | 615 |
| 6.3.83.3  | MLME-QLOAD.confirm .....                    | 615 |
| 6.3.83.4  | MLME-QLOAD.indication .....                 | 616 |



|        |           |                                          |     |
|--------|-----------|------------------------------------------|-----|
|        | 6.3.83.5  | MLME-QLOAD.response .....                | 617 |
| 6.3.84 |           | HCCA TXOP advertisement management ..... | 618 |
|        | 6.3.84.1  | General .....                            | 618 |
|        | 6.3.84.2  | MLME-TXOPADVERTISEMENT.request .....     | 618 |
|        | 6.3.84.3  | MLME-TXOPADVERTISEMENT.confirm .....     | 619 |
|        | 6.3.84.4  | MLME-TXOPADVERTISEMENT.indication .....  | 620 |
|        | 6.3.84.5  | MLME-TXOPADVERTISEMENT.response .....    | 621 |
| 6.3.85 |           | GCR group membership management .....    | 622 |
|        | 6.3.85.1  | General .....                            | 622 |
|        | 6.3.85.2  | MLME-GROUP-MEMBERSHIP.request .....      | 622 |
|        | 6.3.85.3  | MLME-GROUP-MEMBERSHIP.confirm .....      | 623 |
|        | 6.3.85.4  | MLME-GROUP-MEMBERSHIP.indication .....   | 624 |
|        | 6.3.85.5  | MLME-GROUP-MEMBERSHIP.response .....     | 624 |
| 6.3.86 |           | AP PeerKey management .....              | 625 |
|        | 6.3.86.1  | General .....                            | 625 |
|        | 6.3.86.2  | MLME-APPEERKEY.request .....             | 625 |
|        | 6.3.86.3  | MLME-APPEERKEY.indication .....          | 626 |
| 6.3.87 |           | On-channel Tunneling operation .....     | 627 |
|        | 6.3.87.1  | General .....                            | 627 |
|        | 6.3.87.2  | MLME-OCTunnel.request .....              | 628 |
|        | 6.3.87.3  | MLME-OCTunnel.indication .....           | 628 |
|        | 6.3.87.4  | MLME-OCTunnel.confirm .....              | 629 |
| 6.3.88 |           | Multi-band operation .....               | 630 |
|        | 6.3.88.1  | General .....                            | 630 |
|        | 6.3.88.2  | MLME-FST-SETUP.request .....             | 630 |
|        | 6.3.88.3  | MLME-FST-SETUP.indication .....          | 630 |
|        | 6.3.88.4  | MLME-FST-SETUP.response .....            | 631 |
|        | 6.3.88.5  | MLME-FST-SETUP.confirm .....             | 632 |
|        | 6.3.88.6  | MLME-FST-ACK.request .....               | 632 |
|        | 6.3.88.7  | MLME-FST-ACK.indication .....            | 633 |
|        | 6.3.88.8  | MLME-FST-ACK.response .....              | 633 |
|        | 6.3.88.9  | MLME-FST-ACK.confirm .....               | 634 |
|        | 6.3.88.10 | MLME-FST-TEARDOWN.request .....          | 634 |
|        | 6.3.88.11 | MLME-FST-TEARDOWN.indication .....       | 635 |
|        | 6.3.88.12 | MLME-FST-INCOMING.request .....          | 636 |
| 6.3.89 |           | DMG relay operation .....                | 636 |
|        | 6.3.89.1  | General .....                            | 636 |
|        | 6.3.89.2  | MLME-RELAY-SEARCH.request .....          | 637 |
|        | 6.3.89.3  | MLME-RELAY-SEARCH.confirm .....          | 637 |
|        | 6.3.89.4  | MLME-RELAY-SEARCH.indication .....       | 638 |
|        | 6.3.89.5  | MLME-RELAY-SEARCH.response .....         | 638 |
|        | 6.3.89.6  | MLME-RLS.request .....                   | 639 |
|        | 6.3.89.7  | MLME-RLS.confirm .....                   | 640 |
|        | 6.3.89.8  | MLME-RLS.indication .....                | 640 |
|        | 6.3.89.9  | MLME-RLS.response .....                  | 641 |
|        | 6.3.89.10 | MLME-RLS-TEARDOWN.request .....          | 642 |
|        | 6.3.89.11 | MLME-RLS-TEARDOWN.indication .....       | 642 |
| 6.3.90 |           | Quieting adjacent BSS operation .....    | 643 |
|        | 6.3.90.1  | General .....                            | 643 |
|        | 6.3.90.2  | MLME-QAB.request .....                   | 643 |
|        | 6.3.90.3  | MLME-QAB.confirm .....                   | 644 |
|        | 6.3.90.4  | MLME-QAB.indication .....                | 645 |
|        | 6.3.90.5  | MLME-QAB.response .....                  | 646 |
| 6.3.91 |           | DMG beamforming .....                    | 646 |

|           |                                                 |     |
|-----------|-------------------------------------------------|-----|
| 6.3.91.1  | General .....                                   | 646 |
| 6.3.91.2  | MLME-BF-TRAINING.request .....                  | 647 |
| 6.3.91.3  | MLME-BF-TRAINING.confirm .....                  | 647 |
| 6.3.91.4  | MLME-BF-TRAINING.indication .....               | 648 |
| 6.3.92    | PN event report .....                           | 648 |
| 6.3.92.1  | General .....                                   | 648 |
| 6.3.92.2  | MLME-PN-EXHAUSTION.indication .....             | 648 |
| 6.3.92.3  | MLME-PN-WARNING.indication .....                | 649 |
| 6.3.93    | Channel Availability Query .....                | 650 |
| 6.3.93.1  | Introduction .....                              | 650 |
| 6.3.93.2  | MLME-CHANNELAVAILABILITYQUERY.request .....     | 650 |
| 6.3.93.3  | MLME-CHANNELAVAILABILITYQUERY.confirm .....     | 651 |
| 6.3.93.4  | MLME-CHANNELAVAILABILITYQUERY.indication .....  | 652 |
| 6.3.93.5  | MLME-CHANNELAVAILABILITYQUERY.response .....    | 653 |
| 6.3.94    | Channel schedule management .....               | 654 |
| 6.3.94.1  | Introduction .....                              | 654 |
| 6.3.94.2  | MLME-CHANNELSCHEDULEMANAGEMENT.request .....    | 654 |
| 6.3.94.3  | MLME-CHANNELSCHEDULEMANAGEMENT.confirm .....    | 655 |
| 6.3.94.4  | MLME-CHANNELSCHEDULEMANAGEMENT.indication ..... | 656 |
| 6.3.94.5  | MLME-CHANNELSCHEDULEMANAGEMENT.response .....   | 657 |
| 6.3.95    | Contact verification signal .....               | 658 |
| 6.3.95.1  | Introduction .....                              | 658 |
| 6.3.95.2  | MLME-CVS.request .....                          | 658 |
| 6.3.95.3  | MLME-CVS.indication .....                       | 659 |
| 6.3.96    | GDD Enablement .....                            | 660 |
| 6.3.96.1  | Introduction .....                              | 660 |
| 6.3.96.2  | MLME-GDDENABLEMENT.request .....                | 660 |
| 6.3.96.3  | MLME-GDDENABLEMENT.confirm .....                | 661 |
| 6.3.96.4  | MLME-GDDENABLEMENT.indication .....             | 662 |
| 6.3.96.5  | MLME-GDDENABLEMENT.response .....               | 662 |
| 6.3.97    | Network channel control management .....        | 663 |
| 6.3.97.1  | Introduction .....                              | 663 |
| 6.3.97.2  | MLME-NETWORKCHANNELCONTROL.request .....        | 664 |
| 6.3.97.3  | MLME-NETWORKCHANNELCONTROL.confirm .....        | 664 |
| 6.3.97.4  | MLME-NETWORKCHANNELCONTROL.indication .....     | 665 |
| 6.3.97.5  | MLME-NETWORKCHANNELCONTROL.response .....       | 666 |
| 6.3.98    | White space map (WSM) .....                     | 667 |
| 6.3.98.1  | Introduction .....                              | 667 |
| 6.3.98.2  | MLME-WSM.request .....                          | 667 |
| 6.3.98.3  | MLME-WSM.indication .....                       | 668 |
| 6.3.99    | Estimated Throughput .....                      | 668 |
| 6.3.99.1  | General .....                                   | 668 |
| 6.3.99.2  | MLME-ESTIMATED-THROUGHPUT.request .....         | 668 |
| 6.3.99.3  | MLME-ESTIMATED-THROUGHPUT.confirm .....         | 670 |
| 6.3.100   | Get authentication and association state .....  | 670 |
| 6.3.100.1 | General .....                                   | 670 |
| 6.3.100.2 | MLME-GETAUTHASSOCSTATE.request .....            | 671 |
| 6.3.100.3 | MLME-GETAUTHASSOCSTATE.confirm .....            | 671 |
| 6.3.101   | FILS Container .....                            | 672 |
| 6.3.101.1 | General .....                                   | 672 |
| 6.3.101.2 | MLME-FILSContainer.request .....                | 672 |
| 6.3.101.3 | MLME-FILSContainer.confirm .....                | 672 |
| 6.3.101.4 | MLME-FILSContainer.indication .....             | 673 |
| 6.3.101.5 | MLME-FILSContainer.response .....               | 674 |



|           |                                                 |     |
|-----------|-------------------------------------------------|-----|
| 6.3.102   | Dynamic AID assignment operation.....           | 674 |
| 6.3.102.1 | General.....                                    | 674 |
| 6.3.102.2 | MLME-AIDSWITCH.request.....                     | 674 |
| 6.3.102.3 | MLME-AIDSWITCH.confirm.....                     | 675 |
| 6.3.102.4 | MLME-AIDSWITCH.indication.....                  | 676 |
| 6.3.102.5 | MLME-AIDSWITCH.response.....                    | 677 |
| 6.3.103   | Sync Control.....                               | 678 |
| 6.3.103.1 | General.....                                    | 678 |
| 6.3.103.2 | MLME-SYNCCONTROL.request.....                   | 678 |
| 6.3.103.3 | MLME-SYNCCONTROL.indication.....                | 678 |
| 6.3.104   | STA Information Announcement.....               | 679 |
| 6.3.104.1 | General.....                                    | 679 |
| 6.3.104.2 | MLME-STAINFORMATION.request.....                | 679 |
| 6.3.104.3 | MLME-STAINFORMATION.indication.....             | 680 |
| 6.3.105   | EDCA Parameter Set update.....                  | 680 |
| 6.3.105.1 | General.....                                    | 680 |
| 6.3.105.2 | MLME-EDCAPARAMETERSET.request.....              | 680 |
| 6.3.105.3 | MLME-EDCAPARAMETERSET.indication.....           | 681 |
| 6.3.106   | EL Operation.....                               | 682 |
| 6.3.106.1 | General.....                                    | 682 |
| 6.3.106.2 | MLME-ELOPERATION.request.....                   | 682 |
| 6.3.106.3 | MLME-ELOPERATION.indication.....                | 683 |
| 6.3.107   | TWT Setup.....                                  | 683 |
| 6.3.107.1 | General.....                                    | 683 |
| 6.3.107.2 | MLME-TWTSETUP.request.....                      | 683 |
| 6.3.107.3 | MLME-TWTSETUP.confirm.....                      | 684 |
| 6.3.107.4 | MLME-TWTSETUP.indication.....                   | 685 |
| 6.3.107.5 | MLME-TWTSETUP.response.....                     | 685 |
| 6.3.108   | TWT Teardown.....                               | 686 |
| 6.3.108.1 | General.....                                    | 686 |
| 6.3.108.2 | MLME-TWTTEARDOWN.request.....                   | 686 |
| 6.3.108.3 | MLME-TWTTEARDOWN.indication.....                | 687 |
| 6.3.109   | Sectorized Group ID List management.....        | 688 |
| 6.3.109.1 | General.....                                    | 688 |
| 6.3.109.2 | MLME-SECTORIZEDGROUPID.request.....             | 688 |
| 6.3.109.3 | LME-SECTORIZEDGROUPID.indication.....           | 688 |
| 6.3.110   | Header Compression procedure.....               | 689 |
| 6.3.110.1 | General.....                                    | 689 |
| 6.3.110.2 | MLME-HEADERCOMPRESSION.request.....             | 689 |
| 6.3.110.3 | MLME-HEADERCOMPRESSION.confirm.....             | 690 |
| 6.3.110.4 | MLME-HEADERCOMPRESSION.indication.....          | 691 |
| 6.3.110.5 | MLME-HEADERCOMPRESSION.response.....            | 691 |
| 6.3.111   | Reachable Address Update.....                   | 692 |
| 6.3.111.1 | General.....                                    | 692 |
| 6.3.111.2 | MLME-REACHABLEADDRESSUPDATE.request.....        | 692 |
| 6.3.111.3 | MLME-REACHABLEADDRESSUPDATE.indication.....     | 693 |
| 6.3.112   | Control response MCS negotiation operation..... | 694 |
| 6.3.112.1 | General.....                                    | 694 |
| 6.3.112.2 | MLME-CONTROLRESPONSEMCS.request.....            | 694 |
| 6.3.112.3 | MLME-CONTROLRESPONSEMCS.confirm.....            | 695 |
| 6.3.112.4 | MLME-CONTROLRESPONSEMCS.indication.....         | 695 |
| 6.3.112.5 | MLME-CONTROLRESPONSEMCS.response.....           | 696 |
| 6.3.113   | SIG relay (de)activation.....                   | 697 |
| 6.3.113.1 | General.....                                    | 697 |

|           |                                                      |     |
|-----------|------------------------------------------------------|-----|
| 6.3.113.2 | MLME-S1GRELAYACTIVATE.request .....                  | 697 |
| 6.3.113.3 | MLME-S1GRELAYACTIVATE.confirm .....                  | 697 |
| 6.3.113.4 | MLME-S1GRELAYACTIVATE.indication .....               | 698 |
| 6.3.113.5 | MLME-S1GRELAYACTIVATE.response .....                 | 699 |
| 6.3.114   | DCS procedure .....                                  | 699 |
| 6.3.114.1 | General .....                                        | 699 |
| 6.3.114.2 | MLME-DCSMEASUREMENT.request .....                    | 699 |
| 6.3.114.3 | MLME-DCSMEASUREMENT.indication .....                 | 700 |
| 6.3.114.4 | MLME-DCSMEASUREMENT.response .....                   | 701 |
| 6.3.114.5 | MLME-DCSMEASUREMENT.confirm .....                    | 701 |
| 6.3.114.6 | MLME-DCS.request .....                               | 702 |
| 6.3.114.7 | MLME-DCS.indication .....                            | 703 |
| 6.3.114.8 | MLME-DCS.response .....                              | 703 |
| 6.3.114.9 | MLME-DCS.confirm .....                               | 704 |
| 6.3.115   | Update .....                                         | 705 |
| 6.3.115.1 | Introduction .....                                   | 705 |
| 6.3.115.2 | MLME-UPDATE.request .....                            | 705 |
| 6.3.115.3 | MLME-UPDATE.confirm .....                            | 706 |
| 6.3.116   | MSCS request and response procedure .....            | 706 |
| 6.3.116.1 | General .....                                        | 706 |
| 6.3.116.2 | MLME-MSCS.request .....                              | 706 |
| 6.3.116.3 | MLME-MSCS.confirm .....                              | 707 |
| 6.3.116.4 | MLME-MSCS.indication .....                           | 708 |
| 6.3.116.5 | MLME-MSCS.response .....                             | 709 |
| 6.3.116.6 | MLME-MSCS-TERM.request .....                         | 710 |
| 6.3.116.7 | MLME-MSCS-TERM.indication .....                      | 710 |
| 6.3.117   | MAC Address Update .....                             | 711 |
| 6.3.117.1 | MLME-UPDATERMACADDRESS.request .....                 | 711 |
| 6.3.117.2 | MLME-UPDATERMACADDRESS.confirm .....                 | 712 |
| 6.4       | MAC state generic convergence function (MSGCF) ..... | 712 |
| 6.4.1     | Overview of the convergence function .....           | 712 |
| 6.4.2     | Overview of convergence function state machine ..... | 712 |
| 6.4.3     | Convergence function state list .....                | 713 |
| 6.4.3.1   | ESS_CONNECTED .....                                  | 713 |
| 6.4.3.2   | ESS_DISCONNECTED .....                               | 713 |
| 6.4.3.3   | ESS_DISENGAGING .....                                | 713 |
| 6.4.3.4   | STANDBY .....                                        | 714 |
| 6.4.4     | Convergence function state transitions .....         | 714 |
| 6.4.4.1   | Transitions to ESS_CONNECTED .....                   | 714 |
| 6.4.4.2   | Transitions to ESS_DISCONNECTED .....                | 714 |
| 6.4.4.3   | Transitions to ESS_DISENGAGING .....                 | 714 |
| 6.4.4.4   | Transitions to STANDBY .....                         | 715 |
| 6.4.5     | Convergence function informational events .....      | 715 |
| 6.4.6     | MAC state generic convergence SAP .....              | 715 |
| 6.4.7     | ESS status reporting .....                           | 715 |
| 6.4.7.1   | MSGCF-ESS-LINK-UP.indication .....                   | 715 |
| 6.4.7.2   | MSGCF-ESS-LINK-DOWN.indication .....                 | 716 |
| 6.4.7.3   | MSGCF-ESS-LINK-GOING-DOWN.indication .....           | 717 |
| 6.4.7.4   | MSGCF-ESS-LINK-EVENT-ROLLBACK.indication .....       | 718 |
| 6.4.7.5   | MSGCF-ESS-LINK-DETECTED.indication .....             | 719 |
| 6.4.7.6   | MSGCF-ESS-LINK-SCAN.request .....                    | 720 |
| 6.4.7.7   | MSGCF-ESS-LINK-SCAN.confirm .....                    | 721 |
| 6.4.8     | Network configuration .....                          | 722 |
| 6.4.8.1   | MSGCF-ESS-LINK-CAPABILITY.request .....              | 722 |

|          |                                                  |     |
|----------|--------------------------------------------------|-----|
| 6.4.8.2  | MSGCF-ESS-LINK-CAPABILITY.confirm .....          | 722 |
| 6.4.8.3  | MSGCF-ESS-LINK-PARAMETERS.request.....           | 724 |
| 6.4.8.4  | MSGCF-ESS-LINK-PARAMETERS.confirm.....           | 725 |
| 6.4.8.5  | MSGCF-GET-ESS-LINK-PARAMETERS.request.....       | 726 |
| 6.4.8.6  | MSGCF-GET-ESS-LINK-PARAMETERS.confirm .....      | 726 |
| 6.4.9    | Network events .....                             | 727 |
| 6.4.9.1  | MSGCF-ESS-LINK-THRESHOLD-REPORT.indication ..... | 727 |
| 6.4.10   | Network command interface.....                   | 728 |
| 6.4.10.1 | MSGCF-ESS-LINK-COMMAND.request.....              | 728 |
| 6.4.11   | MAC state SME SAP—mobility management .....      | 729 |
| 6.4.11.1 | MSSME-ESS-LINK-GOING-DOWN.indication.....        | 729 |
| 6.5      | PLME SAP interface .....                         | 729 |
| 6.5.1    | General.....                                     | 729 |
| 6.5.2    | PLME-RESET.request.....                          | 730 |
| 6.5.2.1  | Function .....                                   | 730 |
| 6.5.2.2  | Semantics of the service primitive .....         | 730 |
| 6.5.2.3  | When generated.....                              | 730 |
| 6.5.2.4  | Effect of receipt.....                           | 730 |
| 6.5.3    | PLME-CHARACTERISTICS.request .....               | 730 |
| 6.5.3.1  | Function .....                                   | 730 |
| 6.5.3.2  | Semantics of the service primitive .....         | 730 |
| 6.5.3.3  | When generated.....                              | 730 |
| 6.5.3.4  | Effect of receipt.....                           | 730 |
| 6.5.4    | PLME-CHARACTERISTICS.confirm .....               | 730 |
| 6.5.4.1  | Function .....                                   | 730 |
| 6.5.4.2  | Semantics of the service primitive .....         | 730 |
| 6.5.4.3  | When generated.....                              | 733 |
| 6.5.4.4  | Effect of receipt.....                           | 733 |
| 6.5.5    | PLME-TXTIME.request.....                         | 733 |
| 6.5.5.1  | Function .....                                   | 733 |
| 6.5.5.2  | Semantics of the service primitive .....         | 733 |
| 6.5.5.3  | When generated.....                              | 733 |
| 6.5.5.4  | Effect of receipt.....                           | 734 |
| 6.5.6    | PLME-TXTIME.confirm.....                         | 734 |
| 6.5.6.1  | Function .....                                   | 734 |
| 6.5.6.2  | Semantics of the service primitive .....         | 734 |
| 6.5.6.3  | When generated.....                              | 734 |
| 6.5.6.4  | Effect of receipt.....                           | 734 |
| 7.       | DS SAP specification.....                        | 735 |
| 7.1      | Introduction.....                                | 735 |
| 7.2      | SAP primitives .....                             | 735 |
| 7.2.1    | General.....                                     | 735 |
| 7.2.2    | MSDU transfer.....                               | 736 |
| 7.2.2.1  | General.....                                     | 736 |
| 7.2.2.2  | DS-UNITDATA.request .....                        | 736 |
| 7.2.2.3  | DS-UNITDATA.indication.....                      | 736 |
| 7.2.3    | Mapping updates.....                             | 737 |
| 7.2.3.1  | General.....                                     | 737 |
| 7.2.3.2  | DS-STA-NOTIFY.request .....                      | 737 |
| 8.       | PHY service specification.....                   | 739 |

|          |                                                                                                   |     |
|----------|---------------------------------------------------------------------------------------------------|-----|
| 8.1      | Scope of PHY services .....                                                                       | 739 |
| 8.2      | PHY functions.....                                                                                | 739 |
| 8.3      | Detailed PHY service specifications.....                                                          | 739 |
| 8.3.1    | Scope and field of application .....                                                              | 739 |
| 8.3.2    | Overview of the service .....                                                                     | 739 |
| 8.3.3    | Overview of interactions.....                                                                     | 739 |
| 8.3.4    | Basic service and options.....                                                                    | 739 |
| 8.3.4.1  | PHY SAP peer-to-peer service primitives .....                                                     | 739 |
| 8.3.4.2  | PHY SAP inter-(sub)layer service primitives.....                                                  | 740 |
| 8.3.4.3  | PHY SAP service primitives parameters .....                                                       | 740 |
| 8.3.4.4  | Vector descriptions .....                                                                         | 741 |
| 8.3.5    | PHY SAP detailed service specification.....                                                       | 742 |
| 8.3.5.1  | Introduction.....                                                                                 | 742 |
| 8.3.5.2  | PHY-DATA.request.....                                                                             | 742 |
| 8.3.5.3  | PHY-DATA.indication .....                                                                         | 743 |
| 8.3.5.4  | PHY-DATA.confirm.....                                                                             | 744 |
| 8.3.5.5  | PHY-TXSTART.request.....                                                                          | 744 |
| 8.3.5.6  | PHY-TXSTART.confirm.....                                                                          | 745 |
| 8.3.5.7  | PHY-TXEND.request .....                                                                           | 745 |
| 8.3.5.8  | PHY-TXEND.confirm .....                                                                           | 746 |
| 8.3.5.9  | PHY-TXHEADEREND.indication.....                                                                   | 746 |
| 8.3.5.10 | PHY-CCARESET.request .....                                                                        | 747 |
| 8.3.5.11 | PHY-CCARESET.confirm .....                                                                        | 748 |
| 8.3.5.12 | PHY-CCA.indication .....                                                                          | 748 |
| 8.3.5.13 | PHY-RXSTART.indication .....                                                                      | 752 |
| 8.3.5.14 | PHY-RXEND.indication.....                                                                         | 753 |
| 8.3.5.15 | PHY-CONFIG.request.....                                                                           | 754 |
| 8.4      | PHY management.....                                                                               | 754 |
| 9.       | Frame formats .....                                                                               | 755 |
| 9.1      | General requirements .....                                                                        | 755 |
| 9.2      | MAC frame formats.....                                                                            | 755 |
| 9.2.1    | Basic components .....                                                                            | 755 |
| 9.2.2    | Conventions .....                                                                                 | 755 |
| 9.2.3    | General frame format.....                                                                         | 757 |
| 9.2.4    | Frame fields .....                                                                                | 758 |
| 9.2.4.1  | Frame Control field.....                                                                          | 758 |
| 9.2.4.2  | Duration/ID field.....                                                                            | 767 |
| 9.2.4.3  | Address fields.....                                                                               | 768 |
| 9.2.4.4  | Sequence Control field.....                                                                       | 770 |
| 9.2.4.5  | QoS Control field.....                                                                            | 771 |
| 9.2.4.6  | HT Control field.....                                                                             | 777 |
| 9.2.4.7  | Frame Body field .....                                                                            | 787 |
| 9.2.4.8  | FCS field .....                                                                                   | 790 |
| 9.2.5    | Duration/ID field (QoS STA) .....                                                                 | 791 |
| 9.2.5.1  | General.....                                                                                      | 791 |
| 9.2.5.2  | Setting for single and multiple protection under enhanced distributed channel access (EDCA) ..... | 791 |
| 9.2.5.3  | Setting for QoS CF-Poll frames.....                                                               | 794 |
| 9.2.5.4  | Setting for frames sent by a TXOP holder under HCCA.....                                          | 794 |
| 9.2.5.5  | Settings within a PSMP sequence.....                                                              | 794 |
| 9.2.5.6  | Settings within a dual CTS sequence.....                                                          | 795 |
| 9.2.5.7  | Setting for control response frames .....                                                         | 795 |

|     |          |                                                         |     |
|-----|----------|---------------------------------------------------------|-----|
|     | 9.2.5.8  | Setting for other response frames.....                  | 796 |
| 9.3 |          | Format of individual frame types.....                   | 796 |
|     | 9.3.1    | Control frames .....                                    | 796 |
|     | 9.3.1.1  | Format of Control frames.....                           | 796 |
|     | 9.3.1.2  | RTS frame format .....                                  | 797 |
|     | 9.3.1.3  | CTS frame format .....                                  | 798 |
|     | 9.3.1.4  | Ack frame format .....                                  | 798 |
|     | 9.3.1.5  | PS-Poll frame format .....                              | 799 |
|     | 9.3.1.6  | CF-End frame format .....                               | 799 |
|     | 9.3.1.7  | BlockAckReq frame format .....                          | 800 |
|     | 9.3.1.8  | BlockAck frame format .....                             | 803 |
|     | 9.3.1.9  | Control Wrapper frame format .....                      | 807 |
|     | 9.3.1.10 | Poll frame format .....                                 | 808 |
|     | 9.3.1.11 | Service period request (SPR) frame format .....         | 808 |
|     | 9.3.1.12 | Grant frame format.....                                 | 809 |
|     | 9.3.1.13 | DMG CTS frame format.....                               | 809 |
|     | 9.3.1.14 | DMG DTS frame format.....                               | 810 |
|     | 9.3.1.15 | Sector sweep (SSW) frame format.....                    | 810 |
|     | 9.3.1.16 | Sector sweep feedback (SSW-Feedback) frame format ..... | 811 |
|     | 9.3.1.17 | Sector sweep Ack (SSW-Ack) frame format.....            | 811 |
|     | 9.3.1.18 | Grant Ack frame format.....                             | 812 |
|     | 9.3.1.19 | VHT NDP Announcement frame format.....                  | 812 |
|     | 9.3.1.20 | Beamforming Report Poll frame format.....               | 814 |
|     | 9.3.1.21 | TACK frame format.....                                  | 814 |
|     | 9.3.2    | Data frames.....                                        | 815 |
|     | 9.3.2.1  | Format of Data frames .....                             | 815 |
|     | 9.3.2.2  | Aggregate MSDU (A-MSDU) format .....                    | 819 |
|     | 9.3.3    | (PV0) Management frames.....                            | 822 |
|     | 9.3.3.1  | Format of (PV0) Management frames .....                 | 822 |
|     | 9.3.3.2  | Beacon frame format.....                                | 825 |
|     | 9.3.3.3  | ATIM frame format .....                                 | 829 |
|     | 9.3.3.4  | Disassociation frame format .....                       | 829 |
|     | 9.3.3.5  | Association Request frame format.....                   | 830 |
|     | 9.3.3.6  | Association Response frame format .....                 | 832 |
|     | 9.3.3.7  | Reassociation Request frame format.....                 | 835 |
|     | 9.3.3.8  | Reassociation Response frame format .....               | 839 |
|     | 9.3.3.9  | Probe Request frame format .....                        | 843 |
|     | 9.3.3.10 | Probe Response frame format.....                        | 845 |
|     | 9.3.3.11 | Authentication frame format.....                        | 850 |
|     | 9.3.3.12 | Deauthentication .....                                  | 856 |
|     | 9.3.3.13 | Action frame format.....                                | 856 |
|     | 9.3.3.14 | Action No Ack frame format .....                        | 856 |
|     | 9.3.3.15 | Timing Advertisement frame format .....                 | 857 |
|     | 9.3.4    | Extension frames.....                                   | 857 |
|     | 9.3.4.1  | Format of Extension frames .....                        | 857 |
|     | 9.3.4.2  | DMG Beacon .....                                        | 857 |
|     | 9.3.4.3  | S1G Beacon frame format.....                            | 863 |
|     | 9.3.5    | Frame addressing in an MBSS.....                        | 865 |
| 9.4 |          | Management and Extension frame body components .....    | 867 |
|     | 9.4.1    | Fields that are not elements .....                      | 867 |
|     | 9.4.1.1  | Authentication Algorithm Number field.....              | 867 |
|     | 9.4.1.2  | Authentication Transaction Sequence Number field .....  | 867 |
|     | 9.4.1.3  | Beacon Interval field.....                              | 868 |
|     | 9.4.1.4  | Capability Information field.....                       | 868 |

|          |                                                 |     |
|----------|-------------------------------------------------|-----|
| 9.4.1.5  | Current AP Address field.....                   | 870 |
| 9.4.1.6  | Listen Interval field.....                      | 870 |
| 9.4.1.7  | Reason Code field.....                          | 871 |
| 9.4.1.8  | AID field.....                                  | 874 |
| 9.4.1.9  | Status Code field.....                          | 875 |
| 9.4.1.10 | Timestamp field.....                            | 880 |
| 9.4.1.11 | Action field.....                               | 880 |
| 9.4.1.12 | Dialog Token field.....                         | 882 |
| 9.4.1.13 | Block Ack Parameter Set field.....              | 882 |
| 9.4.1.14 | Block Ack Timeout Value field.....              | 883 |
| 9.4.1.15 | Originator Preferred MCS field.....             | 883 |
| 9.4.1.16 | DELBA Parameter Set field.....                  | 884 |
| 9.4.1.17 | QoS Info field.....                             | 884 |
| 9.4.1.18 | Measurement Pilot Interval field.....           | 885 |
| 9.4.1.19 | Max Transmit Power field.....                   | 886 |
| 9.4.1.20 | Transmit Power Used field.....                  | 886 |
| 9.4.1.21 | Channel Width field.....                        | 886 |
| 9.4.1.22 | Operating Class and Channel field.....          | 887 |
| 9.4.1.23 | SM Power Control field.....                     | 887 |
| 9.4.1.24 | PSMP Parameter Set field.....                   | 888 |
| 9.4.1.25 | PSMP STA Info field.....                        | 888 |
| 9.4.1.26 | MIMO Control field.....                         | 889 |
| 9.4.1.27 | CSI Report field.....                           | 891 |
| 9.4.1.28 | Noncompressed Beamforming Report field.....     | 893 |
| 9.4.1.29 | Compressed Beamforming Report field.....        | 895 |
| 9.4.1.30 | Antenna Selection Indices field.....            | 898 |
| 9.4.1.31 | Organization Identifier field.....              | 898 |
| 9.4.1.32 | Rate Identification field.....                  | 899 |
| 9.4.1.33 | GAS Query Response Fragment ID field.....       | 900 |
| 9.4.1.34 | Venue Info field.....                           | 901 |
| 9.4.1.35 | Target Channel.....                             | 904 |
| 9.4.1.36 | Operating Class.....                            | 904 |
| 9.4.1.37 | Send-Confirm field.....                         | 904 |
| 9.4.1.38 | Anti-Clogging Token field.....                  | 905 |
| 9.4.1.39 | Scalar field.....                               | 905 |
| 9.4.1.40 | FFE field.....                                  | 905 |
| 9.4.1.41 | Confirm field.....                              | 905 |
| 9.4.1.42 | Finite Cyclic Group field.....                  | 905 |
| 9.4.1.43 | TXOP Reservation field.....                     | 906 |
| 9.4.1.44 | Relay Capable STA Info field.....               | 906 |
| 9.4.1.45 | Band ID field.....                              | 907 |
| 9.4.1.46 | DMG Parameters field.....                       | 907 |
| 9.4.1.47 | CMMG Parameters field.....                      | 908 |
| 9.4.1.48 | VHT MIMO Control field.....                     | 908 |
| 9.4.1.49 | VHT Compressed Beamforming Report field.....    | 910 |
| 9.4.1.50 | TVHT Compressed Beamforming Report field.....   | 921 |
| 9.4.1.51 | MU Exclusive Beamforming Report field.....      | 922 |
| 9.4.1.52 | TVHT MU Exclusive Beamforming Report field..... | 926 |
| 9.4.1.53 | Operating Mode field.....                       | 926 |
| 9.4.1.54 | Membership Status Array field.....              | 930 |
| 9.4.1.55 | User Position Array field.....                  | 930 |
| 9.4.1.56 | Device Location Information Body field.....     | 931 |
| 9.4.1.57 | WSM Type field and WSM Information field.....   | 931 |
| 9.4.1.58 | Sync Control field.....                         | 932 |

|          |                                                                    |      |
|----------|--------------------------------------------------------------------|------|
| 9.4.1.59 | Suspend Duration field.....                                        | 932  |
| 9.4.1.60 | TWT Information field.....                                         | 933  |
| 9.4.1.61 | CMMG MIMO Control field.....                                       | 934  |
| 9.4.1.62 | CMMG Compressed Beamforming Report field.....                      | 935  |
| 9.4.1.63 | CMMG Operating Mode field.....                                     | 939  |
| 9.4.2    | Elements.....                                                      | 940  |
| 9.4.2.1  | General.....                                                       | 940  |
| 9.4.2.2  | SSID element.....                                                  | 949  |
| 9.4.2.3  | Supported Rates and BSS Membership Selectors element.....          | 950  |
| 9.4.2.4  | DSSS Parameter Set element.....                                    | 951  |
| 9.4.2.5  | TIM element.....                                                   | 951  |
| 9.4.2.6  | IBSS Parameter Set element.....                                    | 959  |
| 9.4.2.7  | Challenge Text element.....                                        | 959  |
| 9.4.2.8  | Country element.....                                               | 959  |
| 9.4.2.9  | Request element.....                                               | 962  |
| 9.4.2.10 | Extended Request element.....                                      | 962  |
| 9.4.2.11 | ERP element.....                                                   | 963  |
| 9.4.2.12 | Extended Supported Rates and BSS Membership Selectors element..... | 964  |
| 9.4.2.13 | Power Constraint element.....                                      | 964  |
| 9.4.2.14 | Power Capability element.....                                      | 965  |
| 9.4.2.15 | TPC Request element.....                                           | 965  |
| 9.4.2.16 | TPC Report element.....                                            | 966  |
| 9.4.2.17 | Supported Channels element.....                                    | 966  |
| 9.4.2.18 | Channel Switch Announcement element.....                           | 967  |
| 9.4.2.19 | Secondary Channel Offset element.....                              | 967  |
| 9.4.2.20 | Measurement Request element.....                                   | 968  |
| 9.4.2.21 | Measurement Report element.....                                    | 1000 |
| 9.4.2.22 | Quiet element.....                                                 | 1049 |
| 9.4.2.23 | IBSS DFS element.....                                              | 1050 |
| 9.4.2.24 | RSNE.....                                                          | 1051 |
| 9.4.2.25 | Vendor Specific element.....                                       | 1060 |
| 9.4.2.26 | Extended Capabilities element.....                                 | 1061 |
| 9.4.2.27 | BSS Load element.....                                              | 1067 |
| 9.4.2.28 | EDCA Parameter Set element.....                                    | 1068 |
| 9.4.2.29 | TSPEC element.....                                                 | 1071 |
| 9.4.2.30 | TCLAS element.....                                                 | 1078 |
| 9.4.2.31 | TS Delay element.....                                              | 1092 |
| 9.4.2.32 | TCLAS Processing element.....                                      | 1092 |
| 9.4.2.33 | Schedule element.....                                              | 1093 |
| 9.4.2.34 | QoS Capability element.....                                        | 1094 |
| 9.4.2.35 | AP Channel Report element.....                                     | 1094 |
| 9.4.2.36 | Neighbor Report element.....                                       | 1094 |
| 9.4.2.37 | RCPI element.....                                                  | 1101 |
| 9.4.2.38 | BSS Average Access Delay element.....                              | 1101 |
| 9.4.2.39 | Antenna element.....                                               | 1102 |
| 9.4.2.40 | RSNI element.....                                                  | 1103 |
| 9.4.2.41 | Measurement Pilot Transmission element.....                        | 1103 |
| 9.4.2.42 | BSS Available Admission Capacity element.....                      | 1104 |
| 9.4.2.43 | BSS AC Access Delay element.....                                   | 1105 |
| 9.4.2.44 | RM Enabled Capabilities element.....                               | 1107 |
| 9.4.2.45 | Multiple BSSID element.....                                        | 1110 |
| 9.4.2.46 | Mobility Domain element (MDE).....                                 | 1112 |
| 9.4.2.47 | Fast BSS Transition element (FTE).....                             | 1112 |
| 9.4.2.48 | Timeout Interval element (TIE).....                                | 1116 |



|           |                                                    |      |
|-----------|----------------------------------------------------|------|
| 9.4.2.49  | RIC Data element (RDE).....                        | 1116 |
| 9.4.2.50  | RIC Descriptor element .....                       | 1117 |
| 9.4.2.51  | DSE Registered Location element .....              | 1117 |
| 9.4.2.52  | Extended Channel Switch Announcement element ..... | 1119 |
| 9.4.2.53  | Supported Operating Classes element.....           | 1119 |
| 9.4.2.54  | Management MIC element.....                        | 1121 |
| 9.4.2.55  | HT Capabilities element.....                       | 1121 |
| 9.4.2.56  | HT Operation element.....                          | 1129 |
| 9.4.2.57  | 20/40 BSS Intolerant Channel Report element .....  | 1133 |
| 9.4.2.58  | Overlapping BSS Scan Parameters element .....      | 1134 |
| 9.4.2.59  | 20/40 BSS Coexistence element .....                | 1134 |
| 9.4.2.60  | Time Advertisement element.....                    | 1135 |
| 9.4.2.61  | Link Identifier element.....                       | 1137 |
| 9.4.2.62  | Wakeup Schedule element .....                      | 1137 |
| 9.4.2.63  | Channel Switch Timing element.....                 | 1138 |
| 9.4.2.64  | PTI Control element.....                           | 1138 |
| 9.4.2.65  | TPU Buffer Status element .....                    | 1138 |
| 9.4.2.66  | Event Request element.....                         | 1139 |
| 9.4.2.67  | Event Report element.....                          | 1146 |
| 9.4.2.68  | Diagnostic Request element.....                    | 1151 |
| 9.4.2.69  | Diagnostic Report element.....                     | 1162 |
| 9.4.2.70  | Location Parameters element.....                   | 1164 |
| 9.4.2.71  | Nontransmitted BSSID Capability element .....      | 1172 |
| 9.4.2.72  | SSID List element .....                            | 1173 |
| 9.4.2.73  | Multiple BSSID-Index element .....                 | 1173 |
| 9.4.2.74  | FMS Descriptor element .....                       | 1174 |
| 9.4.2.75  | FMS Request element.....                           | 1175 |
| 9.4.2.76  | FMS Response element.....                          | 1176 |
| 9.4.2.77  | QoS Traffic Capability element .....               | 1179 |
| 9.4.2.78  | BSS Max Idle Period element.....                   | 1180 |
| 9.4.2.79  | TFS Request element .....                          | 1181 |
| 9.4.2.80  | TFS Response element.....                          | 1183 |
| 9.4.2.81  | WNM Sleep Mode element.....                        | 1184 |
| 9.4.2.82  | TIM Broadcast Request element.....                 | 1185 |
| 9.4.2.83  | TIM Broadcast Response element .....               | 1186 |
| 9.4.2.84  | Collocated Interference Report element .....       | 1187 |
| 9.4.2.85  | Channel Usage element.....                         | 1189 |
| 9.4.2.86  | Time Zone element .....                            | 1189 |
| 9.4.2.87  | DMS Request element .....                          | 1190 |
| 9.4.2.88  | DMS Response element.....                          | 1193 |
| 9.4.2.89  | Destination URI element.....                       | 1195 |
| 9.4.2.90  | U-APSD Coexistence element .....                   | 1196 |
| 9.4.2.91  | Interworking element .....                         | 1197 |
| 9.4.2.92  | Advertisement Protocol element.....                | 1199 |
| 9.4.2.93  | Expedited Bandwidth Request element .....          | 1200 |
| 9.4.2.94  | QoS Map element.....                               | 1201 |
| 9.4.2.95  | Roaming Consortium element .....                   | 1202 |
| 9.4.2.96  | Emergency Alert Identifier element.....            | 1203 |
| 9.4.2.97  | Mesh Configuration element.....                    | 1204 |
| 9.4.2.98  | Mesh ID element.....                               | 1208 |
| 9.4.2.99  | Mesh Link Metric Report element .....              | 1208 |
| 9.4.2.100 | Congestion Notification element .....              | 1209 |
| 9.4.2.101 | Mesh Peering Management element.....               | 1209 |
| 9.4.2.102 | Mesh Channel Switch Parameters element.....        | 1211 |



|           |                                                          |      |
|-----------|----------------------------------------------------------|------|
| 9.4.2.103 | Mesh Awake Window element .....                          | 1212 |
| 9.4.2.104 | Beacon Timing element .....                              | 1212 |
| 9.4.2.105 | MCCAOP Setup Request element .....                       | 1213 |
| 9.4.2.106 | MCCAOP Setup Reply element .....                         | 1214 |
| 9.4.2.107 | MCCAOP Advertisement Overview element .....              | 1215 |
| 9.4.2.108 | MCCAOP Advertisement element .....                       | 1216 |
| 9.4.2.109 | MCCAOP Teardown element .....                            | 1218 |
| 9.4.2.110 | GANN element .....                                       | 1218 |
| 9.4.2.111 | RANN element .....                                       | 1219 |
| 9.4.2.112 | PREQ element .....                                       | 1220 |
| 9.4.2.113 | PREP element .....                                       | 1222 |
| 9.4.2.114 | PERR element .....                                       | 1223 |
| 9.4.2.115 | PXU element .....                                        | 1225 |
| 9.4.2.116 | PXUC element .....                                       | 1226 |
| 9.4.2.117 | Authenticated Mesh Peering Exchange element .....        | 1227 |
| 9.4.2.118 | MIC element .....                                        | 1227 |
| 9.4.2.119 | Quality-of-Service Management Frame Policy element ..... | 1228 |
| 9.4.2.120 | Intra-Access Category Priority element .....             | 1229 |
| 9.4.2.121 | SCS Descriptor element .....                             | 1230 |
| 9.4.2.122 | QLoad Report element .....                               | 1231 |
| 9.4.2.123 | HCCA TXOP Update Count element .....                     | 1233 |
| 9.4.2.124 | Higher Layer Stream ID element .....                     | 1234 |
| 9.4.2.125 | GCR Group Address element .....                          | 1234 |
| 9.4.2.126 | DMG BSS Parameter Change element .....                   | 1235 |
| 9.4.2.127 | DMG Capabilities element .....                           | 1235 |
| 9.4.2.128 | DMG Operation element .....                              | 1242 |
| 9.4.2.129 | DMG Beam Refinement element .....                        | 1244 |
| 9.4.2.130 | DMG Wakeup Schedule element .....                        | 1246 |
| 9.4.2.131 | Extended Schedule element .....                          | 1246 |
| 9.4.2.132 | STA Availability element .....                           | 1250 |
| 9.4.2.133 | DMG TSPEC element .....                                  | 1251 |
| 9.4.2.134 | CMMG TSPEC element .....                                 | 1254 |
| 9.4.2.135 | Next DMG ATI element .....                               | 1255 |
| 9.4.2.136 | Channel Measurement Feedback element .....               | 1255 |
| 9.4.2.137 | Awake Window element .....                               | 1258 |
| 9.4.2.138 | Multi-band element .....                                 | 1258 |
| 9.4.2.139 | ADDBA Extension element .....                            | 1260 |
| 9.4.2.140 | Next PCP List element .....                              | 1261 |
| 9.4.2.141 | PCP Handover element .....                               | 1261 |
| 9.4.2.142 | DMG Link Margin element .....                            | 1262 |
| 9.4.2.143 | DMG Link Adaptation Acknowledgment element .....         | 1263 |
| 9.4.2.144 | Switching Stream element .....                           | 1263 |
| 9.4.2.145 | Session Transition element .....                         | 1265 |
| 9.4.2.146 | Cluster Report element .....                             | 1266 |
| 9.4.2.147 | Relay Capabilities element .....                         | 1268 |
| 9.4.2.148 | Relay Transfer Parameter Set element .....               | 1269 |
| 9.4.2.149 | Quiet Period Request element .....                       | 1270 |
| 9.4.2.150 | Quiet Period Response element .....                      | 1271 |
| 9.4.2.151 | BeamLink Maintenance element .....                       | 1271 |
| 9.4.2.152 | Multiple MAC Sublayers (MMS) element .....               | 1271 |
| 9.4.2.153 | U-PID element .....                                      | 1273 |
| 9.4.2.154 | ECAPC Policy element .....                               | 1274 |
| 9.4.2.155 | Cluster Time Offset element .....                        | 1275 |
| 9.4.2.156 | Antenna Sector ID Pattern element .....                  | 1275 |

|           |                                                        |      |
|-----------|--------------------------------------------------------|------|
| 9.4.2.157 | VHT Capabilities element.....                          | 1277 |
| 9.4.2.158 | VHT Operation element.....                             | 1284 |
| 9.4.2.159 | Extended BSS Load element.....                         | 1286 |
| 9.4.2.160 | Wide Bandwidth Channel Switch element.....             | 1287 |
| 9.4.2.161 | Transmit Power Envelope element.....                   | 1288 |
| 9.4.2.162 | Channel Switch Wrapper element.....                    | 1290 |
| 9.4.2.163 | AID element.....                                       | 1291 |
| 9.4.2.164 | Quiet Channel element.....                             | 1291 |
| 9.4.2.165 | Operating Mode Notification element.....               | 1292 |
| 9.4.2.166 | UPSIM element.....                                     | 1292 |
| 9.4.2.167 | Fine Timing Measurement Parameters element.....        | 1293 |
| 9.4.2.168 | Device Location element.....                           | 1297 |
| 9.4.2.169 | White Space Map element.....                           | 1297 |
| 9.4.2.170 | Reduced Neighbor Report element.....                   | 1298 |
| 9.4.2.171 | TVHT Operation element.....                            | 1300 |
| 9.4.2.172 | FTM Synchronization Information element.....           | 1301 |
| 9.4.2.173 | Estimated Service Parameters Inbound element.....      | 1302 |
| 9.4.2.174 | Future Channel Guidance element.....                   | 1304 |
| 9.4.2.175 | Association Delay Info element.....                    | 1304 |
| 9.4.2.176 | CAG Number element.....                                | 1305 |
| 9.4.2.177 | FILS Request Parameters element.....                   | 1306 |
| 9.4.2.178 | FILS Key Confirmation element.....                     | 1308 |
| 9.4.2.179 | FILS Session element.....                              | 1309 |
| 9.4.2.180 | FILS Public Key element.....                           | 1309 |
| 9.4.2.181 | AP Configuration Sequence Number (AP-CSN) element..... | 1309 |
| 9.4.2.182 | FILS Indication element.....                           | 1310 |
| 9.4.2.183 | FILS HLP Container element.....                        | 1311 |
| 9.4.2.184 | FILS IP Address Assignment element.....                | 1312 |
| 9.4.2.185 | Key Delivery element.....                              | 1316 |
| 9.4.2.186 | DILS element.....                                      | 1316 |
| 9.4.2.187 | FILS Wrapped Data element.....                         | 1318 |
| 9.4.2.188 | Fragment element.....                                  | 1318 |
| 9.4.2.189 | FILS Nonce element.....                                | 1319 |
| 9.4.2.190 | S1G Open-Loop Link Margin Index element.....           | 1319 |
| 9.4.2.191 | RPS element.....                                       | 1320 |
| 9.4.2.192 | Page Slice element.....                                | 1325 |
| 9.4.2.193 | AID Request element.....                               | 1327 |
| 9.4.2.194 | AID Response element.....                              | 1329 |
| 9.4.2.195 | S1G Sector Operation element.....                      | 1330 |
| 9.4.2.196 | S1G Beacon Compatibility element.....                  | 1332 |
| 9.4.2.197 | Short Beacon Interval element.....                     | 1333 |
| 9.4.2.198 | Change Sequence element.....                           | 1333 |
| 9.4.2.199 | TWT element.....                                       | 1333 |
| 9.4.2.200 | S1G Capabilities element.....                          | 1339 |
| 9.4.2.201 | Subchannel Selective Transmission (SST) element.....   | 1349 |
| 9.4.2.202 | Authentication Control element.....                    | 1351 |
| 9.4.2.203 | TSF Timer Accuracy element.....                        | 1353 |
| 9.4.2.204 | S1G Relay element.....                                 | 1353 |
| 9.4.2.205 | Reachable Address element.....                         | 1354 |
| 9.4.2.206 | S1G Relay Activation element.....                      | 1355 |
| 9.4.2.207 | S1G Relay Discovery element.....                       | 1356 |
| 9.4.2.208 | AID Announcement element.....                          | 1358 |
| 9.4.2.209 | PV1 Probe Response Option element.....                 | 1358 |
| 9.4.2.210 | EL Operation element.....                              | 1362 |

|           |                                                     |      |
|-----------|-----------------------------------------------------|------|
| 9.4.2.211 | Sectorized Group ID List element .....              | 1362 |
| 9.4.2.212 | SIG Operation element.....                          | 1363 |
| 9.4.2.213 | Header Compression element .....                    | 1365 |
| 9.4.2.214 | SST Operation element .....                         | 1366 |
| 9.4.2.215 | MAD element.....                                    | 1367 |
| 9.4.2.216 | Password Identifier element.....                    | 1367 |
| 9.4.2.217 | Max Channel Switch Time element.....                | 1367 |
| 9.4.2.218 | Vendor Specific Request element .....               | 1368 |
| 9.4.2.219 | CDMG Capabilities element.....                      | 1369 |
| 9.4.2.220 | Dynamic Bandwidth Control element.....              | 1371 |
| 9.4.2.221 | CDMG Extended Schedule element .....                | 1372 |
| 9.4.2.222 | SSW Report element.....                             | 1374 |
| 9.4.2.223 | Cluster Probe element .....                         | 1375 |
| 9.4.2.224 | Extended Cluster Report element .....               | 1375 |
| 9.4.2.225 | Cluster Switch Announcement element.....            | 1376 |
| 9.4.2.226 | Enhanced Beam Tracking element .....                | 1377 |
| 9.4.2.227 | SPSH Report element.....                            | 1378 |
| 9.4.2.228 | Clustering Interference Assessment element .....    | 1379 |
| 9.4.2.229 | CMMG Capabilities element .....                     | 1380 |
| 9.4.2.230 | CMMG Operation element .....                        | 1389 |
| 9.4.2.231 | CMMG Operating Mode Notification element.....       | 1390 |
| 9.4.2.232 | CMMG Link Margin element.....                       | 1391 |
| 9.4.2.233 | CMMG Link Adaptation Acknowledgment element.....    | 1392 |
| 9.4.2.234 | GLK-GCR Parameter Set element.....                  | 1392 |
| 9.4.2.235 | Estimated Service Parameters Outbound element ..... | 1393 |
| 9.4.2.236 | OCI element.....                                    | 1395 |
| 9.4.2.237 | Service Hint element.....                           | 1395 |
| 9.4.2.238 | Service Hash element.....                           | 1397 |
| 9.4.2.239 | GAS Extension element.....                          | 1397 |
| 9.4.2.240 | Non-Inheritance element.....                        | 1398 |
| 9.4.2.241 | RSN Extension element (RSNxE) .....                 | 1399 |
| 9.4.2.242 | TCLAS Mask element .....                            | 1400 |
| 9.4.2.243 | MSCS Descriptor element .....                       | 1400 |
| 9.4.2.244 | Supplemental Class 2 Capabilities element .....     | 1402 |
| 9.4.2.245 | OCT Source element.....                             | 1402 |
| 9.4.2.246 | Rejected Groups element .....                       | 1403 |
| 9.4.2.247 | Anti-Clogging Token Container element.....          | 1403 |
| 9.4.3     | Subelements .....                                   | 1404 |
| 9.4.4     | TLV encodings .....                                 | 1404 |
| 9.4.4.1   | General .....                                       | 1404 |
| 9.4.4.2   | Common TLVs .....                                   | 1405 |
| 9.4.5     | Access network query protocol (ANQP) elements.....  | 1409 |
| 9.4.5.1   | General .....                                       | 1409 |
| 9.4.5.2   | Query List ANQP-element.....                        | 1410 |
| 9.4.5.3   | Capability List ANQP-element.....                   | 1411 |
| 9.4.5.4   | Venue Name ANQP-element.....                        | 1411 |
| 9.4.5.5   | Emergency Call Number ANQP-element.....             | 1412 |
| 9.4.5.6   | Network Authentication Type ANQP-element.....       | 1413 |
| 9.4.5.7   | Roaming Consortium ANQP-element .....               | 1414 |
| 9.4.5.8   | Vendor Specific ANQP-element.....                   | 1415 |
| 9.4.5.9   | IP Address Type Availability ANQP-element.....      | 1415 |
| 9.4.5.10  | NAI Realm ANQP-element .....                        | 1416 |
| 9.4.5.11  | 3GPP Cellular Network ANQP-element.....             | 1420 |
| 9.4.5.12  | AP Geospatial Location ANQP-element .....           | 1420 |

|          |                                                                               |      |
|----------|-------------------------------------------------------------------------------|------|
| 9.4.5.13 | AP Civic Location ANQP-element.....                                           | 1421 |
| 9.4.5.14 | AP Location Public Identifier URI/FQDN ANQP-element .....                     | 1421 |
| 9.4.5.15 | Domain Name ANQP-element .....                                                | 1421 |
| 9.4.5.16 | Emergency Alert URI ANQP-element .....                                        | 1422 |
| 9.4.5.17 | Emergency NAI ANQP-element .....                                              | 1422 |
| 9.4.5.18 | TDLS Capability ANQP-element .....                                            | 1423 |
| 9.4.5.19 | Neighbor Report ANQP-element.....                                             | 1423 |
| 9.4.5.20 | Venue URL ANQP-element .....                                                  | 1423 |
| 9.4.5.21 | Advice of Charge ANQP-element .....                                           | 1424 |
| 9.4.5.22 | Local Content ANQP-element .....                                              | 1425 |
| 9.4.5.23 | Network Authentication Type with Timestamp ANQP-element.....                  | 1426 |
| 9.4.5.24 | Query AP List ANQP-element .....                                              | 1427 |
| 9.4.5.25 | AP List Response ANQP-element .....                                           | 1428 |
| 9.4.5.26 | CAG ANQP-element .....                                                        | 1429 |
| 9.4.5.27 | Service Information Request ANQP-element.....                                 | 1429 |
| 9.4.5.28 | Service Information Response ANQP-element .....                               | 1430 |
| 9.4.5.29 | Local MAC Address Policy ANQP-element .....                                   | 1430 |
| 9.4.6    | Registered location query protocol (RLQP) elements .....                      | 1433 |
| 9.4.6.1  | General .....                                                                 | 1433 |
| 9.4.6.2  | Channel Availability Query RLQP-element.....                                  | 1433 |
| 9.4.6.3  | Channel Schedule Management RLQP-element.....                                 | 1435 |
| 9.4.6.4  | Network Channel Control RLQP-element.....                                     | 1436 |
| 9.4.6.5  | Vendor Specific RLQP-element .....                                            | 1437 |
| 9.5      | Fields used in Management and Extension frame bodies and Control frames ..... | 1437 |
| 9.5.1    | Sector Sweep field .....                                                      | 1437 |
| 9.5.2    | Dynamic Allocation Info field .....                                           | 1438 |
| 9.5.3    | Sector Sweep Feedback field .....                                             | 1439 |
| 9.5.4    | BRP Request field.....                                                        | 1440 |
| 9.5.5    | Beamforming Control field.....                                                | 1441 |
| 9.5.6    | Beamformed Link Maintenance field.....                                        | 1442 |
| 9.6      | Action frame format details .....                                             | 1443 |
| 9.6.1    | Introduction.....                                                             | 1443 |
| 9.6.2    | Spectrum Management Action frames .....                                       | 1443 |
| 9.6.2.1  | General .....                                                                 | 1443 |
| 9.6.2.2  | Spectrum Measurement Request frame format.....                                | 1444 |
| 9.6.2.3  | Spectrum Measurement Report frame format.....                                 | 1444 |
| 9.6.2.4  | TPC Request frame format .....                                                | 1445 |
| 9.6.2.5  | TPC Report frame format .....                                                 | 1445 |
| 9.6.2.6  | Channel Switch Announcement frame format.....                                 | 1446 |
| 9.6.3    | QoS Action frame details.....                                                 | 1447 |
| 9.6.3.1  | General .....                                                                 | 1447 |
| 9.6.3.2  | Basic and DMG ADDTS Request frame format .....                                | 1448 |
| 9.6.3.3  | Basic and DMG ADDTS Response frame format .....                               | 1450 |
| 9.6.3.4  | DELTS frame format .....                                                      | 1452 |
| 9.6.3.5  | Schedule frame format .....                                                   | 1453 |
| 9.6.3.6  | QoS Map Configure frame format.....                                           | 1453 |
| 9.6.3.7  | ADDTS Reserve Request frame format.....                                       | 1454 |
| 9.6.3.8  | ADDTS Reserve Response frame format .....                                     | 1454 |
| 9.6.4    | Block Ack Action frame details.....                                           | 1455 |
| 9.6.4.1  | General .....                                                                 | 1455 |
| 9.6.4.2  | ADDBA Request frame format.....                                               | 1456 |
| 9.6.4.3  | ADDBA Response frame format .....                                             | 1457 |
| 9.6.4.4  | DELBA frame format .....                                                      | 1458 |
| 9.6.5    | Vendor-specific action details .....                                          | 1458 |

|          |                                                          |      |
|----------|----------------------------------------------------------|------|
| 9.6.6    | Radio Measurement action details .....                   | 1459 |
| 9.6.6.1  | General .....                                            | 1459 |
| 9.6.6.2  | Radio Measurement Request frame format .....             | 1459 |
| 9.6.6.3  | Radio Measurement Report frame format .....              | 1460 |
| 9.6.6.4  | Link Measurement Request frame format .....              | 1460 |
| 9.6.6.5  | Link Measurement Report frame format .....               | 1461 |
| 9.6.6.6  | Neighbor Report Request frame format .....               | 1462 |
| 9.6.6.7  | Neighbor Report Response frame format .....              | 1463 |
| 9.6.7    | Public Action details .....                              | 1463 |
| 9.6.7.1  | Public Action frames .....                               | 1463 |
| 9.6.7.2  | 20/40 BSS Coexistence Management frame format .....      | 1465 |
| 9.6.7.3  | Measurement Pilot frame format .....                     | 1465 |
| 9.6.7.4  | DSE Enablement frame format .....                        | 1467 |
| 9.6.7.5  | DSE Deenablement frame format .....                      | 1468 |
| 9.6.7.6  | DSE Registered Location Announcement frame format .....  | 1468 |
| 9.6.7.7  | Extended Channel Switch Announcement frame format .....  | 1469 |
| 9.6.7.8  | DSE Measurement Request frame format .....               | 1470 |
| 9.6.7.9  | DSE Measurement Report frame format .....                | 1470 |
| 9.6.7.10 | DSE Power Constraint frame format .....                  | 1471 |
| 9.6.7.11 | Vendor Specific Public Action frame format .....         | 1472 |
| 9.6.7.12 | GAS Initial Request frame format .....                   | 1473 |
| 9.6.7.13 | GAS Initial Response frame format .....                  | 1474 |
| 9.6.7.14 | GAS Comeback Request frame format .....                  | 1475 |
| 9.6.7.15 | GAS Comeback Response frame format .....                 | 1476 |
| 9.6.7.16 | TDLS Discovery Response frame format .....               | 1477 |
| 9.6.7.17 | Location Track Notification frame format .....           | 1479 |
| 9.6.7.18 | QMF Policy frame format .....                            | 1480 |
| 9.6.7.19 | QMF Policy Change frame format .....                     | 1480 |
| 9.6.7.20 | QLoad Request frame format .....                         | 1481 |
| 9.6.7.21 | QLoad Report frame format .....                          | 1481 |
| 9.6.7.22 | HCCA TXOP Advertisement frame .....                      | 1482 |
| 9.6.7.23 | HCCA TXOP Response frame .....                           | 1482 |
| 9.6.7.24 | Public Key frame .....                                   | 1483 |
| 9.6.7.25 | Channel Availability Query frame format .....            | 1484 |
| 9.6.7.26 | Channel Schedule Management frame format .....           | 1485 |
| 9.6.7.27 | Contact Verification Signal frame format .....           | 1486 |
| 9.6.7.28 | GDD Enablement Request frame format .....                | 1487 |
| 9.6.7.29 | GDD Enablement Response frame format .....               | 1487 |
| 9.6.7.30 | Network Channel Control frame format .....               | 1488 |
| 9.6.7.31 | White Space Map Announcement frame format .....          | 1489 |
| 9.6.7.32 | Fine Timing Measurement Request frame format .....       | 1489 |
| 9.6.7.33 | Fine Timing Measurement frame format .....               | 1490 |
| 9.6.7.34 | QAB Request frame format .....                           | 1492 |
| 9.6.7.35 | QAB Response frame format .....                          | 1493 |
| 9.6.7.36 | FILS Discovery frame format .....                        | 1494 |
| 9.6.7.37 | DCS Measurement Request frame format .....               | 1500 |
| 9.6.7.38 | DCS Measurement Response frame format .....              | 1501 |
| 9.6.7.39 | DCS Request frame format .....                           | 1503 |
| 9.6.7.40 | DCS Response frame format .....                          | 1503 |
| 9.6.7.41 | Extended Notification Period Request frame format .....  | 1504 |
| 9.6.7.42 | Extended Notification Period Response frame format ..... | 1505 |
| 9.6.7.43 | Extended Channel Splitting Request frame format .....    | 1505 |
| 9.6.7.44 | Extended Channel Splitting Response frame format .....   | 1506 |
| 9.6.7.45 | Group Addressed GAS Request frame format .....           | 1506 |

|        |           |                                                        |      |
|--------|-----------|--------------------------------------------------------|------|
|        | 9.6.7.46  | Group Addressed GAS Response frame format .....        | 1507 |
|        | 9.6.7.47  | On-channel Tunnel Request frame format .....           | 1508 |
| 9.6.8  |           | FT Action frame details .....                          | 1509 |
|        | 9.6.8.1   | General .....                                          | 1509 |
|        | 9.6.8.2   | FT Request frame .....                                 | 1509 |
|        | 9.6.8.3   | FT Response frame .....                                | 1510 |
|        | 9.6.8.4   | FT Confirm frame .....                                 | 1511 |
|        | 9.6.8.5   | FT Ack frame .....                                     | 1511 |
| 9.6.9  |           | SA Query Action frame details .....                    | 1512 |
|        | 9.6.9.1   | General .....                                          | 1512 |
|        | 9.6.9.2   | SA Query Request frame .....                           | 1513 |
|        | 9.6.9.3   | SA Query Response frame .....                          | 1513 |
| 9.6.10 |           | Protected Dual of Public Action frames .....           | 1513 |
| 9.6.11 |           | HT Action frame details .....                          | 1515 |
|        | 9.6.11.1  | HT Action field .....                                  | 1515 |
|        | 9.6.11.2  | Notify Channel Width frame format .....                | 1515 |
|        | 9.6.11.3  | SM Power Save frame format .....                       | 1516 |
|        | 9.6.11.4  | PSMP frame format .....                                | 1516 |
|        | 9.6.11.5  | CSI frame format .....                                 | 1517 |
|        | 9.6.11.6  | Noncompressed Beamforming frame format .....           | 1517 |
|        | 9.6.11.7  | Compressed Beamforming frame format .....              | 1518 |
|        | 9.6.11.8  | Antenna Selection Indices Feedback frame format .....  | 1518 |
| 9.6.12 |           | TDLS Action field formats .....                        | 1518 |
|        | 9.6.12.1  | General .....                                          | 1518 |
|        | 9.6.12.2  | TDLS Setup Request Action field format .....           | 1519 |
|        | 9.6.12.3  | TDLS Setup Response Action field format .....          | 1521 |
|        | 9.6.12.4  | TDLS Setup Confirm Action field format .....           | 1522 |
|        | 9.6.12.5  | TDLS Teardown Action field format .....                | 1524 |
|        | 9.6.12.6  | TDLS Peer Traffic Indication Action field format ..... | 1524 |
|        | 9.6.12.7  | TDLS Channel Switch Request Action field format .....  | 1525 |
|        | 9.6.12.8  | TDLS Channel Switch Response Action field format ..... | 1525 |
|        | 9.6.12.9  | TDLS Peer PSM Request Action field format .....        | 1526 |
|        | 9.6.12.10 | TDLS Peer PSM Response Action field format .....       | 1526 |
|        | 9.6.12.11 | TDLS Peer Traffic Response Action field format .....   | 1527 |
|        | 9.6.12.12 | TDLS Discovery Request Action field format .....       | 1527 |
| 9.6.13 |           | WNM Action details .....                               | 1528 |
|        | 9.6.13.1  | WNM Action fields .....                                | 1528 |
|        | 9.6.13.2  | Event Request frame format .....                       | 1529 |
|        | 9.6.13.3  | Event Report frame format .....                        | 1530 |
|        | 9.6.13.4  | Diagnostic Request frame format .....                  | 1530 |
|        | 9.6.13.5  | Diagnostic Report frame format .....                   | 1531 |
|        | 9.6.13.6  | Location Configuration Request frame format .....      | 1531 |
|        | 9.6.13.7  | Location Configuration Response frame format .....     | 1532 |
|        | 9.6.13.8  | BSS Transition Management Query frame format .....     | 1533 |
|        | 9.6.13.9  | BSS Transition Management Request frame format .....   | 1534 |
|        | 9.6.13.10 | BSS Transition Management Response frame format .....  | 1536 |
|        | 9.6.13.11 | FMS Request frame format .....                         | 1537 |
|        | 9.6.13.12 | FMS Response frame format .....                        | 1537 |
|        | 9.6.13.13 | Collocated Interference Request frame format .....     | 1538 |
|        | 9.6.13.14 | Collocated Interference Report frame format .....      | 1539 |
|        | 9.6.13.15 | TFS Request frame format .....                         | 1539 |
|        | 9.6.13.16 | TFS Response frame format .....                        | 1540 |
|        | 9.6.13.17 | TFS Notify frame format .....                          | 1540 |
|        | 9.6.13.18 | TFS Notify Response frame format .....                 | 1540 |



|           |                                                      |      |
|-----------|------------------------------------------------------|------|
| 9.6.13.19 | WNM Sleep Mode Request frame format .....            | 1541 |
| 9.6.13.20 | WNM Sleep Mode Response frame format .....           | 1541 |
| 9.6.13.21 | TIM Broadcast Request frame format .....             | 1544 |
| 9.6.13.22 | TIM Broadcast Response frame format .....            | 1544 |
| 9.6.13.23 | QoS Traffic Capability Update frame format .....     | 1545 |
| 9.6.13.24 | Channel Usage Request frame format .....             | 1545 |
| 9.6.13.25 | Channel Usage Response frame format .....            | 1546 |
| 9.6.13.26 | DMS Request frame format .....                       | 1547 |
| 9.6.13.27 | DMS Response frame format .....                      | 1547 |
| 9.6.13.28 | Timing Measurement Request frame format .....        | 1548 |
| 9.6.13.29 | WNM Notification Request frame format .....          | 1548 |
| 9.6.13.30 | WNM Notification Response frame format .....         | 1549 |
| 9.6.14    | Unprotected WNM Action details .....                 | 1550 |
| 9.6.14.1  | Unprotected WNM Action fields .....                  | 1550 |
| 9.6.14.2  | TIM frame format .....                               | 1550 |
| 9.6.14.3  | Timing Measurement frame format .....                | 1551 |
| 9.6.15    | Self-protected Action frame details .....            | 1552 |
| 9.6.15.1  | Self-protected Action fields .....                   | 1552 |
| 9.6.15.2  | Mesh Peering Open frame format .....                 | 1552 |
| 9.6.15.3  | Mesh Peering Confirm frame format .....              | 1554 |
| 9.6.15.4  | Mesh Peering Close frame format .....                | 1555 |
| 9.6.15.5  | Mesh Group Key Inform frame format .....             | 1556 |
| 9.6.15.6  | Mesh Group Key Acknowledge frame format .....        | 1557 |
| 9.6.16    | Mesh Action frame details .....                      | 1557 |
| 9.6.16.1  | Mesh Action fields .....                             | 1557 |
| 9.6.16.2  | Mesh Link Metric Report frame format .....           | 1558 |
| 9.6.16.3  | HWMP Mesh Path Selection frame format .....          | 1558 |
| 9.6.16.4  | Gate Announcement frame format .....                 | 1559 |
| 9.6.16.5  | Congestion Control Notification frame format .....   | 1560 |
| 9.6.16.6  | MCCA Setup Request frame format .....                | 1560 |
| 9.6.16.7  | MCCA Setup Reply frame format .....                  | 1561 |
| 9.6.16.8  | MCCA Advertisement Request frame format .....        | 1561 |
| 9.6.16.9  | MCCA Advertisement frame format .....                | 1562 |
| 9.6.16.10 | MCCA Teardown frame format .....                     | 1562 |
| 9.6.16.11 | TBTT Adjustment Request frame format .....           | 1563 |
| 9.6.16.12 | TBTT Adjustment Response frame format .....          | 1563 |
| 9.6.17    | Multihop Action frame details .....                  | 1564 |
| 9.6.17.1  | Multihop Action fields .....                         | 1564 |
| 9.6.17.2  | Proxy Update frame format .....                      | 1564 |
| 9.6.17.3  | Proxy Update Confirmation frame format .....         | 1565 |
| 9.6.18    | Robust AV Streaming Action frame details .....       | 1565 |
| 9.6.18.1  | General .....                                        | 1565 |
| 9.6.18.2  | SCS Request frame format .....                       | 1566 |
| 9.6.18.3  | SCS Response frame format .....                      | 1566 |
| 9.6.18.4  | Group Membership Request frame format .....          | 1567 |
| 9.6.18.5  | Group Membership Response frame format .....         | 1567 |
| 9.6.18.6  | MSCS Request frame format .....                      | 1568 |
| 9.6.18.7  | MSCS Response frame format .....                     | 1568 |
| 9.6.19    | DMG Action frame details .....                       | 1569 |
| 9.6.19.1  | DMG Action field .....                               | 1569 |
| 9.6.19.2  | Power Save Configuration Request frame format .....  | 1570 |
| 9.6.19.3  | Power Save Configuration Response frame format ..... | 1570 |
| 9.6.19.4  | Information Request frame format .....               | 1571 |
| 9.6.19.5  | Information Response frame format .....              | 1572 |

|           |                                                            |      |
|-----------|------------------------------------------------------------|------|
| 9.6.19.6  | Handover Request frame format .....                        | 1573 |
| 9.6.19.7  | Handover Response frame format .....                       | 1573 |
| 9.6.19.8  | Relay Search Request frame format .....                    | 1574 |
| 9.6.19.9  | Relay Search Response frame format .....                   | 1574 |
| 9.6.19.10 | Multi-relay Channel Measurement Request frame format ..... | 1575 |
| 9.6.19.11 | Multi-relay Channel Measurement Report frame format .....  | 1575 |
| 9.6.19.12 | RLS Request frame format .....                             | 1577 |
| 9.6.19.13 | RLS Response frame format .....                            | 1578 |
| 9.6.19.14 | RLS Announcement frame format .....                        | 1578 |
| 9.6.19.15 | RLS Teardown frame format .....                            | 1579 |
| 9.6.19.16 | Relay Ack Request frame format .....                       | 1579 |
| 9.6.19.17 | Relay Ack Response frame format .....                      | 1580 |
| 9.6.19.18 | TPA Request frame format .....                             | 1580 |
| 9.6.19.19 | TPA Response frame format .....                            | 1581 |
| 9.6.19.20 | TPA Report frame format .....                              | 1582 |
| 9.6.19.21 | ROC Request frame format .....                             | 1582 |
| 9.6.19.22 | ROC Response frame format .....                            | 1583 |
| 9.6.20    | FST Action frame details .....                             | 1583 |
| 9.6.20.1  | FST Action field .....                                     | 1583 |
| 9.6.20.2  | FST Setup Request frame format .....                       | 1584 |
| 9.6.20.3  | FST Setup Response frame format .....                      | 1585 |
| 9.6.20.4  | FST Teardown frame format .....                            | 1586 |
| 9.6.20.5  | FST Ack Request frame format .....                         | 1586 |
| 9.6.20.6  | FST Ack Response frame format .....                        | 1587 |
| 9.6.20.7  | On-channel Tunnel Request frame format .....               | 1587 |
| 9.6.21    | Unprotected DMG Action frame details .....                 | 1588 |
| 9.6.21.1  | Unprotected DMG Action field .....                         | 1588 |
| 9.6.21.2  | Announce frame format .....                                | 1588 |
| 9.6.21.3  | BRP frame format .....                                     | 1590 |
| 9.6.22    | VHT Action frame details .....                             | 1591 |
| 9.6.22.1  | VHT Action field .....                                     | 1591 |
| 9.6.22.2  | VHT Compressed Beamforming frame format .....              | 1592 |
| 9.6.22.3  | Group ID Management frame format .....                     | 1592 |
| 9.6.22.4  | Operating Mode Notification frame format .....             | 1593 |
| 9.6.23    | FILS Action frame details .....                            | 1593 |
| 9.6.23.1  | General .....                                              | 1593 |
| 9.6.23.2  | FILS Container frame .....                                 | 1593 |
| 9.6.24    | Unprotected S1G Action frame details .....                 | 1594 |
| 9.6.24.1  | Unprotected S1G Action field .....                         | 1594 |
| 9.6.24.2  | AID Switch Request frame format .....                      | 1594 |
| 9.6.24.3  | AID Switch Response frame format .....                     | 1595 |
| 9.6.24.4  | Sync Control frame format .....                            | 1596 |
| 9.6.24.5  | STA Information Announcement frame format .....            | 1596 |
| 9.6.24.6  | EDCA Parameter Set frame format .....                      | 1597 |
| 9.6.24.7  | EL Operation frame format .....                            | 1597 |
| 9.6.24.8  | TWT Setup frame format .....                               | 1597 |
| 9.6.24.9  | TWT Teardown frame format .....                            | 1598 |
| 9.6.24.10 | Sectorized Group ID List frame format .....                | 1599 |
| 9.6.24.11 | Sector ID Feedback frame format .....                      | 1599 |
| 9.6.24.12 | TWT Information frame format .....                         | 1600 |
| 9.6.25    | S1G Action frame details .....                             | 1601 |
| 9.6.25.1  | S1G Action field .....                                     | 1601 |
| 9.6.25.2  | Reachable Address Update frame format .....                | 1601 |
| 9.6.25.3  | Relay Activation Request frame format .....                | 1602 |



|          |                                                              |      |
|----------|--------------------------------------------------------------|------|
| 9.6.25.4 | Relay Activation Response frame format .....                 | 1602 |
| 9.6.25.5 | Header Compression frame format .....                        | 1603 |
| 9.6.25.6 | Protected TWT Setup frame format .....                       | 1603 |
| 9.6.25.7 | Protected TWT Teardown frame format .....                    | 1603 |
| 9.6.25.8 | Protected TWT Information frame format .....                 | 1603 |
| 9.6.26   | Flow Control Action frame details .....                      | 1604 |
| 9.6.26.1 | Flow Control Action field .....                              | 1604 |
| 9.6.26.2 | Flow Suspension frame format .....                           | 1604 |
| 9.6.26.3 | Flow Resumption frame format .....                           | 1604 |
| 9.6.27   | Control Response MCS Negotiation frame details .....         | 1605 |
| 9.6.27.1 | Control Response MCS Negotiation Action field .....          | 1605 |
| 9.6.27.2 | Control Response MCS Negotiation Request frame format .....  | 1605 |
| 9.6.27.3 | Control Response MCS Negotiation Response frame format ..... | 1606 |
| 9.6.28   | CDMG Action frame details .....                              | 1606 |
| 9.6.28.1 | CDMG Action field .....                                      | 1606 |
| 9.6.28.2 | Notification Period Request frame format .....               | 1607 |
| 9.6.28.3 | Notification Period Response frame format .....              | 1607 |
| 9.6.28.4 | Channel Splitting Request frame format .....                 | 1608 |
| 9.6.28.5 | Channel Splitting Response frame format .....                | 1608 |
| 9.6.28.6 | CDMG Allocation Request frame format .....                   | 1609 |
| 9.6.28.7 | CDMG Allocation Response frame format .....                  | 1609 |
| 9.6.29   | CMMG Action frame details .....                              | 1610 |
| 9.6.29.1 | CMMG Action field .....                                      | 1610 |
| 9.6.29.2 | CMMG Compressed Beamforming frame format .....               | 1610 |
| 9.6.29.3 | CMMG Operating Mode Notification frame format .....          | 1611 |
| 9.6.30   | GLK Action frame details .....                               | 1611 |
| 9.6.30.1 | GLK Action field .....                                       | 1611 |
| 9.6.30.2 | GLK Groupcast Mode Change Notification .....                 | 1612 |
| 9.7      | Aggregate MPDU (A-MPDU) .....                                | 1612 |
| 9.7.1    | A-MPDU format .....                                          | 1612 |
| 9.7.2    | MPDU delimiter CRC field .....                               | 1615 |
| 9.7.3    | A-MPDU contents .....                                        | 1615 |
| 9.8      | MAC frame format for PV1 frames .....                        | 1619 |
| 9.8.1    | Basic components .....                                       | 1619 |
| 9.8.2    | General PV1 frame format .....                               | 1619 |
| 9.8.3    | PV1 frame fields .....                                       | 1619 |
| 9.8.3.1  | Frame Control field .....                                    | 1619 |
| 9.8.3.2  | Address fields .....                                         | 1621 |
| 9.8.3.3  | Sequence Control field .....                                 | 1622 |
| 9.8.3.4  | Frame Body field .....                                       | 1622 |
| 9.8.3.5  | Overhead for encryption .....                                | 1622 |
| 9.8.3.6  | FCS field .....                                              | 1622 |
| 9.8.4    | PV1 Control frames .....                                     | 1623 |
| 9.8.4.1  | General .....                                                | 1623 |
| 9.8.4.2  | STACK frame format .....                                     | 1623 |
| 9.8.4.3  | BAT frame format .....                                       | 1624 |
| 9.8.5    | PV1 Management frames .....                                  | 1625 |
| 9.8.5.1  | Format of PV1 Management frames .....                        | 1625 |
| 9.8.5.2  | Action and Action No Ack frames .....                        | 1626 |
| 9.8.5.3  | PV1 Probe Response frame format .....                        | 1627 |
| 9.8.5.4  | Resource Allocation frame format .....                       | 1628 |
| 10.      | MAC sublayer functional description .....                    | 1631 |

|           |                                                                                    |      |
|-----------|------------------------------------------------------------------------------------|------|
| 10.1      | Introduction.....                                                                  | 1631 |
| 10.2      | MAC architecture .....                                                             | 1631 |
| 10.2.1    | General.....                                                                       | 1631 |
| 10.2.2    | DCF.....                                                                           | 1633 |
| 10.2.3    | Hybrid coordination function (HCF) .....                                           | 1633 |
| 10.2.3.1  | General.....                                                                       | 1633 |
| 10.2.3.2  | HCF contention based channel access (EDCA).....                                    | 1634 |
| 10.2.3.3  | HCF controlled channel access (HCCA) .....                                         | 1637 |
| 10.2.4    | Mesh coordination function (MCF).....                                              | 1638 |
| 10.2.5    | Combined use of DCF and HCF .....                                                  | 1638 |
| 10.2.6    | Fragmentation/defragmentation overview .....                                       | 1638 |
| 10.2.7    | MAC data service .....                                                             | 1639 |
| 10.3      | DCF.....                                                                           | 1640 |
| 10.3.1    | General.....                                                                       | 1640 |
| 10.3.2    | Procedures common to the DCF and EDCAF .....                                       | 1642 |
| 10.3.2.1  | CS mechanism.....                                                                  | 1642 |
| 10.3.2.2  | MAC-level acknowledgments.....                                                     | 1643 |
| 10.3.2.3  | IFS.....                                                                           | 1643 |
| 10.3.2.4  | Setting and resetting the NAV .....                                                | 1648 |
| 10.3.2.5  | Setting and resetting the RID .....                                                | 1650 |
| 10.3.2.6  | RTS/CTS with fragmentation .....                                                   | 1653 |
| 10.3.2.7  | VHT and S1G RTS procedure .....                                                    | 1654 |
| 10.3.2.8  | CMMG RTS procedure.....                                                            | 1655 |
| 10.3.2.9  | CTS and DMG CTS procedure.....                                                     | 1655 |
| 10.3.2.10 | Dual CTS protection .....                                                          | 1657 |
| 10.3.2.11 | Acknowledgment procedure .....                                                     | 1660 |
| 10.3.2.12 | Fragment BA procedure.....                                                         | 1663 |
| 10.3.2.13 | MU acknowledgment procedure.....                                                   | 1664 |
| 10.3.2.14 | Duplicate detection and recovery.....                                              | 1665 |
| 10.3.2.15 | NAV distribution.....                                                              | 1669 |
| 10.3.2.16 | Operation of aSlotTime.....                                                        | 1670 |
| 10.3.2.17 | Response Indication procedure .....                                                | 1670 |
| 10.3.3    | Random backoff procedure.....                                                      | 1672 |
| 10.3.4    | DCF access procedure .....                                                         | 1673 |
| 10.3.4.1  | Introduction.....                                                                  | 1673 |
| 10.3.4.2  | Basic access.....                                                                  | 1673 |
| 10.3.4.3  | Backoff procedure for DCF .....                                                    | 1674 |
| 10.3.4.4  | Recovery procedures and retransmit limits.....                                     | 1677 |
| 10.3.4.5  | Control of the channel.....                                                        | 1678 |
| 10.3.5    | Individually addressed MPDU transfer procedure .....                               | 1679 |
| 10.3.6    | Group addressed MPDU transfer procedure.....                                       | 1679 |
| 10.3.7    | DCF timing relations .....                                                         | 1680 |
| 10.3.8    | Signal extension .....                                                             | 1683 |
| 10.3.9    | Determination of PLME aCWmin characteristics .....                                 | 1684 |
| 10.4      | MSDU and MMPDU fragmentation.....                                                  | 1684 |
| 10.5      | MSDU and MMPDU defragmentation.....                                                | 1685 |
| 10.6      | Multirate support.....                                                             | 1686 |
| 10.6.1    | Overview.....                                                                      | 1686 |
| 10.6.2    | Basic HT-MCS Set field .....                                                       | 1687 |
| 10.6.3    | Basic STBC MCS .....                                                               | 1687 |
| 10.6.4    | Basic rate set, basic HT-MCS set, and basic VHT-MCS and NSS set for mesh STA ..... | 1687 |
| 10.6.5    | Rate selection for Data and Management frames .....                                | 1688 |
| 10.6.5.1  | Rate selection for non-STBC Beacon and non-STBC PSMP frames.....                   | 1688 |